

LEGUME RESEARCH - An International Journal

Vol. 39 No. 5

NAAS Rating: 6.15

October, 2016

C O N - TENTS

Page No.

GENETICS AND BREEDING

Heterosis for yield and yield attributing characters in *rabi* mungbean [*Vigna radiata* (L.) Wilczek]

G.B. Vaidya, D.A. Chauhan, A.V. Narwade, B.H. Kale and M.M. Pandya.....657

Phylogenetic relationship of some *Onobrychis* taxa naturally grown in Turkey based on morphology and nuclear ribosomal DNA ITS Sequences

Süleyman Avci, Nilgün Tekin, Cengiz Sancak, Sebahattin Özcan and Amir Orojpour Marangi.....665

Assessment of genetic diversity of soybean genotypes differing in resistance against yellow mosaic virus using simple sequence repeat markers

Anita Rani, Vineet Kumar, B.S. Gill, Vaishali Morya and Reena Rawal.....674

Combining ability, heterotic grouping and patterning of mungbean [*Vigna radiata* (L.) Wilczek] lines for high seed yield

Chandra Mohan Singh, Madhuri Arya, S.B. Mishra and Anil Pandey.....682

Genetic diversity analysis in different genotypes of black gram [*Vigna mungo* (L.) Hepper] using RAPD marker

Divya Vyas, Arunabh Joshi, Ganesh Rajamani, Devendra Jain and Gunnjeet Kaur.....690

A cladistic analysis of medical *Astragalus penduliflorus* Lam. complex (Leguminosae: Papilionoideae) in China and its taxonomic implications

Xiaolin Liu, Lei Duan and Zhaoyang Chang.....698

Genetic diversity of selected accessions for seed protein among pigeonpea minicore collection

L.G. Jaggal, B.R. Patil, P.M. Naik and K. Priya.....704

Estimation of genetic divergence in garden pea (*Pisum sativum* var. *hortense* L.) germplasm to facilitate the selection of potential parents for hybridization programme

Rakesh Kumar and Manish Kumar.....709

PLANT PHYSIOLOGY

Physiological, biochemical and mineral dimensions of green bean genotypes depending on Zn priming and salinity

Nurdilek Gulmezoglu, Cigdem Aydogan and Ece Turhan.....713

MICROBIOLOGY

Phenotypic characterisation of rhizobia nodulating different morphotypes of *Vachellia karroo*

N. Ngwenya, G.E. Zharare, A.K. Basson and M.S. Mthembu.....722

Molecular diversity of berseem (*Trifolium alexandrinum* L.) rhizobia isolated from Haryana soil

Varsha Garg, Kamlesh Kukreja and Rajesh Gera.....729

AGRONOMY

Moisture conservation and zinc fertilization impacts on quality, profitability and moisture use indices of chickpea (*Cicer Arietinum* L.) under limited moisture conditions

G.L. Choudhary, K.S. Rana, R.S. Bana and K. Prajapat.....734

Effect of land configuration, nutritional management module and biofertilizer application on performance, productivity and profitability of urdbean [*Vigna mungo* (L.) Hepper], in North-Western India

S.S. Tomar, Ashish Dwivedi, Adesh Singh and M.K. Singh.....741

Compost effects on leaf area index and seed production enhancement in an important arid land leguminous tree (*Acacia tortilis* subsp. *Raddiana*)

A.A. Elfeel and R.A. Abohassan.....748

Analysis of some plant measures of narbon vetch (*Vicia narbonensis* L.) effecting plant length using path analysis

Adil Bakoglu, Senol Celik and Kagan Kokten.....755

Role of zinc on productivity, quality traits and economic performance of cluster bean (*Cyamopsis tetragonoloba* L.) under semi-arid condition of Rajasthan, India

L.R. Meena and H.S. Jat.....762

Productivity enhancement of soybean as influenced by integrated nutrient and other agronomic interventions in sub - humid Punjab, India

R. Sikka, D. Singh, J.S. Deol and J. Kaur.....768

Evaluation of CropSyst model for clusterbean under hot arid condition

Ramesh Kumar, R.S. Yadav, N.D. Yadava, Amit Kumawat, Vinay Nangia, M. Glazirina, V.S. Rathore, M.L. Soni and Birbal.....774

Effect of drip fertigation on nutrient uptake and seed yield of pigeonpea [*Cajanus Cajan* (L.) Millsp.] under western agroclimatic zones of Tamil Nadu

Vimalendran Loganathan and K.R. Latha.....780

| | |
|---|-----|
| Effect of tillage, mulching and weed management practices on the performance and economics of chickpea B.R. Manjith Kumar and S.S. Angadi..... | 786 |
| Effect of crop geometry, fertilizer levels and genotypes on growth and yield of fenugreek (<i>Trigonellafoenum-graecum</i> L.) S. S. Meena, R. Meena, R.S. Mehta and R.K. Kakani..... | 792 |
| Influence of growth regulators on nutrient concentrations, nutrient uptake and quality parameters of cluster bean varieties V.K. Meena, M.K. Kaushik, Rakesh Kumar, Magan Singh, B.L. Meena, B.P. Meena, Rajesh Kumar Meena, Uttam Kumar and Sourabh Kumar..... | 797 |
| Economics of seed production in garden pea (<i>Pisum sativum</i> L.) as influenced by different levels of sulphur and boron Feroz Ahmad Parry, Mushtaq Ahmad Chattoo, Shabeer Ahmad Ganie and Syed Mudasar Razvi..... | 802 |
| Comparative economics of seed production vis - à - vis grain production of pigeonpea in Karnataka, India Govind Pal, Radhika C., R. K. Singh, Udaya Bhaskar K., H. Ram and S. Rajendra Prasad..... | 806 |
| Nutritive values of soybean silages ensiled with maize at different rates Emine Budakli Carpici..... | 810 |
| Greengram productivity enhancement through foliar spray of nutrients Shyamrao Kulkarni, S.N. Upperi and R. L. Jadhav..... | 814 |
| Effect of foliar spray of nutrients on productivity of greengram (<i>Vigna radiata</i>) in North Eastern transitional zone of Karnataka, India R.L. Jadhav and Shyamrao Kulkarni..... | 817 |
| <u>SEED SCIENCE</u> | |
| Improving vigour and viability of blackgram cv.co 6 [<i>Vigna mungo</i> (L) Hepper] through seed priming with inorganics S. Poonguzhali..... | 820 |
| Effect of seed hydro-priming and urea spray on yield parameters, yield and quality of lentil (<i>Lens culinaris</i> Medikus) S.K. Das and K. Jana..... | 830 |

PLANT PROTECTION

Effect of trap design and weather factors on relative efficiency of yellow sticky traps for sampling aphids in groundnut

Poonam Jasrotia, M.V. Nataraja, G. Harish, Ram Dutta and S.D. Savaliya.....834

Growth and developmental responses of *Callosobruchus maculatus* (F.) on various pulses

Rupesh Sharma, Renu Devi, Umesh Sharma, Sunita Yadav, Ramesh Sharma and Ashok Kumar.....840

SHORT COMMUNICATION

Inheritance of fresh seed dormancy in recombinant inbred lines (RIL) developed for mapping population TAG 24 x GPBD 4 in groundnut (*Arachis hypogea* L.)

Y.B. Naganagoudar, P.V. Kenchanagoudar, Santosha Rathod, C.M. Keerthi, H.L. Nadaf and B.B. Channappagoudar.....844

Esteemed reviews of this issue.....847

Author index of this issue.....847

Key words index of this issue.....849