

LWT—Food Science and Technology

Contents

Volume 74, 2016

Research papers

- Rheological, thermal conductivity, and microscopic studies on porous-structured noodles for shortened cooking time**
A. Jang, J.Y. Kim and S. Lee 1
- Use of growth inhibitors for control of *Listeria monocytogenes* in heat-processed ready-to-eat meat products simulating post-processing contamination**
I.S. Brasileiro, M. Barbosa, M.C. Igarashi, V. Biscola, D.F. Maffei, M. Landgraf and B.D.G.d.M. Franco 7
- Effect of chitosan beads incorporated with lavender or red thyme essential oils in inhibiting *Botrytis cinerea* and their application in strawberry packaging system**
J. Sangsuwan, T. Pongsapakworawat, P. Bangmo and S. Sutthasupa 14
- Microencapsulation of probiotic jussara (*Euterpe edulis* M.) juice by spray drying**
D.R.S.F. Paim, S.D.O. Costa, E.H.M. Walter and R.V. Tonon 21
- Influence of vacuum application, acid addition and partial replacement of NaCl by KCl on the mass transfer during salting of beef cuts**
M. Bampi, N.N. Domschke, F.C. Schmidt and J.B. Laurindo 26
- Infusions from *Thymus vulgaris* L. treated at different gamma radiation doses: Effects on antioxidant activity and phenolic composition**
E. Pereira, L. Barros, A.L. Antonio, S. Cabo Verde, C. Santos-Buelga and I.C.F.R. Ferreira 34
- The effect of *Pediococcus acidilactici* and *Lactobacillus sakei* on biogenic amines formation and free amino acid profile in different lupin during fermentation**
E. Bartkiene, V. Bartkevics, J. Rusko, V. Starkute, E. Bendoraitiene, D. Zadeike and G. Juodeikiene 40
- Decontamination of iceberg lettuce by some plant hydrosols**
I. Ozturk, F. Tornuk, O. Caliskan-Aydogan, M.Z. Durak and O. Sagdic 48
- Antioxidant activity of thermal or non-thermally treated strawberry and mango juices by *Saccharomyces cerevisiae* growth based assays**
I. Odriozola-Serrano, J. Puigpinós, G. Oms Oliu, E. Herrero and O. Martín-Belloso 55
- Sous vide* processed ready-to-cook seerfish steaks: Process optimization by response surface methodology and its quality evaluation**
C.B. Singh, N. Kumari, S.R. Senapati, M. Lekshmi, K. Nagalakshmi, A.K. Balange, M.K. Chouksey, G. Venkateshwarlu and K.A.M. Xavier 62
- Effect of 6-gingerol as natural antioxidant on the lipid oxidation in red drum fillets during refrigerated storage**
H.-b. Mi, X. Guo and J.-r. Li 70
- Characterization and antioxidant activity of bitter vetch protein-based films containing pomegranate juice**
A. Arabestani, M. Kadivar, M. Shahedi, S.A.H. Goli and R. Porta 77

Enrichment of a fruit-based beverage in dietary fiber using basil seed: Effect of Carboxymethyl cellulose and Gum Tragacanth on stability <i>A. Hajmohammadi, M. Pirouzifard, M. Shahedi and M. Alizadeh</i>	84
Physico-chemical properties of reduced-fat beef species sausage with pork back fat replaced by pineapple dietary fibres and water <i>S.S.C. Henning, P. Tshalibe and L.C. Hoffman</i>	92
Effect of enzymatic interesterification on physicochemical and thermal properties of fat used in cookies <i>M. Wirkowska-Wojdyła, J. Bryś, A. Górski and E. Ostrowska-Ligeza</i>	99
Effect of jet milled whole wheat flour in biscuits properties <i>S. Protonotariou, C. Batzaki, S. Yanniotis and I. Mandala</i>	106
Pretreatments for melon drying implementing ultrasound and vacuum <i>G. Dias da Silva, Z.M.P. Barros, R.A.B. de Medeiros, C.B.O. de Carvalho, S.C. Rupert Brandão and P.M. Azoubel</i>	114
Influence of high-pressure homogenization on the physicochemical properties of bambara starch complexed with lysophosphatidylcholine <i>S.A. Oyeyinka, S. Singh, Y. Ma and E.O. Amonsou</i>	120
Simultaneous determination of flavonols and phenolic acids by HPLC-CoulArray in berries common in the Nordic diet <i>E. Hajazimi, R. Landberg and G. Zamaratskaia</i>	128
Optimization of the extrusion process for development of high fibre soybean-rice ready-to-eat snacks using carrot pomace and cauliflower trimmings <i>M.S. Alam, S. Pathania and A. Sharma</i>	135
Extraction and characterization of chicken feet soluble collagen <i>C. Zhou, Y. Li, X. Yu, H. Yang, H. Ma, A.E.A. Yagoub, Y. Cheng, J. Hu and P.N.Y. Otu</i>	145
The effect of thermal treatments including sous-vide, blast freezing and their combinations on beef tenderness of <i>M. semitendinosus</i> steaks targeted at elderly consumers <i>C. Botinestean, D.F. Keenan, J.P. Kerry and R.M. Hamill</i>	154
Viability of probiotic bacteria in a maple sap beverage during refrigerated storage <i>J. Lupien-Meilleur, D. Roy and L. Lagacé</i>	160
Survival of foodborne pathogens in unripe grape products <i>N. Öncül and Ş. Karabiyikli</i>	168
Rapid and simultaneous detection of viable <i>Cronobacter sakazakii</i>, <i>Staphylococcus aureus</i>, and <i>Bacillus cereus</i> in infant food products by PMA-mPCR assay with internal amplification control <i>F. Li, G. Xie, B. Zhou, P. Yu, S. Yu, Z.P. Aguilar, H. Wei and H. Xu</i>	176
Assessment of techno-functional and sensory attributes of tiger nut fresh egg tagliatelle <i>A. Albors, M.D. Raigon, M.D. García-Martínez and M.E. Martín-Esparza</i>	183
The effects of starter culture types on the technological quality, lipid oxidation and biogenic amines in fermented sausages <i>H. Van Ba, H.-W. Seo, J.-H. Kim, S.-H. Cho, Y.-S. Kim, J.-S. Ham, B.-Y. Park, H.-W. Kim, T.-B. Kim and P.-N. Seong</i>	191
Prevalence and characterization of Shiga toxin-producing <i>Escherichia coli</i> (STEC) in fruits and vegetables sold at local street markets in Alexandria, Egypt <i>R.K.S. Khalil and M.A.E. Gomaa</i>	199
Effective adsorption and concentration of carnosine by nickel species within mesoporous silica <i>J. Zhu, X. Zhu, J. Gu, L. Zhao, L. Jiang and Y. Qiu</i>	211
Use of cloves and cinnamon essential oil to inactivate <i>Listeria monocytogenes</i> in ground beef at freezing and refrigeration temperatures <i>M.A. Khaleque, C.A. Keya, K.N. Hasan, M.M. Hoque, Y. Inatsu and M.L. Bari</i>	219
Microbiological quality of ready-to-eat fresh vegetables and their link to food safety environment and handling practices in restaurants <i>D. Faour-Klingbeil, E.C.D. Todd and V. Kuri</i>	224
Characterization of <i>Lactobacillus plantarum</i> strains for functionality, safety and γ-amino butyric acid production <i>S.L. Shekh, J.M. Dave and B.R.M. Vyas</i>	234

Optimizing the initial moromi fermentation conditions to improve the quality of soy sauce <i>N.X. Hoang, S. Ferng, C.-H. Ting, W.-H. Huang, R.Y.-Y. Chiou and C.-K. Hsu</i>	242
Does the hydrophobic group on sn-2 position of phosphatidylcholine decide its emulsifying ability? <i>X. Sui, Q. Li, Z. Wang, B. Qi, X. Zou, Y. Li and L. Jiang</i>	255
Rheology changes in oil-in-water emulsions stabilized by a complex system of animal and vegetable proteins induced by thermal processing <i>C. Graça, A. Raymundo and I. de Sousa</i>	263
Influence of processing conditions on the properties of alginate solutions and wet edible calcium alginate coatings <i>B. Marcos, P. Gou, J. Arnau and J. Comaposada</i>	271
NMR water transverse relaxation time approach to understand storage stability of fresh-cut 'Rocha' pear <i>J.F. Fundo, A. Galvis-Sanchez, A.R. Madureira, A. Carvalho, G. Feio, C.L.M. Silva and M.A.C. Quintas</i>	280
Quantification of allergenic plant traces in baked products by targeted proteomics using isotope marked peptides <i>G. Huschek, J. Bönick, Y. Löwenstein, S. Sievers and H. Rawel</i>	286
Effect of moisture status on the stability of thermal gels from the body wall of sea cucumbers (<i>Apostichopus japonicus</i>) <i>Y. Zhang, H. Hou, Y. Fan, F. Zhang, B. Li and C. Xue</i>	294
Preparation and characterization of size-controlled starch nanoparticles based on short linear chains from debranched waxy corn starch <i>C. Qiu, J. Yang, S. Ge, R. Chang, L. Xiong and Q. Sun</i>	303
Elaboration and characterization of corn starch films incorporating silver nanoparticles obtained using short glucan chains <i>N. Ji, C. Liu, S. Zhang, L. Xiong and Q. Sun</i>	311
Effects of protein enrichment on the microbiological, physicochemical and sensory properties of fermented tiger nut milk <i>N. Kizzie-Hayford, D. Jaros, S. Zahn and H. Rohm</i>	319
Effects of pork gelatin levels on the physicochemical and textural properties of model sausages at different fat levels <i>C.H. Lee and K.B. Chin</i>	325
Effect of pulsed electric field on structural properties of protein in solid state <i>J.-Y. Qian, L.-J. Ma, L.-J. Wang and W. Jiang</i>	331
Grapefruit seed extract incorporated antimicrobial LDPE and PLA films: Effect of type of polymer matrix <i>L.-F. Wang and J.-W. Rhim</i>	338
Leaf phenolic fingerprints of chicory cultivars (<i>Cichorium intybus</i> L.) hydroponically forced in different nutrient solutions <i>L. Sinkovič, R. Vidrih, V. Abram, D. Žnidarčič, M. Grdiša and D. Treutter</i>	346
Properties and antioxidant activity of soy protein concentrate films incorporated with red grape extract processed by casting and compression molding <i>E.M. Ciannamea, P.M. Stefani and R.A. Ruseckaite</i>	353
Effect of <i>in vitro</i> simulated gastrointestinal digestion of <i>Phoenix loureirii</i> on polyphenolics, antioxidant and acetylcholinesterase inhibitory activities <i>R. Murugan, R. Chandran and T. Parimelazhagan</i>	363
Polar lipid profiling of olive oils as a useful tool in helping to decipher their unique fingerprint <i>E. Alves, T. Melo, F. Rey, A.S.P. Moreira, P. Domingues and M.R. Domingues</i>	371
Effect of different drying procedures on physicochemical properties and flow behavior of Aloe vera (<i>Aloe barbadensis</i> Miller) gel <i>R. Minjares-Fuentes, A. Femenia, F. Comas-Serra, C. Rosselló, V.M. Rodríguez-González, R.F. González-Laredo, J.A. Gallegos-Infante and L. Medina-Torres</i>	378
Characterisation of <i>Fragaria vesca</i> fruit from Italy following a metabolomics approach through integrated mass spectrometry techniques <i>G. D'Urso, M. Maldini, G. Pintore, L. d'Aquino, P. Montoro and C. Pizza</i>	387
Influence of moderate electric field on inactivation kinetics of peroxidase and polyphenol oxidase and on phenolic compounds of sugarcane juice treated by ohmic heating <i>B. Brochier, G.D. Mercali and L.D.F. Marczak</i>	396

Survival of <i>Lactobacillus acidophilus</i> NCFM® and <i>Bifidobacterium lactis</i> HN019 encapsulated in chocolate during <i>in vitro</i> simulated passage of the upper gastrointestinal tract <i>S. Klindt-Toldam, S.K. Larsen, L. Saaby, L.R. Olsen, G. Svenstrup, A. Müllertz, S. Knøchel, H. Heimdal, D.S. Nielsen and D. Zielińska</i>	404
Effect of high pressure carbon dioxide processing on pectin methylesterase activity and other orange juice properties <i>H. Briongos, A.E. Illera, M.T. Sanz, R. Melgosa, S. Beltrán and A.G. Solaesa</i>	411
Carnauba wax-based edible coating enhances shelf-life and retain quality of eggplant (<i>Solanum melongena</i>) fruits <i>S. Singh, P. Khemariya, A. Rai, A.C. Rai, T.K. Koley and B. Singh</i>	420
Characterization of donkey milk and metabolite profile comparison with human milk and formula milk <i>A. Murgia, P. Scano, M. Contu, I. Ibba, M. Altea, M. Bussu, M. Demuru, A. Porcu and P. Caboni</i>	427
Physicochemical and nutritional properties of taro (<i>Colocasia esculenta</i> L. Schott) flour as affected by drying temperature and air velocity <i>M. Arıcı, R.M. Yıldırım, G. Özülkü, B. Yaşar and O.S. Toker</i>	434
Effects of media, heat adaptation, and outlet temperature on the survival of <i>Lactobacillus salivarius</i> NRRL B-30514 after spray drying and subsequent storage <i>Y. Zhang, J. Lin and Q. Zhong</i>	441
Moisture sorption isotherms and evaluation of quality changes in extruded snacks during storage <i>S.A. Wani and P. Kumar</i>	448
Optimization of the fermentation parameters for the growth of <i>Lactobacillus</i> in soymilk with okara flour <i>M.L. Moraes Filho, M. Busanello and S. Garcia</i>	456
Effect of pre-emulsified soy oil with soy protein isolate in frankfurters: A physical-chemical and Raman spectroscopy study <i>Z.-L. Kang, F.-S. Chen and H.-J. Ma</i>	465
Rheological properties of gallic acid-grafted-chitosans with different substitution degrees <i>M. Xie, B. Hu, Y. Yan, L. Zhou, S. Ou and X. Zeng</i>	472
Molecular characterization of water extractable arabinoxylans isolated from wheat fine bran and their effect on dough viscosity <i>A. Pavlovich-Abril, O. Rouzaud-Sáñez, E. Carvajal-Millán, R.E. Navarro, R.M. Robles-Sánchez and J.M. Barrón-Hoyos</i>	484
Effects of ohmic heating on extraction of food-grade phytochemicals from colored potato <i>R.N. Pereira, R.M. Rodrigues, Z. Genisheva, H. Oliveira, V. de Freitas, J.A. Teixeira and A.A. Vicente</i>	493
A chemometric approach to evaluate the phenolic compounds, antioxidant activity and mineral content of different unifloral honey types from Kashmir, India <i>G.A. Nayik and V. Nanda</i>	504
Application of a combination model based on an error-correcting technique to predict quality changes of vacuum-packed bighead carp (<i>Aristichthys nobilis</i>) fillets <i>X. Liu, N. Qin and Y. Luo</i>	514
Effect of reduced fat content on the physicochemical and microbiological properties of buffalo milk yoghurt <i>A. Akgun, F. Yazici and H.A. Gulec</i>	521
Effect of flaxseed gum on the rheological properties of peanut protein isolate dispersions and gels <i>C. Chen, X. Huang, L.-j. Wang, D. Li and B. Adhikari</i>	528
The potential of lemon juice-ogi steep liquor mixtures in the reduction of <i>Listeria monocytogenes</i> contamination of ready-to-eat vegetables <i>T. Ajayeoba, O. Atanda, A. Obadina, M. Bankole and S. Brumbley</i>	534
Encapsulation of <i>Lactobacillus plantarum</i> in porous maize starch <i>H. Li, V.T. Thuy Ho, M.S. Turner and S. Dhital</i>	542
Iron-entrapped niosomes and their potential application for yogurt fortification <i>G. Gutiérrez, M. Matos, P. Barrero, D. Pando, O. Iglesias and C. Pazos</i>	550
Bioactive compounds and antioxidant activities of different grape (<i>Vitis vinifera</i> L.) seed oils extracted by supercritical CO₂ and organic solvent <i>H. Ben Mohamed, K.S. Duba, L. Fiori, H. Abdelgawed, I. Tlili, T. Tounekti and A. Zrig</i>	557

Determination of five alcohol compounds in fermented Korean foods via simple liquid extraction with dimethyl-sulfoxide followed by gas chromatography-mass spectrometry for Halal food certification <i>S. Park, J.-C. Kim, H.S. Lee, S.-W. Jeong and Y.-S. Shim</i>	563
Application of water-soluble chitosan to shrimp for quality retention <i>A. Chouljenko, A. Chotiko, V. Reyes, L. Alfaro, C. Liu, B. Dzandu and S. Sathivel</i>	571
Short communications	
Effect of carrot residue on the desiccation and disinfectant resistances of food related pathogens adhered to a stainless steel surfaces <i>T. Kuda, T. Koyanagi, G. Shibata, H. Takahashi and B. Kimura</i>	251
Good cup quality roasted coffees show wide variation in chlorogenic acids content <i>R.C. Zanin, M.P. Corso, C.S.G. Kitzberger, M.B.d.S. Scholz and M.d.T. Benassi</i>	480
Calendar	I