

*Abstracted in: CABI, U.K.; AGRIS of FAO; Rome; M.A.P.A. New Delhi
 Google Scholar; Indian National Library, New Delhi;
 The National Academy of Sciences, India Alld.; Connect Journals;
 IOS Press, Holand; I.J.S.C. Index; Indian Science Abstract;
 Science Citation Index; Zoological Records; Scopus; Agricola and others*

CONTENTS

RESEARCH ARTICLES

- Efficacy of newer acaricide and insecticide molecules against sucking pests of Chilli — C. Chinniah, A. Ravikumar, M. Kalyanasundaram and P. Parthiban 202
- Effect of intercrops on management of *Helicoverpa armigera* in Chick pea agro-ecosystem — Salman Ahmad, Mohammad Shafiq Ansari, Mohammad Haris Siddiqui and Mazhar Hussain 208
- Growth regulatory effects of *Pongamia pinnata* and *Lantana camara* extracts on Tea mosquito bug, *Helopeltis theivora* Waterhouse — M.K. Deka, Denisha Rajkhowa, Rokozeno and Simanta Kalita 213
- Field performance of new formulation of Emamectin benzoate 5 WSG against bollworm complex in Cotton — K.K. Aiswariya, K. Gunasekaran, S. Kuttalam and K. Govindan 217
- Evaluation of eco-friendly management modules against major pests of Chilli (*Capsicum annum* L.) — A. Ravikumar, S. Manisegaran, C. Chinniah, S. Irulandi and P. Parthiban 223
- Effect of intercrops on incidence of chilli sucking pests — C. Chinniah, A. Ravikumar, M. Kalyanasundaram and P. Parthiban 228
- Seasonal incidence and influence of weather factors on population dynamics of two spotted spider mite, *Tetranychus urticae* Koch in Tomato eco-system — K. Premalatha, C. Chinniah, A. Ravikumar and P. Parthiban 232
- Insecticidal activity of some essential oils against *Rhyzopertha dominica* on stored Wheat — Ranjeet Kumar 236
- Crop diversification for sustainable insect pests management in Bitter gourd (*Momordisa charantia*) — V. Nisha Lekshmi, R.K. Sharma and S.R. Sinha 240
- Population dynamics of *Antheraea frithi* Moore in different ecopockets in Manipur (North East India) — S. Subharani, L. Bidyapati Devi, Ritwika Sur Chaudhuri and Ajit K. Sinha 246
- Efficacy of insecticides against jassid (*Empoasca kerri* Pruthi) and thrips (*Scirtothrips dorsalis* Hood) infesting Groundnut — B.D. Kolhe, V.K. Bhamare and C.G. Sawant 250
- Evaluation of ecto-parasitic brood mite, *Varroa destructor* detection techniques and its seasonal population dynamics — G. Narendra, O.P. Chaudhary and H.D. Kaushik 254
- Seasonal incidence of major insect pests and their natural enemies of *Bhut Jolokia* — N. Begam, D.K. Saikia and Rudra N. Borkakati 259

Bio-efficacy of selected plant extracts against yellow stem borer, <i>Scirpophaga incertulas</i> Walker on Rice in Assam — <i>Thounaojam Maipakpi Chanu</i> and <i>D.C. Ray</i>	265
Relative efficacy of novel insecticides and biopesticides against <i>Earias vittella</i> (Fab.) in Okra — <i>S.S. Dhaka, M.K. Rai</i> and <i>Arvind Kumar</i>	271
Effect of insecticides against major sucking pests of Green gram in Coastal Odisha — <i>Arundhati Sasmal</i> and <i>Sandeep Kumar</i>	276
Comparative efficacy of insecticides and botanical extracts against Diamondback Moth (<i>Plutella xylostella</i>) in Cabbage (<i>Brassica oleracea</i> var. <i>capitata</i> L.) — <i>Rahimgul Stanikzi, Sasya Thakur</i> and <i>Sobita Simon</i>	283
Influence of abiotic factors and crop stages on population dynamics of hoppers, <i>Idioscopus</i> spp. in Mango ecosystem — <i>Jugal Kishor Bana, Pushpendra Singh</i> and <i>Amit Makwana</i>	286
Impact of weather parameters on population build up and natural parasitization of pod fly, <i>Melanagromyza obtusa</i> (Malloch) on Pigeon pea — <i>Snehel Chakravarty, Meena Agnihotri</i> and <i>Rakesh Kumar</i>	290
Bio-efficacy and field test of <i>Chromolaena odorata</i> extract alone and with <i>Beauveria bassiana</i> against Rice hispa, <i>Dicladispa armigera</i> — <i>S. Kalita, L.K. Hazarika</i> and <i>P. Das</i>	295
Effect of insecticides against Gram Pod Borer, <i>Helicoverpa armigera</i> Hübner on Chick pea in Field — <i>Balaju Mahanth Kumar, Sasya Nagar, Sobita Simon</i> and <i>Anoorag Tayde</i>	300
Evaluation of newer insecticide molecules against pests of Tomato — <i>S.A. Pawar, B.M. Wagh, R.V. Datkhile</i> and <i>M.N. Bhalekar</i>	303
Evaluation of botanical powders and oils on Pulse beetle, <i>Callosobruchus maculatus</i> in Black gram — <i>C. Vijayaraghavan</i> and <i>Zadda Kavitha</i>	307
Effect of honeybee (<i>Apis cerana</i>) pollination on pod set and yield of Pigeon pea (<i>Cajanus cajan</i>) — <i>Denisha Rajkhowa</i> and <i>M.K. Deka</i>	312
Safety evaluation of conventional insecticides at sublethal dose to European Honeybee, <i>Apis mellifera</i> L. — <i>V. Ratnakar, S.R. Koteswara Rao, D. Sridevi</i> and <i>B. Vidyasagar</i>	315
Seasonal incidence of <i>Brevicoryne brassicae</i> and <i>Plutella xylostella</i> on <i>Brassica oleracea</i> in Rohtak District — <i>Shalini, Veena Maurya</i> and <i>Kamal Sharma</i>	319
Susceptibility of <i>Amsacta moorei</i> population against commercial formulations of <i>Bacillus thuringiensis</i> — <i>Md. Aslam Khan</i>	324
Effect of Tungro Virus on physiological parameters in Rice cultivars — <i>Asma Jabeen, T. Vishnu Kiran, Y. Roseswara Rao, D. Ladhalakshmi, D. Subrahmanyam, D. Krishnaveni</i> and <i>Rana Kausar</i>	327
Effect of selected plant extracts against post-harvest rot fungi of Onion (<i>Allium cepa</i> L.) — <i>Ghafirullah Kanwal, Abhilasha A. Lal</i> and <i>Sobita Simon</i>	335
Survey and epidemiological study of post harvest rot of Pomegranate (<i>Punica granatum</i>) caused by <i>Aspergillus niger</i> (Tiegh Sacc.) — <i>Virendra Kumar, S.S. Sharma</i> and <i>R. Soni</i>	339
Effect of bio-control agents and neem against Root rot (<i>Rhizoctonia solani</i> Kühn) of Chilli (<i>Capsicum annum</i> L.) — <i>Vijay Babal, Abhilasha A. Lal</i> and <i>Sobita Simon</i>	344
Impact of seasonal rainfall variability of Rice yield and disease incidence in Bihar State — <i>Mamta Rana, Meenakshi Dahiya, K.K. Singh</i> and <i>D. Prasad</i>	347

Identification of Tea seed mycoflora and pathogenicity of <i>Rhizoctonia solani</i> — Aniruddha Saha, Lopamudra Das, Bikram Saha and Dipanwita Saha	353
Evaluation of suitable grain substrates for spawn development, growth and yield of <i>Pleurotus sajor-caju</i> (Fr.) Singer — Mohammad Jawed Mehrabi, Abhilasha A. Lal and Sobita Simon	360
Morphological and pathogenic variabilities among <i>Aspergillus niger</i> isolates associated with Groundnut (<i>Arachis hypogaea</i> L.) — Manju Kumari and Mahabeer Singh	364
Impact assessment of IDM module tested by KVK, Boudh, Odisha — Niranjana Das and R.P. Mishra	369
Rodent incidence in Rice-Toria cropping system — R.K. Borah	373
Effect of <i>Thevetia nerifolia</i> and <i>Ricinus communis</i> oils and esterified compounds against <i>Meloidogyne incognita</i> and <i>Rotylenchulus reniformis</i> — Deb Prasad Ray, D. Prasad and Archana U. Singh	376
Effect of AM fungus (<i>Glomus fasciculatum</i>) and oilcakes alone and in combination against <i>Meloidogyne incognita</i> infecting Brinjal — Poornata Jena, N.K. Sahoo and J.K. Mahalik	380
<i>Osccheius</i> spp. an alternative to <i>Heterorhabditis</i> spp. for eco-friendly management of cardamom root grub (<i>Basilepta fulvicorne</i> Jacoby) — Rashid Pervez, Santhosh J. Eapen, S. Devasahayam, T.K. Jacob, M. Ansar Ali and P. Thyagarajan	385
Management of <i>Meloidogyne incognita</i> in Okra through oilcakes amendment — J.K. Mahalik, N.K. Sahoo and P. Jena	392
Evaluation of bio-control agents against root knot nematode in Okra — Hemlata Pant and Manoj K. Singh	396
Management of root knot nematode, <i>Meloidogyne incognita</i> on Ash gourd (<i>Benincasa hispida</i>) and Pumpkin (<i>Cucurbita pepo</i>) using bio-control agents — A. Shanthi	399
Studies on occurrence of EPN, their pathogenic and biotic potential properties — Istkhara and Ashok K. Chaubey	402
Integrated management of <i>Meloidogyne incognita</i> infecting Mung bean — Shrabani Barik and P.K. Swain	408
Ring and Spiral nematodes reproduction and Turfgrass growth as influenced by heavy metals treatments — A.A. Al-Sayed, A.A. Abdel-Rahman and H.H. Kesba	411
Effect of vermicompost and neem cake on root knot nematode, <i>Meloidogyne incognita</i> infecting Tomato — C.R. Mahapatra and J.K. Mahalik	418
SHORT COMMUNICATIONS	
Biological parameters of <i>Tetrastichus howardi</i> influenced by ages of females on pupae of <i>Scirpophaga excerptalis</i> — Ajay Kumar and Arun Baitha	422
Efficacy of bio-agents and botanicals against <i>Plutella xylostella</i> L. on Cabbage — Sara Lakra, Sasya Nagar, Sobita Simon and Abhilasha A. Lal	423
Evaluation of insecticides for management of <i>Leucinodes orbonalis</i> in Brinjal — S.A. Pawar, R.V. Datkhile, M.N. Bhalekar and C.B. Bachkar	425
Field efficacy of bio-rational molecules against <i>Thrips tabaci</i> on Marigold — S.S. Kundu, A.K. Das, V. Kadam, T.B. Maji and P.K. Sarkar	427

Use of chemical and biopesticides against <i>Leucinodes orbonalis</i> and yield in Brinjal — <i>Manoj Kumar Tripathi</i>	429
Field efficacy of insecticides against <i>Helicoverpa armigera</i> on Chick pea — <i>Pradeep Choudhary, Sasya Nagar and Sobita Simon</i>	430
Evaluation of safer insecticides against jassid in Okra — <i>Anil K. Saroj, A.K. Singh, D.C. Singh and Pankaj Kumar</i>	432
Biology of <i>Polyphagotarsonemus latus</i> in hot Chilli — <i>Manha Bathari and S. Rahman</i>	433
Efficacy of bio-agents alone and in combination against <i>Helicoverpa armigera in vitro</i> — <i>A.H. Barad, M.N. Kapadia and D.M. Jethva</i>	435
Estimation of Post-harvest losses of Mango due to Diseases — <i>Pushpa D. Patil, A.A. Baikar and R.A. Raut</i>	436
Effect of bio-agents and botanicals on management of Chilli wilt — <i>Abhinav, Abhilasha A. Lal and Sobita Simon</i>	438
<i>In vitro</i> bio-efficacy of plant extracts and bioagents against <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> L. — <i>Anita Choudhary, Abhilasha A. Lal, Sobita Simon and Om Prakash Bana</i>	439
Screening of Chick pea germplasms against Wilt disease — <i>Santosh Kumar, Erayya and S.K. Biswas</i>	440
Comparative efficacy of carbofuran and neem cake for management of <i>Meloidogyne incognita</i> in Black gram — <i>Niranjan Das and R.P. Mishra</i>	442