

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International;
Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.;
Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.;
Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Macroinvertebrate taxa richness uncertainty and kick sampling in the establishment of Mediterranean rivers ecological status A. Ramos-Merchante and J. Prenda (Huelva, Spain).....	1
Above-ground biomass estimation based on NPP time-series – A novel approach for biomass estimation in semi-arid Kazakhstan C. Eisfelder, I. Klein (Oberpfaffenhofen, Germany), A. Bekkulyeva (Almaty, Kazakhstan), C. Kuenzer (Oberpfaffenhofen, Germany), M.F. Buchroithner (Dresden, Germany) and S. Dech (Oberpfaffenhofen, Germany)	13
Vulnerability to climatic change in riparian <i>char</i> and river-bank households in Bangladesh: Implication for policy, livelihoods and social development G.M. Monirul Alam (Australia and Bangladesh), K. Alam, S. Mushtaq (Australia) and M.L. Clarke (Nottingham, UK)	23
Benthic and fish aggregation inside an offshore wind farm: Which effects on the trophic web functioning? A. Raoux (Caen, France and Caen Cedex, France), S. Tecchio (Caen, France), J.-P. Pezy (Caen Cedex, France), G. Lassalle (Cestas Cedex, France), S. Degraer (Brussels, Belgium), D. Wilhelmsson (Stockholm, Sweden), M. Cachera (Plouzané, France), B. Ernande (Boulogne sur Mer, France), C. Le Guen, M. Haraldsson, K. Grangeré (Caen, France), F. Le Loc'h (Plouzané, France), J.-C. Dauvin (Caen Cedex, France) and N. Niquil (Caen, France).....	33
Determining β -diversity of protozoa for bioassessment in coastal ecosystems using community-based dispersions Z. Wang, G. Xu and H. Xu (Qingdao, China)	47
Lentic water quality characterization using macroinvertebrates as bioindicators: An adapted BMWP index K. Castellanos Romero (Juiz de Fora, Brazil and Colombia), J.P. Del Río, K.C. Villarreal (Colombia), J.C. Costa Anillo (Barranquilla, Colombia), Z.P. Zarate, L.C. Gutierrez (Colombia), O.L. Franco (Brasília, Brazil and Campo Grande, Brazil) and J.W. Arboleda Valencia (Colombia and Manizales, Colombia).....	53
Morphological and physiological alterations in the diatom <i>Gomphonema pseudoaugur</i> due to heavy metal stress S. Gautam (Sagar, India and Sonipat, India), L.K. Pandey (Varanasi, India and Republic of Korea), V. Vinayak (Sagar, India) and A. Arya (Sonipat, India)	67
Evaluating dynamics of national economies through cluster analysis within the input-state-output sustainability framework L. Neri (Siena, Italy), A. D'Agostino, A. Regoli (Naples, Italy), F.M. Pulselli (Siena, Italy) and L. Coscieme (Ireland).....	77
Benchmarking the environmental performance of specialized milk production systems: selection of a set of indicators W. Mu, C.E. van Middelaar, J.M. Bloemhof, B. Engel and I.J.M. de Boer (Wageningen, the Netherlands).....	91
Evaluation of lichen species resistance to atmospheric metal pollution by coupling diversity and bioaccumulation approaches: A new bioindication scale for French forested areas Y. Agnan (France and Paris, France), A. Probst and N. Séjalon-Delmas (France).....	99
Decoupling – shifts in ecological footprint intensity of nations in the last decade C. Szigeti (Győr, Hungary), G. Toth (Keszthely, Hungary) and D.R. Szabo (Győr, Hungary).....	111

(Contents continued on inside back cover)

(Contents continued from inside back cover)

The impact of rainfall magnitude on the performance of digital soil mapping over low-relief areas using a land surface dynamic feedback method C. Zeng (Nanjing, China), A. Zhu (Nanjing, China, Beijing, China and Madison, USA), F. Liu (Nanjing, China), L. Yang (Beijing, China), D.G. Rossiter (Nanjing, China and Ithaca, NY, USA), J. Liu and D. Wang (Nanjing, China).....	297
Edge influence detection using aerial LiDAR in Northeastern US deciduous forests M.G. MacLean (Babson Park, MA, USA).....	310
In and out: Effects of shoot- vs. rooted-presence sampling methods on plant diversity measures in mountain grasslands L. Cancellieri, L.D. Mancini, M.G. Sperandii and G. Filibeck (Viterbo, Italy).....	315
Selecting the best forest management alternative by aggregating ecosystem services indicators over time: A case study in central Spain L. Diaz-Balteiro, R. Alonso (Madrid, Spain), M. Martínez-Jaúregui and M. Pardos (Madrid, Spain and Palencia, Spain).....	322
Neighbourhood-scale urban riparian ecosystem classification M. Wu, Y. Che, Y. Lv and K. Yang (Shanghai, China).....	330
A participatory method for the design and integrated assessment of crop-livestock systems in farmers' groups M. Moraine, P. Melac, J. Ryschawy, M. Duru (Castanet Tolosan, France) and O. Therond (Castanet Tolosan, France and Colmar, France).....	340
Understanding the LCA and ISO water footprint: A response to Hoekstra (2016) "A critique on the water-scarcity weighted water footprint in LCA" S. Pfister (Zurich, Switzerland), A.-M. Boulay (Sherbrooke, Canada), M. Berger (Berlin, Germany), M. Hadjikakou (Sydney, Australia), M. Motoshita (Tsukuba, Japan), T. Hess (Bedford, UK), B. Ridoutt (Bloemfontein, South Africa), J. Weinzettel (Praha 6, Czech Republic), L. Scherer (Amsterdam, The Netherlands), P. Döll (Frankfurt, Germany), A. Manzardo (Padova, Italy), M. Núñez (Montpellier, France), F. Verones (NTNU Trondheim, Norway), S. Humbert (Lausanne, Switzerland), K. Buxmann (Sierre, Switzerland), K. Harding (Johannesburg, South Africa), L. Benini (Ispra, Italy), T. Oki (Tokyo, Japan), M. Finkbeiner (Berlin, Germany) and A. Henderson (Cincinnati, OH, USA).....	352
Building time-budgets from bioacoustic signals to measure population-level changes in behavior: a case study with sperm whales in the Gulf of Mexico E.M. McDonald (Ithaca, NY, USA and Syracuse, NY, USA), J.L. Morano (Ithaca, NY, USA), A.I. DeAngelis (Ithaca, NY, USA and Woods Hole, MA, USA) and A.N. Rice (Ithaca, NY, USA).....	360
Partitioning taxonomic diversity of aquatic insect assemblages and functional feeding groups in neotropical savanna headwater streams W.R. Ferreira (Belo Horizonte, Brazil), L.U. Hepp, R. Ligeiro (Brazil), D.R. Macedo (Belo Horizonte, Brazil), R.M. Hughes, P.R. Kaufmann (Corvallis, OR, USA) and M. Callisto (Belo Horizonte, Brazil).....	365
Integrating the third dimension into the concept of urban ecosystem services: A review S. Alavipanah (Berlin, Germany), D. Haase (Berlin, Germany and Leipzig, Germany), T. Lakes (Berlin, Germany) and S. Qureshi (Berlin, Germany and Birmingham, UK).....	374
Regional ecosystem health response to rural land use change: A case study in Lijiang City, China J. Peng, Y. Liu, T. Li (Beijing, China) and J. Wu (Beijing, China and Shenzhen, China).....	399
Assessing labile organic carbon in soils undergoing land use change in Brazil: A comparison of approaches D.M. da Silva Oliveira (Piracicaba, Brazil and Fort Collins, CO, USA), K. Paustian, M.F. Cotrufo (Fort Collins, CO, USA), A.R. Fiallos, A.G. Cerqueira and C.E. Pellegrino Cerri (Piracicaba, Brazil).....	411
Emergence of toxic cyanobacterial species in the Ganga River, India, due to excessive nutrient loading R.B. Dixit, A.K. Patel, K. Toppo and S. Nayaka (Lucknow, India).....	420
Optimal PAR intensity for spring bloom in the Northwest Pacific marginal seas C. Chen (Hangzhou, China and Shanghai, China), Z. Mao (Hangzhou, China), G. Han (St. John's, Canada), T. Li (Hangzhou, China), Z. Wang (Nanjing, China), B. Tao, T. Wang and F. Gong (Hangzhou, China).....	428
Analysis and management of multiple ecosystem services within a social-ecological context S. Rova and F. Pranovi (Venice, Italy).....	436
Wood ant colouration as an ecological indicator for the level of disturbance in managed coniferous forests O. Skaldina and J. Sorvari (Kuopio, Finland).....	444
An environmental sustainability assessment of China's cement industry based on emergy X. Zhang, J. Shen, Y. Wang, Y. Qi, W. Liao (Chengdu, PR China), W. Shui (Fuzhou, PR China), L. Li, H. Qi and X. Yu (Chengdu, PR China).....	452

Tracking changes in the land use, management and drainage status of organic soils as indicators of the effectiveness of mitigation strategies for climate change J. Untenecker (Braunschweig, Germany and Giessen, Germany), B. Tiemeyer (Braunschweig, Germany), A. Freibauer (Braunschweig, Germany and Freising, Germany), A. Laggner (Braunschweig, Germany) and J. Luterbacher (Giessen, Germany).....	459
Roles of composts in soil based on the assessment of humification degree of fulvic acids Y. Zhao, Y. Wei, Y. Zhang, X. Wen (Harbin, China), B. Xi (Beijing, China), X. Zhao, X. Zhang and Z. Wei (Harbin, China).....	473
Response of ecosystem services to socioeconomic development in the Yangtze River Basin, China Z. Zhang, J. Gao (Nanjing, China), X. Fan, Y. Lan (Beijing, China) and M. Zhao (Huainan, China).....	481
The index of sustainable economic welfare in the energy-growth nexus for American countries A.N. Menegaki (Patras, Greece and Komotini, Greece) and A.K. Tiwari (Hyderabad, India and Montpellier, France)	494
Geochemical baseline establishment and ecological risk evaluation of heavy metals in greenhouse soils from Dongtai, China K. Tian, B. Huang, Z. Xing (Nanjing, China and Beijing, China) and W. Hu (Nanjing, China).....	510
California Multivariate Ocean Climate Indicator (MOCI) and marine ecosystem dynamics M. García-Reyes and W.J. Sydeman (Petaluma, CA, USA).....	521
Insights into the drivers of histopathological changes and potential as bio-indicator of riverine health of an aquatic apex predator from a premier conservation area: A multiple lines of evidence and multivariate statistics approach R. Gerber, G.M. Wagenaar, W. Smith (Johannesburg, South Africa), Y. Ikenaka (Potchefstroom, South Africa and Sapporo, Japan) and N.J. Smit (Potchefstroom, South Africa).....	530
Statistical performance of a multicomparison method for generalized species diversity indices under realistic empirical scenarios D. Butturi-Gomes (Piracicaba, Brazil), M. Petrere Jr. (Sorocaba, Brazil and Santos, Brazil), H.C. Giacomini (Toronto, Canada) and S.S. Zocchi (Piracicaba, Brazil)	545
Analysis of structural and functional indicators for assessing the health state of mountain streams E. Estevez, T. Rodríguez-Castillo, M. Álvarez-Gabria, F.J. Peñas, A.M. González-Ferreras, M. Lezcano and J. Barquín (Santander, Spain).....	553
Cuckoo as indicator of high functional diversity of bird communities: A new paradigm for biodiversity surrogacy F. Morelli (Prague 6, Czech Republic), A.P. Møller (Cedex, France), E. Nelson (UK), Y. Benedetti (San Marino), M. Tichit (Paris, France), P. Šímová (Prague 6, Czech Republic), L. Jerzak (Zielona Góra, Poland), M. Moretti (Birmensdorf, Switzerland) and P. Tryjanowski (Poznań, Poland).....	565
Thermal sensitivity of <i>O. maya</i> embryos as a tool for monitoring the effects of environmental warming in the Southern of Gulf of Mexico A. Sanchez-García, G. Rodríguez-Fuentes (Mexico), F. Díaz, C.E. Galindo-Sánchez (Ensenada, Mexico), K. Ortega, M. Mascaró, E. López, C. Caamal-Monsreal (Mexico), O. Juárez (Ensenada, Mexico), E. Noreña-Barroso (Mexico), D. Re (Ensenada, Mexico) and C. Rosas (Mexico)	574
Welcoming uncertainty: A probabilistic approach to measure sustainability O. Landerretche, B. Leiva, D. Vivanco and I. López (Santiago, Chile).....	586
Environmental assessment of urban mobility: Combining life cycle assessment with land-use and transport interaction modelling—Application to Lyon (France) C. François, N. Gondran, J.-P. Nicolas (France) and D. Parsons (Bedford, UK)	597
A worldwide country-based assessment of social-ecological status (c. 2010) using the social-ecological status index R.C. Estoque and Y. Murayama (Tsukuba City, Japan)	605
Importance of ground refuges for the biodiversity in agricultural hedgerows S. Lecq, A. Loisel, F. Brischoux (France), S.J. Mullin (Nacogdoches, TX, USA) and X. Bonnet (France)	615
Landscape diversity and forest edge density regulate stream water quality in agricultural catchments F. Clément, J. Ruiz, M.A. Rodríguez (Trois-Rivières, Canada), D. Blais (Canada) and S. Campeau (Trois-Rivières, Canada)	627
Text mining analysis of institutional fit of Lake Basin water governance P. Emmanuel Cookey, R. Darnsawadi and C. Ratanachai (Songkhla, Thailand).....	640
Consensus in prioritizing river rehabilitation projects through the integration of social, economic and landscape indicators J. Canto-Perello, J. Martinez-Leon, J. Curiel-Esparza and M. Martin-Utrillas (Valencia, Spain).....	659
Response of moths (Lepidoptera: Heterocera) to livestock grazing in Mongolian rangelands K. Enkhtur (Mongolia), M. Pfeiffer (Mongolia and Bayreuth, Germany), A. Lkhagva and B. Boldgiv (Mongolia).....	667
How does forest cover impact water flows and ecosystem services? Insights from “real-life” catchments in Wallonia (Belgium) D. Brogna (Namur, Belgium), C. Vincke (Louvain-la-Neuve, Belgium), Y. Brostaux, H. Soyeurt, M. Dufrêne (Gembloux, Belgium) and N. Dendoncker (Namur, Belgium).....	675

An improved approach to evaluate car sharing options M. Qu (Xi'an, China and Delft, The Netherlands), S. Yu and M. Yu (Xi'an, China).....	686
Landscape liveability spatial assessment integrating ecosystem and urban services with their perceived importance by stakeholders S. Antognelli and M. Vizzari (Perugia, Italy).....	703
Towards a sounder interpretation of entropy-based indicators in ecological network analysis A. Ludovisi (Perugia, Italy) and U.M. Scharler (Durban, South Africa).....	726
Comparison of the urban heat island intensity quantified by using air temperature and Landsat land surface temperature in Hangzhou, China L. Sheng (Hangzhou, China), X. Tang (Nanjing, China), H. You (Hangzhou, China), Q. Gu (Hangzhou, China) and H. Hu (Zhejiang, China)	738
$\delta^{15}\text{N}$ tracks changes in the assimilation of sewage-derived nutrients into a riverine food web before and after major process alterations at two municipal wastewater treatment plants K.A. Hicks, H.A. Loomer, M.L.M. Fuzzen, S. Kleywegt (Ontario, Canada), G.R. Tetreault, M.E. McMaster (Burlington, Canada) and M.R. Servos (Waterloo, Canada).....	747
The application of artificial neural networks to the problem of reservoir classification and land use determination on the basis of water sediment composition I. Świetlicka, A. Sujak, S. Muszyński and M. Świetlicki (Lublin, Poland)	759
Cuckoo folklore and human well-being: Cuckoo calls predict how long farmers live A.P. Møller (Orsay, France), F. Morelli (Prague, Czech Republic) and P. Tryjanowski (Poznan, Poland)	766
Non-destructive biomass estimation of herbaceous plant individuals: A transferable method between contrasted environments J. Pottier (Clermont-Ferrand, France) and F. Jabot (Aubiere, France)	769
Non-invasive monitoring of red fox exposure to rodenticides from scats Y. Prat-Mairet (Besançon, France), I. Fourel, J. Barrat (France and Malzeville, France), M. Sage, P. Giraudoux and M. Coeurdassier (Besançon, France)	777
Sustainability indicators: A tool to generate learning and adaptation in sustainable urban development U. Pupphachai and C. Zuidema (Groningen, The Netherlands).....	784
Origin here, impact there—The need of integrated management for river basins and coastal areas R. Gaspar (Coimbra, Portugal), L. Marques (Coimbra, Portugal and Aveiro, Portugal), L. Pinto (Lisboa, Portugal), A. Baeta, L. Pereira, I. Martins, J.C. Marques and J.M. Neto (Coimbra, Portugal)	794
Text mining-based categorization and user perspective analysis of environmental sustainability indicators for manufacturing and service systems K. Park and G.E.Okudan Kremer (USA)	803
Methods matter: Different biodiversity survey methodologies identify contrasting biodiversity patterns in a human modified rainforest — A case study with amphibians A. Whitworth (Glasgow, UK and Cusco, Peru), J. Villacampa, S.J. Serrano Rojas (Cusco, Peru), R. Downie and R. MacLeod (Glasgow, UK).....	821
Identification of Key Sustainability Performance Indicators and related assessment methods for the carbon fiber recycling sector B. Pillain, E. Gemechu and G. Sonnemann (Talence, France).....	833
Interpreting coral reef monitoring data: A guide for improved management decisions J. Flower (Exeter, UK and Brisbane, Australia), J.C. Ortiz (Brisbane, Australia), I. Chollett (Brisbane, Australia, Fort Pierce, FL, USA and Exeter, UK), S. Abdullah, C. Castro-Sanguino, K. Hock, V. Lam (Brisbane, Australia) and P.J. Mumby (Exeter, UK and Brisbane, Australia).....	848
A comprehensive analysis of blue water scarcity from the production, consumption, and water transfer perspectives J. Liu (Nanjing, China), Y. Wang (Yangling, China), Z. Yu (Nanjing, China and Las Vegas, NL, USA), X. Cao (Nanjing, China), L. Tian, S. Sun and P. Wu (Yangling, China)	870
Estimation of environmental Kuznets curve for SO_2 emission: A case of Indian cities A. Sinha (Hyderabad, India) and J. Bhattacharya (Indore, India).....	881
Anthropogenic impact on habitat connectivity: A multidimensional human footprint index evaluated in a highly biodiverse landscape of Mexico C.A. Correa Ayram, M.E. Mendoza (Morelia, Mexico), A. Etter (Bogotá, Colombia) and D.R. Pérez Salicrup (Morelia, Mexico)	895
Life-cycle carbon emission assessment and permit allocation methods: A multi-region case study of China's construction sector X. Zhang and F. Wang (Harbin, China)	910
Relationship between green space-related morphology and noise pollution E. Margaritis and J. Kang (Sheffield, UK).....	921