

# LWT—Food Science and Technology

## Contents

Volume 86, 2017

### Research papers

- Improvement of nutritional value and bioactivity of soybean meal by solid-state fermentation with *Bacillus subtilis***  
*C. Dai, H. Ma, R. He, L. Huang, S. Zhu, Q. Ding and L. Luo* 1
- A fluorescent biosensor for the determination of xanthine in tea and coffee via enzymatically generated uric acid**  
*S. Menon and K. Girish Kumar* 8
- Thermal gelation and microstructural properties of myofibrillar protein gel with the incorporation of regenerated cellulose**  
*H. Hu, J. Pereira, L. Xing, G. Zhou and W. Zhang* 14
- Relationship between hardness and myowater properties in Wooden Breast affected chicken meat: A nuclear magnetic resonance study**  
*G. Tasoniero, H.C. Bertram, J.F. Young, A. Dalle Zotte and E. Puolanne* 20
- Functional properties of fermented milk produced with plant proteins**  
*Z. Akin and T. Ozcan* 25
- Evolution of microbial community and chemical properties of a sourdough during the production of *Colomba*, an Italian sweet leavened baked product**  
*S. Raimondi, A. Amaretti, M. Rossi, P.A. Fall, G. Tabanelli, F. Gardini and C. Montanari* 31
- Bacterial community diversity of traditional fermented vegetables in China**  
*D. Liu and C. Tong* 40
- Effect of high pressure processing, browning treatments, and refrigerated storage on sensory analysis, color, and polyphenol oxidase activity in pawpaw (*Asimina triloba* L.) pulp**  
*L. Zhang, S. Dai and R.G. Brannan* 49
- Effect of crossflow microfiltration on the clarification and stability of beer from 100% low- $\beta$ -glucan barley or malt**  
*A. Cimini, G. De Francesco and G. Perretti* 55
- Development of a probiotic delivery system based on gelation of water-in-oil emulsions**  
*C.S.F. Picone, A.C. Bueno, M. Michelin and R.L. Cunha* 62
- Thermal isomerization pre-treatment to improve lycopene extraction from tomato pulp**  
*M. Honda, Y. Watanabe, K. Murakami, R. Takemura, T. Fukaya, Wahyudiono, H. Kanda and M. Goto* 69
- Contamination of fermented foods in Nigeria with fungi**  
*I. Adekoya, A. Obadina, J. Phoku, O. Nwinyi and P. Njobeh* 76
- Flaxseed and multigrain mixtures in the development of functional biscuits**  
*N. Čukelj, D. Novotni, H. Sarajlija, S. Drakula, B. Voučko and D. Čurić* 85

<b>Enhancing saltiness perception using chitin nanofibers when curing tilapia fillets</b> <i>C.-Y. Hsueh, M.-L. Tsai and T. Liu</i>	93
<b>Determination of flavor constituents in particular types of flour and derived pasta by heart-cutting multidimensional gas chromatography coupled with mass spectrometry and multiple headspace solid-phase microextraction</b> <i>R. Costa, A. Albergamo, G.D. Bua, E. Saija and G. Dugo</i>	99
<b>Physicochemical and rheological characterization of honey from Mozambique</b> <i>I. Escriche, F. Tanleque-Alberto, M. Visquert and M. Oroian</i>	108
<b>Investigation of cellulosic packets impregnated with silver nanoparticles for enhancing shelf-life of vegetables</b> <i>M. Singh and T. Sahareen</i>	116
<b>Wheat bran biodegradation by edible <i>Pleurotus</i> fungi – A sustainable perspective for food and feed</b> <i>E. Wanzenböck, S. Apprich, Ö. Tirpanalan, U. Zitz, D. Kracher, K. Schedle and W. Kneifel</i>	123
<b>Microencapsulation of <i>Gaultheria procumbens</i> essential oil using chitosan-cinnamic acid microgel: Improvement of antimicrobial activity, stability and mode of action</b> <i>A. Kujur, S. Kiran, N.K. Dubey and B. Prakash</i>	132
<b>Previous stress exposures influence subsequent UV-C resistance of <i>Salmonella enterica</i> in coconut liquid endosperm</b> <i>E.E.C. Estilo and A.A. Gabriel</i>	139
<b>Mechanical and microstructural changes of cheese cracker dough during baking</b> <i>H.M. Chong, I.K. Mohammed, B. Linter, R. Allen and M.N. Charalambides</i>	148
<b>Combined inhibitory effect of milk fat and lactose for inactivation of foodborne pathogens by ohmic heating</b> <i>S.-S. Kim, Y. Jo and D.-H. Kang</i>	159
<b>Rheological and mechanical characterization of curcumin-loaded emulsion-filled gels produced with whey protein isolate and xanthan gum</b> <i>I.M. Geremias-Andrade, N.P.D.B.G. Souki, I.C.F. Moraes and S.C. Pinho</i>	166
<b>Chemometric classification and quantification of olive oil in blends with any edible vegetable oils using FTIR-ATR and Raman spectroscopy</b> <i>A.M. Jiménez-Carvelo, M.T. Osorio, A. Koidis, A. González-Casado and L. Cuadros-Rodríguez</i>	174
<b>Effect of HPP treatment on the safety and quality of beef steak intended for sous vide cooking</b> <i>S. Sun, G. Sullivan, J. Stratton, C. Bower and G. Cavender</i>	185
<b>Reduction of <i>Listeria monocytogenes</i> on chicken breasts by combined treatment with UV-C light and bacteriophage ListShield</b> <i>S. Yang, M. Sadekuzzaman and S.-D. Ha</i>	193
<b>Antimicrobial resistance of <i>Lactobacillus</i> spp. from fermented foods and human gut</b> <i>Q. Ma, Y. Fu, H. Sun, Y. Huang, L. Li, Q. Yu, A. Dinnyes and Q. Sun</i>	201
<b>Influence of the extrusion operating conditions on the antioxidant, hardness and color properties of extruded mango</b> <i>N. Salgado, G.I. Giraldo and C.E. Orrego</i>	209
<b>Effect of partial replacement of nitrite with a novel probiotic <i>Lactobacillus plantarum</i> TN8 on color, physico-chemical, texture and microbiological properties of beef sausages</b> <i>S. Ben Slima, N. Ktari, I. Trabelsi, M. Triki, M. Feki-Tounsi, H. Moussa, I. Makni, A. Herrero, F. Jiménez-Colmenero, C. Ruiz-Capillas Perez and R. Ben Salah</i>	219
<b>Probiotic properties of <i>Weissella cibaria</i> and <i>Leuconostoc citreum</i> isolated from <i>tejuino</i> – A typical Mexican beverage</b> <i>M.S. Silva, C.L. Ramos, M. González-Avila, A. Gschaedler, J. Arrizon, R.F. Schwan and D.R. Dias</i>	227
<b>Some chemical and microbiological properties of the butter and the butter oil produced from the same raw material</b> <i>O. Findik and S. Andiç</i>	233
<b>Biochemical aspects of olive freezing-damage: Impact on the phenolic and volatile profiles of virgin olive oil</b> <i>L. García-Vico, R. García-Rodríguez, C. Sanz and A.G. Pérez</i>	240
<b>Improving the sensory, physicochemical and microbiological quality of pastirma (A traditional dry cured meat product) using chitosan coating</b> <i>M.R.S. Abdallah, M.A. Mohmaed, H.M.H. Mohamed and M.M.T. Emara</i>	247
<b>Potential application of four types of tropical fruits in lactic fermentation</b> <i>R.R. Maldonado, L.d.C. Araújo, L.C.d.S. Dariva, K.N. Rebac, I.A.d.S. Pinto, J.P.R. Prado, J.K. Saeki, T.S. Silva, E.K. Takematsu, N.V. Tiene, E. Aguiar-Oliveira, R.E. Buosi, M.A. Deziderio and E.S. Kamimura</i>	254

<b>Effect of processing method on quality, texture, collagen and amino acid composition of sandfish (<i>Holothuria scabra</i>)</b> <i>R. Ram, R.V. Chand, A. Forrest and P.C. Southgate</i>	261
<b>Quantifying the effectiveness of washing treatments on the microbial quality of fresh-cut romaine lettuce and cantaloupe</b> <i>M. Guzel, R.G. Moreira, B. Omac and M.E. Castell-Perez</i>	270
<b>Ability of lactobacilli isolated from traditional cereal-based fermented food to produce folate in culture media under different growth conditions</b> <i>A. Greppi, Y. Hemery, I. Berrazaga, Z. Almaksour and C. Humblot</i>	277
<b>Differences in physicochemical properties and <i>in vitro</i> digestibility between tartary buckwheat flour and starch modified by heat-moisture treatment</b> <i>Y. Xiao, H. Liu, T. Wei, J. Shen and M. Wang</i>	285
<b>Growth and bioactive peptides production potential of <i>Lactobacillus plantarum</i> strain C2 in soy milk: A LC-MS/MS based revelation for peptides biofunctionality</b> <i>B.P. Singh and S. Vij</i>	293
<b>Characterization of titratable acids, phenolic compounds, and antioxidant activities of wines made from eight mississippi-grown muscadine varieties during fermentation</b> <i>Y. Zhang, S.K.C. Chang, S.J. Stringer and Y. Zhang</i>	302
<b>Trisodium phosphate enhanced phage lysis of <i>Listeria monocytogenes</i> growth on fresh-cut produce</b> <i>A.O. Oladunjoye, S. Singh and O.A. Ijabadeniyi</i>	312
<b>Hydrophilic modification of cellulose nanocrystals improves the physicochemical properties of cassava starch-based nanocomposite films</b> <i>X. Ma, Y. Cheng, X. Qin, T. Guo, J. Deng and X. Liu</i>	318
<b>Optimization of roasting conditions of microwave roasted <i>Pistacia terebinthus</i> beans</b> <i>S. Bolek and M. Ozdemir</i>	327
<b>Molecular discrimination of <i>Lactobacillus brevis</i> strains isolated from food products in South Korea using multilocus sequence typing</b> <i>A. Sharma, J. Kaur, S. Lee and Y.-S. Park</i>	337
<b>Determination of mycotoxins in fruit berry by-products using QuEChERS extraction method</b> <i>C. Juan, J. Mañes, G. Font and A. Juan-García</i>	344
<b>Ionic liquid based ion-pairing microextraction combined with spectrophotometry for preconcentration and quantitation of melamine in milk and milk-based products</b> <i>N. Altunay, Ö. Demir and R. Gürkan</i>	352
<b>Performance of selected <i>P. fermentans</i> and its extracellular enzyme in co-inoculation with <i>S. cerevisiae</i> for wine aroma enhancement</b> <i>D. Ma, X. Yan, Q. Wang, Y. Zhang and Y. Tao</i>	361
<b>Organogels as novel ingredients for low saturated fat ice creams</b> <i>M.E. Moriano and C. Alamprese</i>	371
<b>Partial replacement of fat with oat and wheat bran gels: Optimization study based on rheological and textural properties</b> <i>N. Nedeljković, M. Hadnađev, T. Dapčević Hadnađev, B. Šarić, L. Pezo, M. Sakač and B. Pajin</i>	377
<b>Instrumental quality attributes of single washed surimi gels of tilapia: Effect of different washing media</b> <i>B. Priyadarshini, K.A.M. Xavier, B.B. Nayak, K. Dhanapal and A.K. Balange</i>	385
<b>Monitoring of contamination sources of <i>Listeria monocytogenes</i> in a poultry slaughterhouse</b> <i>D.F. Schäfer, J. Steffens, J. Barbosa, J. Zeni, N. Paroul, E. Valduga, A. Junges, G.T. Backes and R.L. Cansian</i>	393
<b>Characterization of attachment and biofilm formation by meat-borne <i>Enterobacteriaceae</i> strains associated with spoilage</b> <i>H. Wang, J. Qi, Y. Dong, Y. Li, X. Xu and G. Zhou</i>	399
<b>Application of Maillard reaction products on chia seed oil microcapsules with different core/wall ratios</b> <i>C.N. Copado, B.W.K. Diehl, V.Y. Ixtaina and M.C. Tomás</i>	408
<b>Functional and textural properties of a dehulled oat (<i>Avena sativa</i> L) and pea (<i>Pisum sativum</i>) protein isolate cracker</b> <i>E. Morales-Polanco, R. Campos-Vega, M. Gaytán-Martínez, L.G. Enriquez and G. Loarca-Piña</i>	418

<b>Protein breakdown and release of antioxidant peptides during simulated gastrointestinal digestion and the absorption by everted intestinal sac of rapeseed proteins</b> <i>C. Dai, W. Zhang, R. He, F. Xiong and H. Ma</i>	424
<b>Assessing the effectiveness of wax-based sunflower oil oleogels in cakes as a shortening replacer</b> <i>I.K. Oh, C. Amoah, J. Lim, S. Jeong and S. Lee</i>	430
<b><i>In vitro</i> studies on probiotic and antioxidant properties of <i>Lactobacillus brevis</i> strain LAP2 isolated from Hentak, a fermented fish product of North-East India</b> <i>C. Aarti, A. Khusro, R. Varghese, M.V. Arasu, P. Agastian, N.A. Al-Dhabi, S. Ilavenil and K.C. Choi</i>	438
<b>Effect of metal ions on physicochemical and rheological properties of octenyl succinate starches</b> <i>K. Królikowska, T. Fortuna, S. Pietrzyk, K. Khachatryan and P. Pająk</i>	447
<b>Novel continuous roasting of chickpea (<i>Cicer arietinum</i>): Study on physico-functional, antioxidant and roasting characteristics</b> <i>P. Jogihalli, L. Singh, K. Kumar and V.S. Sharanagat</i>	456
<b>Physicochemical properties of apple juice during sequential steps of the industrial processing and functional properties of pectin fractions from the generated pomace</b> <i>A.L. Ramos-Aguilar, C.I. Victoria-Campos, E. Ochoa-Reyes, J.d.J. Ornelas-Paz, P.B. Zamudio-Flores, C. Rios-Velasco, J. Reyes-Hernández, J.D. Pérez-Martínez and V. Ibarra-Junquera</i>	465
<b>Studies on preparation of dietetic <i>rasgulla</i> (cheese ball) from edible quality flours and antioxidant rich vegetable oils</b> <i>S. Sengupta and J. Bhowal</i>	473
<b>Analysis of microbiota of the swimming crab (<i>Portunus trituberculatus</i>) in South Korea to identify risk markers for foodborne illness</b> <i>S. Kim, M.-J. Lee, J.-J. Lee, S.H. Choi and B.-S. Kim</i>	483
<b>Shea olein based specialty fats: Preparation, characterization and potential application</b> <i>Z. Zhang, X. Ma, H. Huang and Y. Wang</i>	492
<b>Evaluation of proximate composition and pasting properties of high quality cassava flour (HQCF) from cassava genotypes (<i>Manihot esculenta</i> Crantz) of <math>\beta</math>-carotene-enriched roots</b> <i>E.O. Alamu, B. Maziya-Dixon and A.G. Dixon</i>	501
<b>Fatty acid, phytochemical, oxidative stability and <i>in vitro</i> antioxidant property of sea buckthorn (<i>Hippophaë rhamnoides</i> L.) oils extracted by supercritical and subcritical technologies</b> <i>L. Zheng, L.-K. Shi, C.-W. Zhao, Q.-Z. Jin and X.-G. Wang</i>	507
<b>Enhancing anti-diabetic potential of bitter gourd juice using pectinase: A response surface methodology approach</b> <i>S. Deshaware, S. Gupta, R.S. Singhal and P.S. Variyar</i>	514
<b>Potential application of pomegranate seed oil oleogels based on monoglycerides, beeswax and propolis wax as partial substitutes of palm oil in functional chocolate spread</b> <i>G. Fayaz, S.A.H. Goli, M. Kadivar, F. Valoppi, L. Barba, S. Calligaris and M.C. Nicoli</i>	523
<b>Simulated gastrointestinal digestion of nisin and interaction between nisin and bile</b> <i>R. Gough, P.M. O'Connor, M.C. Rea, B. Gómez-Sala, S. Miao, C. Hill and A. Brodkorb</i>	530
<b>Characterization of <i>Staphylococcus xylosus</i> LQ3 and its application in dried cured sausage</b> <i>C.E.d.S. Cruxen, G.D. Funck, G.d.S. Dannenberg, L. Haubert, J.d.L. Marques, I.S. Kroning, F.C. Chaves, W.P. da Silva and Â.M. Fiorentini</i>	538
<b>Process optimization for antioxidant enriched sorghum flour and apple pomace based extrudates using liquid CO<sub>2</sub> assisted extrusion</b> <i>U.C. Lohani and K. Muthukumarappan</i>	544
<b>Inclusion complexation of catechin by <math>\beta</math>-cyclodextrins: Characterization and storage stability</b> <i>S. Ho, Y.Y. Thoo, D.J. Young and L.F. Siow</i>	555
<b>Enhanced sensitivity of lateral-flow test strip immunoassays using colloidal palladium nanoparticles and horseradish peroxidase</b> <i>T. Tominaga</i>	566
<b>Substitution of wheat flour with wholegrain flours affects physical properties, sensory acceptance, and starch digestion of Chinese steam bread (Mantou)</b> <i>P.-H. Hsieh, Y.-M. Weng, Z.-R. Yu and B.-J. Wang</i>	571

<b>Pentopan mono BG pretreatment of palm kernels modified the aroma of palm kernel oil after kernel roasting</b> <i>W. Zhang, F. Zhao, F. Zhao, T. Yang and S. Liu</i>	<b>577</b>
<b>Selective and concurrent detection of viable <i>Salmonella</i> spp., <i>E. coli</i>, <i>Staphylococcus aureus</i>, <i>E. coli</i> O157:H7, and <i>Shigella</i> spp., in low moisture food products by PMA-mPCR assay with internal amplification control</b> <i>A. Shekar, L. Babu, S. Ramlal, M.H. Sripathy and H. Batra</i>	<b>586</b>
<b>Persimmon tannins enhance the gel properties of high and low methoxyl pectin</b> <i>T. Mamet, F. Yao, K.-k. Li and C.-m. Li</i>	<b>594</b>
<b>Effects of trehalose and dough additives incorporating enzymes on physical characteristics and sensory properties of frozen savory Danish dough</b> <i>M. Halagarda</i>	<b>603</b>
<b>Effects of electron beam irradiation on murine norovirus-1 in abalone (<i>Haliotis discus hannai</i>) meat and viscera</b> <i>L.O. Kim, S.Y. Park, M.-l. Rui and S.-D. Ha</i>	<b>611</b>
<b>Pulse ingredients supplementation affects kefir quality and antioxidant capacity during storage</b> <i>L.O. Saadi, F. Zaidi, B.D. Oomah, M. Haros, M.J. Yebra and F. Hosseinian</i>	<b>619</b>
<b>Novel probiotic whey cheese with immobilized lactobacilli on casein</b> <i>D. Dimitrellou, P. Kandylis, Y. Kourkoutas and M. Kanellaki</i>	<b>627</b>
<b>Optimization of the extraction of phenolic compounds from <i>Scirpus holoschoenus</i> using a simplex centroid design for antioxidant and antibacterial applications</b> <i>S. Oussaid, M. Chibane, K. Madani, T. Amrouche, S. Achat, F. Dahmoune, K. Houali, M. Rendueles and M. Diaz</i>	<b>635</b>
<b>Volatile and phenolic composition of red wines subjected to aging in oak cask of different toast degree during two periods of time</b> <i>G.-D. Dumitriu, N. López de Lerma, C.-I. Zamfir, V.V. Cotea and R.A. Peinado</i>	<b>643</b>
<b>Folate, ascorbic acid, anthocyanin and colour changes in strawberry (<i>Fragaria × annanasa</i>) during refrigerated storage</b> <i>L. Octavia and W.S. Choo</i>	<b>652</b>
<b>Calendar</b>	<b>I</b>