

(Contents continued from inside back cover)

Oilseeds

Opportunities and challenges for sustainable production of *A. aculeata* through agroforestry systems

A. Cardoso, B.G. Laviola, G.S. Santos, H.U. de Sousa, H.B. de Oliveira, L.C. Veras (Brazil), R. Ciannella (Kenya) and S.P. Favaro (Brazil)

573

Comparison of new castor (*Ricinus communis* L.) genotypes in the mediterranean area and possible valorization of residual biomass for insect rearing

F. Zanetti, C. Chieco (Italy), E. Alexopoulou (Greece) A. Vecchi, G. Bertazza and A. Monti (Italy)

581

Plant density does not influence every castor plant equally

L.S. Severino (Brazil), D.L. Auld (USA) L.S. Vale and L.F. Marques (Brazil)

588

Integrating winter camelina into maize and soybean cropping systems

M. Berti, D. Samarappuli, B.L. Johnson and R.W. Gesch (USA)

595

Agronomic performance and seed quality attributes of Camelina (*Camelina sativa* L. crantz) in multi-environment trials across Europe and Canada

F. Zanetti (Italy), C. Eynck (Canada), M. Christou (Greece), M. Krzyżaniak (Poland), D. Righini (Italy), E. Alexopoulou (Greece), M.J. Stolarski (Poland), E.N. Van Loo (The Netherlands), D. Puttick (Canada) and A. Monti (Italy)

602

Rubber and Resins

Fructan reduction by downregulation of 1-SST in guayule

N. Dong, C. Dong, G. Ponciano, K. Holtman, D. Placido, T. Coffelt, M. Whalen and C. McMahan USA

609

Analysis of mode of reproduction of guayule (*Parthenium argentatum* A. Gray) using flow cytometry and identification of polyhaploids for breeding

V.M.V. Cruz, A.L. Lynch, D.T. Ray, W.S. Niaura, P.H. Purdy and D.A. Dierig (USA)

618

Taraxacum kok-saghyz (TK): compositional analysis of a feedstock for natural rubber and other bioproducts

D.A. Ramirez-Cadavid, K. Cornish and F.C. Michel Jr. (USA)

624

Fats and oils

Evaluation of ten jojoba clones (*Simmondsia chinensis*) grown under Middle Sinai conditions

S.M. Bakeer, K.R. Makpoul and M. Abou-Ellail (Egypt)

30

Classification of oilseed rape accessions according to sulfur-related plant traits in short-term experiments reflects agronomic performance in field experiments

G.S. auf'm Erley, L. Wang, A.-C. Wollmer, J. Rudloff, H.C. Becker and K.H. Mühling (Germany)

73

Chemical composition and anticancer activity of *Elsholtzia ciliata* essential oils and extracts prepared by different methods

L. Pudziulevityte, M. Stankevicius, A. Maruska, V. Petrikaite, O. Ragazinskiene, G. Draksiene and J. Bernatoniene (Lithuania)

90

Plant growth promoting rhizobacteria in an ecological cropping system: A study on basil (*Ocimum basilicum* L.) essential oil production

M.K. Tahami, M. Jahan, H. Khalilzadeh and M. Mehdizadeh (Iran)

97

Optimization of ultrasonic-assisted extraction of oil from the seed kernels and isolation of monoterpene glycosides from the oil residue of *Paeonia lactiflora* Pall.

P. Liu, Y.-f. Xu, X.-d. Gao, X.-y. Zhu, M.-z. Du, Y.-x. Wang, R.-x. Deng and J.-y. Gao (China)

260

Non-food bioactive products

Phenolic profiles of Lauraceae plant species endemic to Laurisilva forest: A chemotaxonomic survey

E.J. Llorent-Martínez (Spain), V. Spínola and P.C. Castilho (Portugal)

1

Application of sustainable natural resources in crop protection: Podophyllotoxin-based botanical pesticides derived from *Podophyllum hexandrum* for controlling crop-threatening insect pests

R. Yang, X. Huang, Z. Che, Y. Zhang and H. Xu (PR China)

45

Nanoformulation prototype of the essential oil of *Lippia sidoides* and thymol to population management of *Sitophilus zeamais* (Coleoptera: Curculionidae)

A.P. Oliveira, A.S. Santana, E.D.R. Santana, A.P.S. Lima, R.R.N. Faro, R.S. Nunes, A.D. Lima, A.F. Blank, A.P.A. Araújo, P.F. Cristaldo and L. Bacci (Brazil)

198

- Inhibitory effect of (*E*)-2-hexenal as a potential natural fumigant on *Aspergillus flavus* in stored peanut seeds
W. Ma, L. Zhao and Y. Xie (PR China) 206
- Profiling of phenolic compounds and antioxidant activity of *Melia azedarach* L. leaves and fruits at two stages of maturity
Y. M'rabet, N. Rokbeni (Tunisia), S. Cluzet (France), A. Boulila (Tunisia), T. Richard, S. Krisa (France), L. Marzouki (Tunisia), H. Casabianca (France) and K. Hosni (Tunisia) 232
- Multi-stage recovery of phytochemicals from buckwheat (*Fagopyrum esculentum* Moench) flowers by supercritical fluid and pressurized liquid extraction methods
V. Kraujalienė, A. Pukalskas and P.R. Venskutonis (Lithuania) 271
- Rapid *in vitro* propagation of *Lucas aspera* Spreng. A potential multipurpose Indian medicinal herb
P. D.Vijendra, S.G. Jayanna, V. Kumar, H. Gajula, J. Rajashekar, T. Sannabommaji, G. Basappa and C.M. Anuradha (India) 281
- Assessment of phenolics contents and antioxidant properties in *Cimicifuga dahurica* (Turcz.) Maxim during drying process
R.-L. Qin, C.-N. Lv, Y. Zhao, Y.-D. Zhao, Y. Yu and J.-C. Lu (China) 288
- Cistus incanus* L. commercial products as a good source of polyphenols in human diet
A. Viapiana, A. Konopacka, K. Waleron and M. Wesolowski (Poland) 297
- Antioxidant and antibacterial activities of the essential oils obtained from seven Iranian populations of *Rosmarinus officinalis*
I. Bajalan, R. Rouzbahani (Iran), A.G. Pirbalouti (Iran, USA) and F. Maggi (Italy) 305
- Impact of phosphorus and potassium fertilizers on growth and anthraquinone content in *Rheum tanguticum* Maxim. ex Balf
N. Shen, Y. Cui, W. Xu, X. Zhao and L. Yang (PR China) 312
- Termiticidal Activity of *Punica granatum* fruit rind fractions and its compounds against *Microcerotermes beesoni*
T. Mishra, M. Pal, A. Kumar, D. Rai and S.K. Tewari (India) 320
- A comprehensive study on chemical composition, antioxidant and enzyme inhibition activities of the essential oils of *Chenopodium botrys* collected from three different parts of Turkey
M.S. Ozer, C. Sarikurkcu, O. Ceylan, I. Akdeniz and B. Tepe (Turkey) 326
- Antimicrobial *Annona muricata* L. (soursop) extract targets the cell membranes of Gram-positive and Gram-negative bacteria
N. de C.C. Pinto, L.M. Campos, A.C.S. Evangelista, A.S.O. Lemos, T.P. Silva, R.C.N. Melo, C.C. de Lourenço, M.J. Salvador, A.C.M. Apolônio, E. Scio and R.L. Fabri (Brazil) 332
- Optimization and comparison of maceration and microwave extraction systems for the production of phenolic compounds from *Juglans regia* L. for the valorization of walnut leaves
V. Vieira (Portugal), M.A. Prieto (Portugal, Spain), L. Barros, J.A.P. Coutinho, O. Ferreira and I.C.F.R. Ferreira (Portugal) 341
- By-product recovery of *Opuntia* spp. peels: Betalainic and phenolic profiles and bioactive properties
B. Melgar (Portugal, Serbia), M.I. Dias (Portugal), A. Ciric, M. Sokovic (Serbia), E.M. Garcia-Castello, A.D. Rodriguez-Lopez (Spain), L. Barros and I. Ferreira (Portugal) 353
- Fibres, proteins and carbohydrates**
- Seed yield, galactomannan content and quality traits of different guar (*Cyamopsis tetragonoloba* L.) genotypes
F. Gresta, G. Ceravolo, V.L. Presti, A. D'Agata, R. Rao and B. Chiofalo (Italy) 122
- Extraction process optimization of *Juncus* plant fibers for its use in a green composite
H. Naili, A. Jelidi, O. Limam (Tunisia) and R. Khiari (Tunisia, France) 172
- Leaf adhesiveness affects damage to fiber strength during seed cotton cleaning of machine-harvested cotton
J. Tian, X. Zhang, W. Zhang, H. Dong, X. Jiu, Y. Yu and Z. Zhao (China) 211
- Biorefinery, valorization of byproducts**
- Lignin-based catalysts for Chinese fir furfurylation to improve dimensional stability and mechanical properties
M. Yao, Y. Yang, J. Song, Y. Yu and Y. Jin (PR China) 38
- Sage processing from by-product to high quality powder: I. Bioactive potential
B. Pavlič (Serbia), N. Teslić (Italy), A. Vidaković, S. Vidović, A. Velićanski (Serbia), A. Versari (Italy), R. Radosavljević (Austria) and Z. Zeković (Serbia) 81
- Antioxidant and antimicrobial activities of extracts obtained from the refining of autohydrolysis liquors of vine shoots
B. Gullón, G. Eibes, M.T. Moreira, I. Dávila, J. Labidi and P. Gullón (Spain) 105

- Recovery of phenolics from the ethanolic extract of sugarcane (*Saccharum officinarum* L.) baggase and evaluation of the antioxidant and antiproliferative activities
R. Zheng, S. Su, J. Li, Z. Zhao, J. Wei, X. Fu (China) and R.H. Liu (China, USA) 360
- Bioenergy - crops and processing**
- Generation of octoploid switchgrass in three cultivars by colchicine treatment
Y. Yue, Y. Zhu, X. Fan, X. Hou, C. Zhao, S. Zhang and J. Wu (China) 20
- Enzymatic saccharification responses of *Eichhornia crassipes*, sugarcane bagasse and *Metasequoia glyptostroboides* to two oxidation pretreatments for biofuel production
K. Xiao, Y. Yuan, N. Xiao, W. Zhou, Q. Yang, W. Feng and D. Zhu (China) 22
- Pretreatment of trace element-enriched biomasses grown on phytomanaged soils for bioethanol production
M. Asad, Z. Menana, I. Ziegler-Devin, V. Bert, M. Chalot (France), R. Herzig (Switzerland), M. Mench and N. Brosse (France) 63
- Phenotypic markers in early selection for tolerance to dieback in *Eucalyptus*
T.R. Corrêa, E.A. de T. Picoli, G.A. de Souza, S.A. Condé, N.M. Silva, K.L.B. Lopes-Mattos, M.D.V. de Resende, E.A.V. Zauza and S. Oda (Brazil) 130
- Comparison of liquid hot water (LHW) and high boiling alcohol/water (HBAW) pretreatments for improving enzymatic saccharification of cellulose in bamboo
J. Liu, R. Li (China), L. Shuai (Switzerland), J. You, Y. Zhao, L. Chen, M. Li, L. Chen, L. Huang and X. Luo (China) 139
- Near-infrared spectroscopy enables the genetic analysis of chemical properties in a large set of wood samples from *Populus nigra* (L.) natural populations
M.N. Gebreselassie, K. Ader, N. Boizot, F. Millier, J.-P. Charpentier (France), A. Alves, R. Simões, J.C. Rodrigues (Portugal), G. Bodineau (France), F. Fabbrini, M. Sabatti (Italy), C. Bastien and V. Segura (France) 159
- Perennial herbaceous crops as a feedstock for energy and industrial purposes: Organic and mineral fertilizers versus biomass yield and efficient nitrogen utilization
M.J. Stolarski, M. Krzyżaniak, K. Warmiński, J. Tworkowski and S. Szczukowski (Poland) 244
- Bio-based Materials from Crops**
- Development and characterization of bacterial cellulose produced by cashew tree residues as alternative carbon source
G. Pacheco, C.R. Nogueira, A.B. Meneguim, E. Trovatti, M.C.C. Silva, R.T.A. Machado, S.J.L. Ribeiro, E.C. da Silva Filho and H. da S. Barud (Brazil) 13
- Synthesis of carboxymethylcelluloses with different degrees of substitution and their performance as renewable stabilizing agents for aqueous ceramic suspensions
B.M. Cerrutti, M. Zambon, J.D. Megiatto Jr. and E. Frollini (Brazil) 54
- The use of cellulose nanocrystals to enhance the thermal insulation properties and sustainability of rigid polyurethane foam
A.A. Septevani (Australia, Indonesia), D.A.C. Evans, P.K. Annamalai and D.J. Martin (Australia) 114
- Dual-functional photoinitiators and photo-grafting of cotton cellulose nanowhiskers
L. Fang, J. Feng and D. Ye (China) 149
- Comparison between two different pretreatment technologies of rice straw fibers prior to fiberboard manufacturing: Twin-screw extrusion and digestion plus defibration
D. Theng (Spain, Cambodia), G. Arbat, M. Delgado-Aguilar (Spain), B. Ngo (Cambodia), L. Labonne, P. Evon (France) and P. Mutjé (Spain) 184
- Processing and mechanical properties of natural rubber/waste-derived nano filler composites compared to macro and micro filler composites
C.S. Barrera and K. Cornish (USA) 217
- Hemicellulose extraction and characterization for applications in paper coatings and adhesives
W. Farhat (USA, France), R. Venditti, A. Quick (USA), M. Taha, N. Mignard, F. Becquart (France) and A. Ayoub (USA) 370
- Camelina (*Camelina Sativa*) oil polyols as an alternative to Castor oil
T.S. Omonov, E. Kharraz and J.M. Curtis (Canada) 378
- Processing and properties of sorghum stem fragment-polyethylene composites
L.T.T. Vo, J. Girones, C. Beloli, L. Chupin, E. Di Giuseppe, A.C. Vidal, A. Soutiras, D. Pot, D. Bastianelli, L. Bonnal and P. Navard (France) 386

- Long-term studies on switchgrass grown on a marginal area in Greece under different varieties and nitrogen fertilization rates
E. Alexopoulou (Greece), F. Zanetti (Italy), E.G. Papazoglou, M. Christou, Y. Papatheohari, K. Tsiotas and I. Papamichael (Greece) 446
- Physiological response to cadmium stress in kenaf (*Hibiscus cannabinus* L.) seedlings
Y. Deng, D. Li, Y. Huang and S. Huang (China) 453
- General Crops**
- Growing sweet sorghum (*Sorghum bicolor* [L.] moench) in clumps potentially reduces lodging in the arid-southwestern United States
V.H. Teetor, C. Schmalzel and D.T. Ray (USA) 458
- Preliminary studies on the growth, tolerance and phytoremediation ability of sugarbeet (*Beta vulgaris* L.) grown on heavy metal contaminated soil
E.G. Papazoglou (Greece) and A.L. Fernando (Portugal) 463
- Medicinal and nutraceuticals**
- Antioxidant, anti-inflammatory and apoptotic effects of *Flourensia microphylla* on HT-29 colon cancer cells
D.J. de Rodríguez, D.A. Carrillo-Lomelí, N.E. Rocha-Guzmán, M.R. Moreno-Jiménez, R. Rodríguez-García, M.L.V. Díaz-Jiménez, M.L. Flores-López and J.A. Villarreal-Quintanilla (Mexico) 472
- Hypoglycemic and anti-inflammatory effects of *Psacalium paucicapitatum* corms infusions
D.J. De Rodríguez, L.C. García-Hernández, N.E. Rocha-Guzmán, M.R. Moreno-Jiménez, R. Rodríguez-García, M.L.V. Díaz-Jiménez, M.L. Flores-López, J.A. Villarreal-Quintanilla, F.M. Peña-Ramos and D.A. Carrillo-Lomelí (Mexico) 482
- Psacalium paucicapitatum* has *in vitro* antibacterial activity
D.J. de Rodríguez, L.C. García-Hernández, N.E. Rocha-Guzmán, M.R. Moreno-Jiménez, R. Rodríguez-García, M.L.V. Díaz-Jiménez, A. Sáenz-Galindo, J.A. Villarreal-Quintanilla, F.M. Peña-Ramos, M.L. Flores-López and D.A. Carrillo-Lomelí (Mexico) 489
- Antifungal activity *in vitro* of ethanol and aqueous extracts of leaves and branches of *Flourensia* spp. against postharvest fungi
D.J. de Rodríguez, E.de J. Salas-Méndez, R. Rodríguez-García, F.D. Hernández-Castillo, M.L.V. Díaz-Jiménez, A. Sáenz-Galindo, S. González-Morales, M.L. Flores-López, J.A. Villarreal-Quintanilla, F.M. Peña-Ramos and D.A. Carrillo-Lomelí (México) 499
- Phenolic linked anti-hyperglycemic bioactives of barley (*Hordeum vulgare* L.) cultivars as nutraceuticals targeting type 2 diabetes
R. Ramakrishna, D. Sarkar, P. Schwarz and K. Shetty (USA) 509
- Phenolic bioactives and associated antioxidant and anti-hyperglycemic functions of select species of Apiaceae family targeting for type 2 diabetes relevant nutraceuticals
F. Saleem, D. Sarkar, C. Ankolekar and K. Shetty (USA) 518
- Essential oil composition of purple basil, their reverted green varieties (*Ocimum basilicum*) and their associated biological activity
A.R. Korocho, J.E. Simon and H.R. Juliani (USA) 526
- Cytotoxic and antioxidant activities of *Macfadyena unguis-cati* L. aerial parts and bioguided isolation of the antitumor active components
L. Chen, D. Chen, Z. Zheng, S. Liu, Q. Tong, J. Xiao, H. Lin and Y. Ming (China) 531
- Chemical composition, antioxidant and anti-tyrosinase activities of fractions from *Stenoloma chusanum*
S. Wu, J. Li, Q. Wang, J. Cao (China), H. Yu, H. Cao (Macau) and J. Xiao (China) 539
- Optimization of ultrasonic-microwave assisted extraction of oligosaccharides from lotus (*Nelumbo nucifera* Gaertn.) seeds
X. Lu (China, Ireland), Z. Zheng, H. Li, R. Cao, Y. Zheng (China), H. Yu, J. Xiao (Macau), S. Miao (Ireland) and B. Zheng (China, Ireland) 546
- Protein and antioxidant composition of quinoa (*Chenopodium quinoa* Willd.) sprout from seeds submitted to water stress, salinity and light conditions
S. Fischer, R. Wilckens, J. Jara, M. Aranda, W. Valdivia, L. Bustamante, F. Graf and I. Obal (Chile) 558
- Physical properties of chitosan films incorporated with natural antioxidants
V.G.L. Souza, A.L. Fernando, J.R.A. Pires, P.F. Rodrigues, A.A.S. Lopes and F.M.B. Fernandes (Portugal) 565

INDUSTRIAL CROPS AND PRODUCTS

VOLUME 107

15 November 2017

Contents

Abstracted/indexed in: Agricola; CAB Abstracts; CABS; Chemical Abstracts; Current Contents; AB & ES; EMBASE; Embiology Elsevier BIOBASE/Current Awareness in Biological Sciences; Elsevier/Geobase; Environmental Abstracts. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®

Special Issue

Industrial Crops: Promoting Sustainability- International conference of the Association for the Advancement of Industrial Crops 2016

Guest Editor

Rodolfo Juliani, Ana Luisa Fernando and Hussein Abdel-Haleem

Special issue on 'Industrial Crops: Promoting Sustainability- International conference of the Association for the Advancement of Industrial Crops 2016'

Editorial		Enhancement of termite (<i>Reticulitermes flavipes</i> L.) resistance in mycelium reinforced biofiber-composites <i>D.S. Bajwa, G.A. Holt, S.G. Bajwa, S.E. Duke and G. McIntyre (USA)</i>	420
Editorial <i>M. Berti</i>	399	<i>Fiber, Biomass, and Bioenergy Crops</i> A comprehensive study of planting density and nitrogen fertilization effect on dual-purpose hemp (<i>Cannabis sativa</i> L.) cultivation <i>K. Tang (Italy, The Netherlands), P.C. Struik, X. Yin (The Netherlands), D. Calzolari, S. Musio (Italy), C. Thouminot (France), M. Bjelková (Czech Republic), V. Stramkale (Latvia), G. Magagnini and S. Amaducci (Italy)</i>	427
<i>Fiber composites</i> Epoxidized sucrose soyate—A novel green resin for crop straw based low density fiberboards <i>E.D. Sitz, D.S. Bajwa, D.C. Webster, E.M. Monono, D.P. Wiesenborn and S.G. Bajwa (USA)</i>	400		
Performance of UV weathered HDPE composites containing hull fiber from DDGS and corn grain <i>P. Pandey, S.G. Bajwa, D.S. Bajwa and K. Englund (USA)</i>	409	SSR markers associated with fiber yield traits in ramie (<i>Boehmeria nivea</i> L. Gaudich) <i>M.-B. Luan, C.-C. Liu, X.-F. Wang, Y. Xu, Z.-M. Sun and J.-H. Chen (PR China)</i>	439

(Contents continued on inside back cover)