

# CONTENTS

- Assessing ecological status with diatoms DNA metabarcoding: Scaling-up on a WFD monitoring network (Mayotte island, France)  
V. Vasselon, F. Rimet, K. Tapolczai and A. Bouchez (France)
- An intelligent system for estimating frog community calling activity and species richness  
J. Xie (Australia, Canada), M. Towsey (Australia), M. Zhu (Canada), J. Zhang and P. Roe (Australia)
- Optimizing coastal and marine spatial planning through the use of high-resolution benthic sensitivity models  
D. Gorman, G. Corte, H.H. Checon, A.C.Z. Amaral and A. Turra (Brazil)
- Contamination, ecological risk and source apportionment of heavy metals in sediments and water of a contaminated river in Taiwan  
C.T. Vu, C. Lin, C.-C. Shern, G. Yeh, V.G. Le and H.T. Tran (ROC)
- Litter-dwelling ants as bioindicators to gauge the sustainability of small arboreal monocultures embedded in the Amazonian rainforest  
S. Groc (France), J.H.C. Delabie (Brazil), F. Fernandez (Colombia), F. Petitclerc, B. Corbara (France), M. Leponce (Belgium), R. Céréghino and A. Dejean (France)
- Urbanization impact on landscape patterns in Beijing City, China: A spatial heterogeneity perspective  
H. Li, J. Peng, L. Yanxu and H. Yi'na (China)
- Identifying the spatial effects and driving factors of urban PM<sub>2.5</sub> pollution in China  
Z. Cheng, L. Li and J. Liu (China)
- Predicting gastrointestinal infection morbidity based on environmental pollutants: Deep learning versus traditional models  
Q. Song, M.-R. Zhao, X.-H. Zhou (China), Y. Xue (China, New Zealand) and Y.-J. Zheng (China)
- Nonlinearity, fuzziness and incommensurability in indicator-based assessments of vulnerability to climate change: A new mathematical framework  
A. El-Zein and F.N. Tonmoy (Australia) 82
- 1 Nation-wide indicators of ecological integrity in Mexico: The status of mammalian apex-predators and their habitat  
F. Mora (Mexico) 94
- 13 Integrating remote sensing and local ecological knowledge to monitor rangeland dynamics  
I.M.S. Eddy, S.E. Gergel, N.C. Coops (Canada), G.M. Henebry (USA), J. Levine, H. Zerriffi (Canada) and E. Shibkov (Kyrgyzstan) 106
- 23 Intertidal seagrass in Ireland: Pressures, WFD status and an assessment of trace element contamination in intertidal habitats using *Zostera noltei*  
R. Wilkes, M. Bennion (Ireland), N. McQuaid (UK), C. Beer (Northern Ireland), G. McCullough-Annett, K. Colhoun, R. Inger (UK) and L. Morrison (Ireland) 117
- 32 Bio-thermal effects of open dumps on surroundings detected by remote sensing—Influence of geographical conditions  
K. Mahmood, A. Batool, F. Faizi, M.N. Chaudhry, Z. Ul-Haq, A.D. Rana and S. Tariq (Pakistan) 131
- 43 Influence of glacial melt and Atlantic water on bacterioplankton community of Kongsfjorden, an Arctic fjord  
R.K. Sinha, K.P. Krishnan, S. Kerkar and D.D. Thresyamma (India) 143
- 50 How can urban green spaces be planned for climate adaptation in subtropical cities?  
Z. Yu, X. Guo, G. Jørgensen and H. Vejre (Denmark) 152
- 61 Fluorine and metals in *Polygonum arenastrum* Bor. from areas influenced by various types of industry  
M. Dambiec, B. Wojtuń, A. Samecka-Cymerman, L. Polechońska, A. Rudecki (Poland) and A.J. Kempers (The Netherlands) 163

Using multiple indicators to assess the environmental status in impacted and non-impacted bathing waters in the Iranian Caspian Sea H. Nemati, M.R. Shokri, Z. Ramezanzpour, G.H.E. Pour (Islamic Republic of Iran), I. Muxika and Á. Borja (Spain)		Human-induced changes in the trophic functioning of sandy beaches L.L. Costa, D.C. Tavares, M.C. Suciú, D.F. Rangel and I.R. Zalmon (Brazil)	304
Ecological background of diatom functional groups: Comparability of classification systems V. B-Béres, P. Török, Z. Kókai, Á. Lukács, E. T-Kraszna, B. Tóthmérész and I. Bácsi (Hungary)	175	Marsh wetland degradation risk assessment and change analysis: A case study in the Zoige Plateau, China W. Jiang, J. Lv, C. Wang, Z. Chen and Y. Liu (China)	316
Fluoride in simulated rain affects the morphoanatomy and physiology of <i>Eugenia dysenterica</i> (Mart.) DC A.A. Rodrigues, S.C. Vasconcelos-Filho, G.C. Mendes, L.S. Rehn, D.A. Rodrigues, C.L. Rodrigues and C. Müller (Brazil)	183	Alternative alert system for Ganga river eutrophication using alkaline phosphatase as a level determinant J. Pandey and A. Yadav (India)	327
From phylogenetic to functional originality: Guide through indices and new developments S. Pavoine (France), M.B. Bonsall (UK), A. Dupaix (France), U. Jacob (Germany) and C. Ricotta (Italy)	189	An index to track the ecological effects of drought development and recovery on riverine invertebrate communities R.P. Chadd, J.A. England, D. Constable, M.J. Dunbar, C.A. Extence, D.J. Leeming, J.A. Murray-Bligh and P.J. Wood (UK)	344
Modeling landscape condition for biodiversity assessment—Application in temperate North America J.C. Hak and P.J. Comer (USA)	196	Measuring leaf area index in rubber plantations – a challenge M. Cotter, F. Asch, T. Hilger (Germany), A. Rajaona (Germany, Madagascar), A. Schappert, S. Stuerz (Germany) and X. Yang (Germany, China)	357
Assessing nature and dynamics of POM in transitional environment (the Curonian Lagoon, SE Baltic Sea) using a stable isotope approach N. Remeikaitė-Nikienė, G. Lujanienė, V. Malejevas, R. Barisevičiūtė, M. Zilius, I. Vybernaitė-Lubienė, G. Garnaga-Budrė and A. Stankevičius (Lithuania)	206	An overview of indexes to evaluate terrestrial plants for phytoremediation purposes (Review) A. Buscaroli (Italy)	367
Taxonomic sufficiency in detecting hydrological changes and reproducing ordination patterns: A test using planktonic ciliates A.F. Cabral, P.R.B. Buosi, B.T. Segóvia, L.F.M. Velho and L.M. Bini (Brazil)	217	Macrobenthos functional groups as indicators of ecological restoration in the northern part of China's Yellow River Delta Wetlands W. Yang, X. Li, T. Sun, J. Pei and M. Li (China)	381
Embedding ecological sensitivity analysis and new satellite town construction in an agent-based model to simulate urban expansion in the Beijing metropolitan region, China L. Kong, G. Tian, B. Ma and X. Liu (PR China)	227	Urban road traffic scale analysis from the perspective of atmospheric environmental indicators in Tianjin, China X. Liu, G. Li, S. Ma, J.-f. Tian, L. Liu and W. Zhu (China)	392
Environmental driving factors affecting plant biomass in natural grassland in the Loess Plateau, China Y. Yang, Y. Dou and S. An (China)	233	Methodological considerations for the use of faecal nitrogen to assess diet quality in ungulates: The Alpine ibex as a case study M. Ramanzin, M.Á.P. Aguado, A. Ferragina, E. Sturaro, P. Semenzato (Italy), E. Serrano (Spain, Portugal), M. Clauss (Switzerland), E. Albanell (Spain), R. Cassini and G. Bittante (Italy)	399
Lost in translation? Multi-metric macrobenthos indicators and bottom trawling H. Gislason, F. Bastardie, G.E. Dinesen, J. Egekvist and O.R. Eigaard (Denmark)	250	From instantaneous to continuous: Using imaging spectroscopy and <i>in situ</i> data to map two productivity-related ecosystem services D. Braun, A. Damm, E. Paul-Limoges, A. Revill, N. Buchmann, O.L. Petchey (Switzerland), L. Hein (The Netherlands) and M.E. Schaepman (Switzerland)	409
Coralligenous Bioconstructions Quality Index (CBQI): a synthetic indicator to assess the status of different types of coralligenous habitats F. Ferrigno, G.F. Russo and R. Sandulli (Italy)	260	The relationship between heritage, recreational quality and geomorphological vulnerability in the coastal zone: A case study of beach systems in the Canary Islands C. Peña-Alonso, L. Hernández-Calvento, E. Pérez-Chacón and E. Ariza-Solé (Spain)	420
Assessing broomrape risk due to weeds in cropping systems with an indicator linked to a simulation model N. Colbach, C. Bockstaller, F. Colas, S. Gibot-Leclerc, D. Moreau, O. Pointurier and J. Villerd (France)	271	Linking fire ignitions hotspots and fuel phenology: The importance of being seasonal S. Bajocco (Italy), N. Koutsias (Greece) and C. Ricotta (Italy)	433
Vulnerability assessment of wetland landscape ecosystem services using driver-pressure-state-impact-response (DPSIR) model B. Malekmohammadi and F. Jahanishakib (Iran)	280		
	293		

Growing-season precipitation since 1872 in the coastal area of subtropical southeast China reconstructed from tree rings and its relationship with the East Asian summer monsoon system Q. Cai, Y. Liu, H. Liu, C. Sun and Y. Wang (China)	441	Development of a spatially explicit approach for mapping ecosystem services in the Brazilian Savanna – <i>MapES</i> J.E.F.W. Lima, F. de Gois Aquino, T.A. Chaves (Brazil) and Carsten Lorz (Germany)	513
Multiple nitrogen saturation indicators yield contradicting conclusions on improving nitrogen status of temperate forests A. Verstraeten, J. Neiryneck, N. Cools, P. Roskams, G. Louette, V.S.D. Neve and S. Sleutel (Belgium)	451	Bacterial community shift revealed <i>Chromatiaceae</i> and <i>Alcaligenaceae</i> as potential bioindicators in the receiving river due to palm oil mill effluent final discharge S.S. Sharuddin, N. Ramli, M.A. Hassan (Malaysia), N.A. Mustapha (Japan), A. Amran (Malaysia), D. Mohd-Nor, K. Sakai (Malaysia, Japan), Y. Tashiro, Y. Shirai and T. Maeda (Japan)	526
Detection of nickel in maize roots: A novel nondestructive approach by reflectance spectroscopy and colorimetric models V.S. Fedenko (Ukraine), M. Landi (Italy) and S.A. Shemet (Ukraine)	463	A drought rarity and evapotranspiration-based index as a suitable agricultural drought indicator H. Zhao, Z. Xu, J. Zhao and W. Huang (China)	530
Do acoustic indices correlate with bird diversity? Insights from two biodiverse regions in Yunnan Province, south China C. Mammides, E. Goodale, S.K. Dayananda (China, Sri Lanka), L. Kang and J. Chen (China)	470	Diatom teratologies as biomarkers of contamination: Are all deformities ecologically meaningful? I. Lavoie, P.B. Hamilton (Canada), S. Morin (France), S. Kim Tiam (Canada, France), M. Kahlert (Sweden), S. Gonçalves (Sweden, Portugal), E. Falasco (Italy), C. Fortin (Canada), B. Gontero, D. Heudre, M. Kojadinovic-Sirinelli (France), K. Manoylov (USA), L.K. Pandey (Republic of Korea) and J.C. Taylor (South Africa)	539
Influence of oil palm monoculture on the taxonomic and functional composition of aquatic insect communities in eastern Brazilian Amazonia A. Luiza-Andrade, L.S. Brasil, N.L. Benone, Y. Shimano, A.P.J. Farias, L.F. Montag (Brazil), S. Dolédec (France) and L. Juen (Brazil)	478	Environmental determinants of Gulf Menhaden ( <i>Brevoortia patronus</i> ) oil content in the northern Gulf of Mexico R.T. Leaf (United States)	551
Scale-dependent effects of natural environmental gradients, industrial emissions and dispersal processes on zooplankton metacommunity structure: Implications for the bioassessment of boreal lakes M.U.M. Anas, B.J. Meegahagea, M.S. Evansb, D.S. Jeffriesb and B. Wissela (Canada)	484	Sensitivity of phytoplankton metrics to sample-size: A case study on a large transitional water dataset (WISER) F. Cozzoli, E. Stanca, G.B. Selmecky (Italy), J. Francé (Slovenia), I. Varkitzi (Greece) and A. Basset (Italy)	558
Indicators of Diptera diversity in wet grassland habitats are influenced by environmental variability, scale of observation, and habitat type J.G.J. Carey, S. Brien (Ireland), C.D. Williams, (United Kingdom) and M.J. Gormally (Ireland)	495	Spatial covariance between ecosystem services and biodiversity pattern at a national scale (France) F. Morelli (France, Czech Republic), F. Jiguet, R. Sabatier, C. Dross (France), K. Princé (France, USA), P. Tryjanowski (Poland) and M. Tichit (France)	574
Biodiversity shortcuts in biomonitoring of novel ecosystems M.C. Vieira, L.M. Bini, L.F.M. Velho, L.F. Gomes, J.C. Nabout and L.C.G. Vieira (Brazil)	505		