

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International;
Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.;
Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.;
Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Functional structure of algal mat (<i>Cladophora glomerata</i>) in a freshwater in western Poland M. Pikosz, B. Messyasz and M. Gąbka (Poznań, Poland)	1
The sustainable neighborhoods for happiness (SNfH) decision tool: Assessing neighborhood level sustainability and happiness S. Paralkar, S. Cloutier, S. Nautiyal and R. Mitra (Tempe, AZ, USA)	10
Evaluating the use of <i>Myotis daubentonii</i> as an ecological indicator in Mediterranean riparian habitats A. López-Baucells (Catalonia, Spain and Lisbon, Portugal), L. Casanova (Catalonia, Spain), X. Puig-Montserrat (Catalonia, Spain), A. Espinal (Barcelona, Spain), F. Páramo and C. Flaquer (Catalonia, Spain)	19
Identification of high nature value grassland with remote sensing and minimal field data S. Stenzel, F.E. Fassnacht (Karlsruhe, Germany), B. Mack (Wessling, Germany) and S. Schmidlein (Karlsruhe, Germany)	28
Soundscape analysis and acoustic monitoring document impacts of natural gas exploration on biodiversity in a tropical forest J.L. Deichmann (Washington, DC, USA), A. Hernández-Serna (San Juan, Puerto Rico), J.A. Delgado C. (Washington, DC, USA and Cusco, Peru), M. Campos-Cerqueira and T.M. Aide (San Juan, Puerto Rico)	39
Selecting indicators for assessing soil quality and degradation in rangelands of Extremadura (SW Spain) M. Pulido, S. Schnabel, J.F.L. Contador (Cáceres, Spain), J. Lozano-Parra (Cáceres, Spain and Santiago, Chile) and Á. Gómez-Gutiérrez (Cáceres, Spain)	49
Estimating linear temporal trends from aggregated environmental monitoring data R.A. Erickson, B.R. Gray and E.A. Eager (La Crosse, WI, USA)	62
Sustainable intensification – “oxymoron” or “third-way”? A systematic review N. Mahon (Nottingham, UK), I. Crute (Warwickshire, UK), E. Simmons and Md. M. Islam (Nottingham, UK)	73
Inter-species differences in polychlorinated biphenyls patterns from five sympatric species of odontocetes: Can PCBs be used as tracers of feeding ecology? P. Méndez-Fernandez (La Rochelle, France and Pontevedra, Spain), B. Simon-Bouhet, P. Bustamante (La Rochelle, France), T. Chouvelon (Nantes, France), M. Ferreira (Braga, Portugal), A. López (Pontevedra, Spain), C.F. Moffat (Aberdeen, UK), G.J. Pierce (Aberdeenshire, UK and Aveiro, Portugal), M. Russell (Aberdeen, UK), M.B. Santos (Vigo, Spain), J. Spitz (La Rochelle, France), J.V. Vingada (Braga, Portugal), L. Webster (Aberdeen, UK), F.L. Read, A.F. González (Vigo, Spain) and F. Caurant (La Rochelle, France)	98
Can carbon footprint serve as proxy of the environmental burden from urban consumption patterns? P.P. Kalbar, M. Birkved (Lyngby, Denmark), S. Karmakar (Mumbai, India), S.E. Nygaard (Denmark) and M. Hauschild (Lyngby, Denmark)	109
Food consumption and related water resources in Nordic cities D. Vanham, B.M. Gawlik and G. Bidoglio (Ispra, Italy)	119
Life-cycle greenhouse gas emissions assessment and extended exergy accounting of a horizontal-flow constructed wetland for municipal wastewater treatment: A case study in Chile Y. Casas Ledón, A. Rivas, D. López and G. Vidal (Chile)	130
Assesment and management of environmental quality conditions in marine sandy beaches for its sustainable use—Virtues of the population based approach S.C. Gonçalves and J.C. Marques (Coimbra, Portugal)	140

Multi-scale analysis of alpine landscapes with different intensities of abandonment reveals similar spatial pattern changes: Implications for habitat conservation T. Campagnaro (Legnaro, Italy), L. Frate, M.L. Carranza (Pesche, Italy) and T. Sitzia (Legnaro, Italy)	147
Tree-ring evidence for the historical cyclic defoliator outbreaks on <i>Larix potaninii</i> in the central Hengduan Mountains, SW China Z.-X. Fan (Yunnan, China) and A. Bräuning (Erlangen, Germany)	160
Microbial community structure of surface sediments from a tropical estuarine environment using next generation sequencing L. Khandeparker, N. Kuchi, D. Kale and A.C. Anil (Goa, India)	172
Soil textural class plays a major role in evaluating the effects of land use on soil quality indicators I.C. Vinhal-Freitas (Brasília, Brazil), G.F. Corrêa, B. Wendling (Brazil), L. Bobul'ská (Slovakia) and A.S. Ferreira (Brazil)	182
Diurnal response of effective quantum yield of PSII photochemistry to irradiance as an indicator of photosynthetic acclimation to stressed environments revealed in a xerophytic species T.-S. Zha, Y.J. Wu, X. Jia, M.Y. Zhang, Y.J. Bai, P. Liu, J.Y. Ma (Beijing, China), C.P.-A. Bourque (New Brunswick, Canada) and H. Peltola (Joensuu, Finland)	191
The emergy of metabolism in different ecosystems under the same environmental conditions in the agro-pastoral ecotone of northern China X. Zhai, D. Huang (Beijing, China and Hebei, China), S. Tang, S. Li, J. Guo, Y. Yang, H. Liu, J. Li (Beijing, China) and K. Wang (Beijing, China and Hebei, China)	198
Mercury contamination and stable isotopes reveal variability in foraging ecology of generalist California gulls S.H. Peterson, J.T. Ackerman (Dixon, CA, USA) and C.A. Eagles-Smith (Corvallis, OR, USA)	205
Climate legacy and lag effects on dryland plant communities in the southwestern U.S. E.L. Bunting, S.M. Munson (Flagstaff, AZ, USA) and M.L. Villarreal (Menlo Park, CA, USA)	216
A potential evaluation model for land consolidation in fragmental regions Z. Jinhao, X. Qin (Guangzhou, China), L. Lin (Guangzhou, China and Cincinnati, OH, USA) and H. Yueming (Guangzhou, China and Xining, China)	230
Pathways to bridge the biophysical realism gap in ecosystem services mapping approaches S. Lavorel (Grenoble, France), A. Bayer (Garmisch-Partenkirchen, Germany), A. Bondeau (Aix-en-Provence, France), S. Lautenbach (Bonn, Germany), A. Ruiz-Frau (Esporles (Illes-Balears), Spain), N. Schulp (Amsterdam, The Netherlands), R. Seppelt (Leipzig, Germany), P. Verburg, A. van Teeffelen (Amsterdam, The Netherlands), C. Vannier (Grenoble, France), A. Arneth (Garmisch-Partenkirchen, Germany), W. Cramer (Aix-en-Provence, France) and N. Marba (Esporles (Illes-Balears), Spain)	241
Assessing the effect of EWDP on vegetation restoration by remote sensing in the lower reaches of Tarim River A. Bao, Y. Huang, Y. Ma, H. Guo (Urumqi, China) and Y. Wang (Korla, China)	261
Mayfly bioindicator thresholds for several anthropogenic disturbances in neotropical savanna streams K.R. Firmiano (Belo Horizonte, Brazil), R. Ligeiro (Belém, Brazil), D.R. Macedo (Belo Horizonte, Brazil), L. Juen (Belém, Brazil), R.M. Hughes (Corvallis, OR, USA) and M. Callisto (Belo Horizonte, Brazil)	276
Does the composition of Scarabaeidae (Coleoptera) communities reflect the extent of land use changes in the Brazilian Amazon? R.L. Cajuiba (Lajeado, Brazil and Vila Real, Portugal), E. Périgo, M.S. Dalzochio (Lajeado, Brazil), W.B. da Silva (Altamira, Brazil), R. Bastos, J.A. Cabral and M. Santos (Vila Real, Portugal)	285
The role of renewable energy and agriculture in reducing CO ₂ emissions: Evidence for North Africa countries B.J. Mehdi and B.Y. Slim (Tunisia)	295
Modeling WEPP erodibility parameters in calcareous soils in northwest Iran S. Mirzaee, S. Ghorbani-Dashtaki, J. Mohammadi (Shahrekord, Iran), F. Asadzadeh (Urmia, Iran) and R. Kerry (Provo, UT, USA)	302
The influence of feeding strategies on trace element bioaccumulation in copepods (<i>Calanoida</i>) M. Battuello, R.M. Sartor, P. Brizio, N. Nurra, D. Pessani, M.C. Abete and S. Squadrone (Torino, Italy)	311
China's water footprint by province, and inter-provincial transfer of virtual water W. Chen, S. Wu, Y. Lei and S. Li (Beijing, China)	321
Eco-physiological responses to salinity changes across the freshwater-marine continuum on two euryhaline bivalves: <i>Corbicula fluminea</i> and <i>Scrobicularia plana</i> C. Bertrand (Metz, France and Angers, France), S. Devin (Metz, France), C. Mouneyrac (Angers, France) and L. Giambérini (Metz, France)	334
Development of an epiphyte indicator of nutrient enrichment: Threshold values for seagrass epiphyte load W.G. Nelson (Newport, OR, USA)	343
Testing the efficacy of an estuarine eutrophic condition index: Does it account for shifts in flow conditions? D.A. Lemley, J.B. Adams and N.A. Strydom (Port Elizabeth, South Africa)	357
Linking ecosystem service supply to stakeholder concerns on both land and sea: An example from Guánica Bay watershed, Puerto Rico A. Smith, S.H. Yee, M. Russell, J. Awkerman and W.S. Fisher (Gulf Breeze, FL, USA)	371

Monitoring soil salinity via remote sensing technology under data scarce conditions: A case study from Turkey T. Gorji, E. Sertel and A. Tanik (Istanbul, Turkey).....	384
Ecosystem services classification: A systems ecology perspective of the cascade framework A. La Notte (Ispra, Italy), D. D'Amato (Helsinki, Finland), H. Mäkinen (Lahti, Finland), M.L. Paracchini, C. Liqueste (Ispra, Italy), B. Egoh (Stellenbosch, South Africa and Scottsville, South Africa), D. Geneletti (Trento, Italy) and N.D. Crossman (Adelaide, Australia).....	392
Analyzing network topological characteristics of eco-industrial parks from the perspective of resilience: A case study X. Li and R. Xiao (Wuhan, China)	403
Wood fuel consumption, institutional quality, and forest degradation in sub-Saharan Africa: Evidence from a dynamic panel framework C. Sulaiman (Serdang, Malaysia and Nigeria), A.S. Abdul-Rahim, H.O. Mohd-Shahwahid and L. Chin (Serdang, Malaysia).....	414
Volumetric water footprints, applied in a global context, do not provide insight regarding water scarcity or water quality degradation D. Wichelns (Bangkok, Thailand).....	420
Spatial metrics for detecting ecosystem degradation in the ridge-slough patterned landscape J. Yuan and M.J. Cohen (Gainesville, FL, USA)	427
Scuba diving damage on coralligenous builders: Bryozoan species as an indicator of stress E. Casoli, L. Nicoletti (Rome, Italy), G. Mastrantonio (Turin, Italy), G. Jona-Lasinio, A. Belluscio and G.D. Ardizzone (Rome, Italy).....	441
Mercury toxicity to terrestrial biota K.R. Mahbub (Callaghan, Australia and Ultimo, Australia), K. Krishnan, R. Naidu (Callaghan, Australia), S. Andrews (Adelaide, Australia) and M. Megharaj (Callaghan, Australia)	451
Measuring countries' environmental sustainability performance—The development of a nation-specific indicator set D. Cook, N.M. Saviolidis, B. Davíðsdóttir, L. Jóhannsdóttir and S. Ólafsson (Reykjavík, Iceland).....	463
A land-indicator-based optimization model with trading mechanism in wetland ecosystem under uncertainty X.T. Zeng (Beijing, China and Regina, Canada), J.Y. Zhao, X.L. Yang, X. Wang, C.W. Xu (Beijing, China), L. Cui (Taiyuan, China) and Y. Zhou (Regina, Canada).....	479
Study on the evaluation system of urban low carbon communities in Guangdong province Z. Xie, X. Gao, C. Feng and J. He (Guangzhou, China).....	500
Using a Gulf of Mexico Atlantis model to evaluate ecological indicators for sensitivity to fishing mortality and robustness to observation error M.D. Masi, C.H. Ainsworth and D.L. Jones (St. Petersburg, FL, USA).....	516
Which breeding bird categories should we use in models of species distribution? V. Moudrý, J. Komárek and P. Šimová (Kamycka, Czechia).....	526
Ecological stress memory: Evidence in two out of seven species through the examination of the relationship between leaf fluctuating asymmetry and photosynthesis C. Nikiforou and Y. Manetas (Patras, Greece)	530