

CONTENTS

Articles

- PEDRAM, M., ROSHAN-BAKHS, A., POURJAM, E., ATIGHI, M.R., DECRAEMER, W. & BAGHERI, A.— Additional data on Iranian trichodorids (Triplonchida: Trichodoridae) and first record of a rare species, *Trichodorus variabilis* Roca, 1998 ..... 121-129
- VAN DEN BERG, E., TIEDT, L.R., STANLEY, J.D., INSERRA, R.N. & SUBBOTIN, S.A.— Characterisation of some *Scutellonema* species (Tylenchida: Hoplolaimidae) occurring in Botswana, South Africa, Costa Rica and the USA, with description of *S. clavicaudatum* sp. n. and a molecular phylogeny of the genus ..... 131-173
- MASLER, E.P., ROGERS, S.T. & HOOKS, C.R.R.— Behavioural differences of *Heterodera glycines* and *Meloidogyne incognita* infective juveniles exposed to root extracts *in vitro* ... 175-183
- GRUJIĆ, N. & RADIVOJEVIĆ, M.— Population decline of *Globodera rostochiensis* in Western Serbia ..... 185-195
- SKWIERCZ, A.T., KORNOBIS, F.W., WINISZEWSKA, G., PRZYBYLSKA, A., OBREPALSKA-STEPLOWSKA, A., GAWLAK, M. & SUBBOTIN, S.A.— *Ditylenchus laurae* sp. n. (Tylenchida: Anguinidae) from Poland – a new species of the *D. dipsaci* complex associated with a water plant, *Potamogeton perfoliatus* L..... 197-209
- ESMAEILI, M., HEYDARI, R., CASTILLO, P. & PALOMARES-RIUS, J.E.— Molecular and morphological characterisation of *Ditylenchus persicus* n. sp. (Nematoda: Anguinidae) from Kermanshah province, western Iran ..... 211-223
- KARY, N.E., CHAHARDOLI, S., MOHAMMADI, D. & DILLON, A.B.— Effect of temperature, time and glycerol concentration on the dehydration and rehydration process of *Steinernema carpocapsae* and *S. feltiae* in alginate granule formulation ..... 225-235
- ITO, D., TOYOTA, K. & LI, Z.G.— Effect of *Heterodera glycines* and soil chemical and biological cultivation factors on the yield of green soybean grown in a glasshouse in Japan..... 237-244
- ROLDI, M., DIAS-ARIEIRA, C.R., DA SILVA, S.A., DORIGO, O.F. & MACHADO, A.C.Z.— Control of *Meloidogyne paranaensis* in coffee plants mediated by silicon..... 245-250