

Éva Ács and Krisztina Buczkó (eds)

**10<sup>th</sup> CE-Diatom: Relationships between diatom composition and environmental conditions**

<b>Ács, É. &amp; Buczkó, K.:</b> Editorial . . . . .	83–85
<b>Trábert, Z., Kiss, K. T., Várbíró, G., Dobosy, P., Grigorszky, I. &amp; Ács, É.:</b> Comparison of the utility of a frequently used diatom index (IPS) and the diatom ecological guilds in the ecological status assessment of large rivers. . . . .	87–103
<b>Bolgovics, Á., Ács, É., Várbíró, G., Görgényi, J., Kiss, K. T., Földi, A., Nagy-László, Z., Trábert, Z. &amp; Borics, G.:</b> Benthic diatom-based lake types in Hungary . . . . .	105–116
<b>Fránková, M., Šumberová, K., Potužák, J. &amp; Vild, O.:</b> The role of plant substrate type in shaping the composition and diversity of epiphytic diatom assemblages in a eutrophic reservoir. . . . .	117–135
<b>Szigyártó, I., Buczkó, K., Rákossy, I., May, Z., Urák, I. &amp; Zsigmond, A. R.:</b> Contrasting diatom diversity in lentic and lotic habitats of Romanian peat bogs and the relation to environmental variables. . . . .	137–151
<b>Tas, S.:</b> Planktonic diatom composition and environmental conditions in the Golden Horn Estuary (Sea of Marmara, Turkey) . . . . .	153–166
<b>Grigorszky, I., Kiss, T. K., Pór, G., Dévai, G., Nagy, A. S., Somlyai, I., Berta, C., Duleba, M., Trábert, Z. &amp; Ács, É.:</b> Temperature and growth strategies as the essential factors influencing the occurrence of <i>Stephanodiscus minutulus</i> (Kützting) Cleve & Möller and <i>Palatinus apiculatus</i> (Ehrenberg) Craveiro, Calado, Daugbjerg & Moestrup . . . . .	167–175