

Food Hydrocolloids

CONTENTS

Volume 63, 2017

- 1 Characterization of particles in soymilks prepared by blanching soybeans and traditional method: A comparative study focusing on lipid-protein interaction
X. PENG, Y. WANG, J. XING, R. WANG, X. SHI AND S. GUO (China)
- 8 Impact of enzymatic hydrolysis on the interfacial rheology of whey protein/pectin interfacial layers at the oil/water-interface
F. TAMM AND S. DRUSCH (Germany)
- 19 Structural and functional characterization of starches from Brazilian pine seeds (*Araucaria angustifolia*)
M. E. B. ZORTÉA-GUIDOLIN, I. M. DEMIATE, R. C. B. D. GODOY, A. D. P. SCHEER (Brazil), D. GREWELL AND J.-L. JANE (United States)
- 27 Formation of chitosan nanoparticles to encapsulate krill oil (*Euphausia superba*) for application as a dietary supplement
J. HAIDER, H. MAJEED (People's Republic of China), P. A. WILLIAMS (UK), W. SAFDAR AND F. ZHONG (People's Republic of China)
- 35 Effect of hydroxypropylmethylcellulose on transition of water status and physicochemical properties of wheat gluten upon frozen storage
Y.-F. XUAN, Y. ZHANG, Y.-Y. ZHAO, Z. ZHENG, S.-T. JIANG AND X.-Y. ZHONG (China)
- 43 The formation of non-heat-treated whey protein cold-set hydrogels via non-toxic chemical cross-linking
A. ABAEE, A. MADADLOU AND A. A. SABOURY (Iran)
- 50 Rheological properties of agar and carrageenan from Ghanaian red seaweeds
N. RHEIN-KNUDSEN, M. T. ALE, F. AJALLOUEIAN, L. YU AND A. S. MEYER (Denmark)
- 59 Effect of heat-moisture treatment under mildly acidic condition on fragmentation of waxy maize starch granules into nanoparticles
J. H. KIM, D. H. PARK AND J.-Y. KIM (South Korea)
- 67 Investigation of oral gels breakdown using image analysis
C. TOURNIER (France), M. DEVEZEAUX DE LAVERGNE, F. VAN DE VELDE, M. STIEGER (The Netherlands), C. SALLES AND D. BERTRAND (France)
- 77 The effects of microwave processing on the structure and various quality parameters of Alaska pollock surimi protein-polysaccharide gels
L. JI, Y. XUE, T. ZHANG, Z. LI AND C. XUE (PR China)
- 85 Recent advances on the role of process variables affecting gelatin yield and characteristics with special reference to enzymatic extraction: A review
T. AHMAD (Malaysia, India), A. ISMAIL, S. A. AHMAD, K. A. KHALIL (Malaysia), Y. KUMAR (India), K. D. ADEYEMI (Malaysia, Nigeria) AND A. Q. SAZILI (Malaysia)
- 97 Harnessing proteins to control crystal size and morphology, for improved delivery performance of hydrophobic bioactives, using genistein as a model
G. ISRAELI-LEV, M. PITCHKHADZE, S. NEVO, L. FAHOUM, E. MEYRON-HOLTZ AND Y. D. LIVNEY (Israel)
- 108 Variability in pig skin gelatin properties related to production site: A near infrared and fluorescence spectroscopy study
A. DUCONSEILLE, D. ANDUEZA, F. PICARD, V. SANTÉ-LHOUELIER AND T. ASTRUC (France)

- 120 Peptide-polysaccharide conjugates with adjustable hydrophilicity/hydrophobicity as green and pH sensitive emulsifiers
B. YIN, C. WANG, Z. LIU AND P. YAO (China)
- 130 Whey protein-pectin soluble complexes for beverage applications
T. B. WAGONER AND E. A. FOEGEDING (USA)
- 139 Highly efficient encapsulation of linseed oil into alginate/lupin protein beads: Optimization of the emulsion formulation
J. A. PIORNOS, C. BURGOS-DÍAZ, E. MORALES, M. RUBILAR AND F. ACEVEDO (Chile)
- 149 Characterization of mechanical and encapsulation properties of lactose/maltodextrin/WPI matrix
R. LI, Y. H. ROOS AND S. MIAO (Ireland)
- 160 Visual spectroscopy method to evaluate entrapment efficiency of electrostatically precipitated proteins in combination with octenyl succinic anhydride (OSA)-modified polysaccharides
A. PUERTA-GOMEZ AND M. E. CASTELL-PEREZ (USA)
- 170 Droplet size distribution, rheological behavior and stability of corn oil emulsions stabilized by a novel hydrocolloid (Brea gum) compared with gum arabic
V. CASTEL, A. C. RUBIOLO AND C. R. CARRARA (Argentina)
- 178 Structural and emulsifying properties of sodium caseinate and lactoferrin influenced by ultrasound process
G. DE FIGUEIREDO FURTADO, R. A. MANTOVANI, L. CONSOLI, M. D. HUBINGER AND R. L. DA CUNHA (Brazil)
- 189 Gradual disaggregation of the casein micelle improves its emulsifying capacity and decreases the stability of dairy emulsions
F. LAZZARO, A. SAINT-JALMES, F. VIOLLEAU, C. LOPEZ, M. GAUCHER-DELMAS, M.-N. MADEC, E. BEAUCHER AND F. GAUCHERON (France)
- 201 Properties of alginate-based films reinforced with cellulose fibers and cellulose nanowhiskers isolated from mulberry pulp
L.-F. WANG, S. SHANKAR AND J.-W. RHIM (Republic of Korea)
- 209 Nanoscale properties of biopolymer multilayers
Z. GEZGIN (USA, Turkey), T. C. LEE AND Q. HUANG (USA)
- 219 Structural and functional characterization of oxidized feruloylated arabinoxylan from wheat
A. BAGDI (Switzerland, Hungary), S. TÖMÖSKÖZI (Hungary) AND L. NYSTRÖM (Switzerland)
- 226 Protein network formation during pound cake baking: The role of egg yolk and its fractions
L. J. DELEU, S. MELIS, E. WILDERJANS, I. VAN HAESENDONCK, K. BRIJS AND J. A. DELCOUR (Belgium)
- 233 The influence of hydrocolloids on mead wort fermentation
P. SROKA AND P. SATORA (Poland)
- 240 Inhibition of lipid oxidation in nanoemulsions and filled microgels fortified with omega-3 fatty acids using casein as a natural antioxidant
F. CHEN, L. LIANG (China), Z. ZHANG (USA), Z. DENG (China), E. A. DECKER AND D. J. MCCLEMENTS (USA)
- 249 Physicochemical properties and *in vitro* digestibility of legume starches
M. MA, Y. WANG, M. WANG (China), J.-L. JANE (USA) AND S.-K. DU (China)
- 256 Physicochemical stability and *in vitro* bioaccessibility of β -carotene nanoemulsions stabilized with whey protein-dextran conjugates
Y. FAN, J. YI (China), Y. ZHANG (United States), Z. WEN AND L. ZHAO (China)
- 265 A response surface analysis of the aqueous leaching of amylose from maize starch
A. F. DOBLADO-MALDONADO, F. JANSSEN, S. V. GOMAND, B. DE KETELAERE, B. GODERIS AND J. A. DELCOUR (Belgium)
- 273 Starch- and carboxymethylcellulose-coated bacterial nanocellulose-pectin bionanocomposite as novel protective prebiotic matrices
A. C. KHORASANI AND S. A. SHOJAOSADATI (Iran)
- 286 Enhanced fluorescence of starch-fluorescence guest complexes enables evaluation of the encapsulation properties of maize starches
S. WANG, J. ZHAN, Z. JIN AND Y. TIAN (China)
- 293 Chitin microspheres: A fascinating material with high loading capacity of anthocyanins for colon specific delivery
Y. WANG, J. LI AND B. LI (China)
- 301 Influence of electrostatic interactions on behavior of mixed rice glutelin and alginate systems: pH and ionic strength effects
X. XU (China, USA), L. LUO, C. LIU (China), Z. ZHANG (USA) AND D. J. MCCLEMENTS (USA, Saudi Arabia)

- 309 Storage and digestion stability of encapsulated curcumin in emulsions based on starch granule Pickering stabilization
A. MAREFATI (Sweden), M. BERTRAND (Sweden, United Kingdom), M. SJÖÖ, P. DEJMEK AND M. RAYNER (Sweden)
- 321 Investigation of the molecular interactions between β -lactoglobulin and low methoxyl pectin by multi-detection High Performance Size Exclusion Chromatography
P. X. QI, H. K. CHAU, M. L. FISHMAN, E. D. WICKHAM AND A. T. HOTCHKISS JR. (USA)
- 332 Structures, properties, and applications of lotus starches
F. ZHU (New Zealand)
- 349 Secondary structure and colloidal stability of beta-casein in microheterogeneous water-ethanol solutions
D. A. FAIZULLIN, T. A. KONNOVA (Russian Federation), T. HAERTLÉ (France) AND Y. F. ZUEV (Russian Federation)
- 356 Physicochemical properties of *indica-japonica* hybrid rice starch from Chinese varieties
D. ZHU, H. ZHANG, B. GUO, K. XU, Q. DAI, C. WEI, G. ZHOU AND Z. HUO (China)
- 364 Tunable assembly of hydrophobic protein nanoparticle at fluid interfaces with tannic acid
Y. ZOU, Z. WAN, J. GUO, J. WANG, S. YIN AND X. YANG (PR China)
- 372 An alternative source of type I collagen based on by-product with higher thermal stability
M. YOUSEFI, F. ARIFFIN AND N. HUDA (Malaysia)
- 383 Effect of pullulan on the digestible, crystalline and morphological characteristics of rice starch
L. CHEN, Y. TIAN, Z. ZHANG, Q. TONG, B. SUN, M. M. A. RASHED AND Z. JIN (China)
- 391 Formation of nanocomplexes comprising whey proteins and fucoxanthin: Characterization, spectroscopic analysis, and molecular docking
J. ZHU, X. SUN, S. WANG, Y. XU AND D. WANG (People's Republic of China)
- 404 Dilute solution, flow behavior, thixotropy and viscoelastic characterization of cress seed (*Lepidium sativum*) gum fractions
S. RAZMKHAH, S. M. A. RAZAVI (Iran) AND M. A. MOHAMMADIFAR (Denmark)
- 414 Properties of glycerol-plasticized alginate films obtained by thermo-mechanical mixing
C. GAO, E. POLLET AND L. AVÉROUS (France)
- 421 Preparation and stabilizing behavior of octenyl succinic esters of soybean soluble polysaccharide in acidified milk beverages
Q.-R. LIU, J.-R. QI, S.-W. YIN, J.-M. WANG, J. GUO, J.-L. FENG, M. CHENG, J. CAO AND X.-Q. YANG (China)
- 429 Physicochemical, microstructure and bioactive characterization of gels made from crayfish protein
M. FELIX, A. ROMERO (Spain), T. RUSTAD (Norway) AND A. GUERRERO (Spain)
- 437 Release kinetics and antibacterial activity of curcumin loaded zein fibers
H. WANG, L. HAO, P. WANG, M. CHEN, S. JIANG AND S. JIANG (PR China)
- 447 Monodisperse core-shell alginate (micro)-capsules with oil core generated from droplets millifluidic
E. MARTINS, D. PONCELET, M. MARQUIS, J. DAVY AND D. RENARD (France)
- 457 Preparation and characterization of protocatechuic acid grafted chitosan films with antioxidant activity
J. LIU, C.-G. MENG, S. LIU, J. KAN AND C.-H. JIN (China)
- 467 The effects of calcium chloride on the gel properties of porcine myosin- κ -carrageenan mixtures
T. PAN, H. GUO, Y. LI, J. SONG AND F. REN (PR China)
- 478 Effect of hydrocolloid type on texture of pureed carrots: Rheological and sensory measures
M. SHARMA, E. KRISTO, M. CORREDIG AND L. DUIZER (Canada)
- 488 Edible cassava starch films carrying rosemary antioxidant extracts for potential use as active food packaging
D. PIÑEROS-HERNANDEZ, C. MEDINA-JARAMILLO (Argentina), A. LÓPEZ-CÓRDOBA (Argentina, Colombia) AND S. GOYANES (Argentina)
- 496 Adsorption behaviour of polyphenols on cellulose is affected by processing history
D. LIU, M. MARTINEZ-SANZ, P. LOPEZ-SANCHEZ, E. P. GILBERT AND M. J. GIDLEY (Australia)
- 508 Zein-based colloidal particles for encapsulation and delivery of epigallocatechin gallate
F. DONSI, P. VOUDOURIS, S. J. VEEN AND K. P. VELIKOV (The Netherlands)
- 518 Enzymatically modified waxy corn starch with amylosucrase: The effect of branch chain elongation on structural and physicochemical properties
H. ZHANG, X. ZHOU, T. WANG, J. HE, M. YUE, X. LUO, L. WANG, R. WANG AND Z. CHEN (People's Republic of China)
- 525 Effects of nitrogen level on structure and physicochemical properties of rice starch
D. ZHU, H. ZHANG, B. GUO, K. XU, Q. DAI, C. WEI, G. ZHOU AND Z. HUO (China)
- 533 Unravelling of the water-binding capacity of cold-gelated whey protein microparticles
J. P. C. M. PETERS, F. J. VERGELDT, H. VAN AS, H. LUYTEN, R. M. BOOM AND A. J. VAN DER GOOT (The Netherlands)

- 545 Isolation, characterization and the functional properties of cellulosic arabinoxylan fiber isolated from agricultural processing by-products, agricultural residues and energy crops
M. P. YADAV, M. S. KALE, K. B. HICKS AND K. HANAH (USA)
- 552 Rational design to develop a non-reactive model food imitative of a baked cereal product by replacing the functional properties of ingredients
J. BOUSQUIÈRES, C. BONAZZI AND C. MICHON (France)
- 561 A novel active packaging material based on starch-halloysite nanocomposites incorporating antimicrobial peptides
S. M. M. MEIRA, G. ZEHETMEYER, J. O. WERNER AND A. BRANDELLI (Brazil)
- 571 Wine polysaccharides influence tannin-protein interactions
A. A. WATRELOT, D. L. SCHULZ AND J. A. KENNEDY (USA)
- 580 Investigation on the influence of pectin structures on the pasting properties of rice starch by multiple regression
S.-J. LUO, R.-Y. CHEN, L. HUANG, R.-H. LIANG, C.-M. LIU AND J. CHEN (China)
- 585 Food-grade Pickering stabilisation of foams by *in situ* hydrophobisation of calcium carbonate particles
B. P. BINKS (UK), K. MUIJLWIJK (UK, The Netherlands), H. KOMAN AND A. T. POORTINGA (The Netherlands)
- 593 Technology optimization of chitosan production from *Aspergillus niger* biomass and its functional activities
K. M. ABDEL-GAWAD, A. F. HIFNEY, M. A. FAWZY AND M. GOMAA (Egypt)
- 602 Influence of the preparation method on the structure formed by ovalbumin/gum arabic to observe the stability of oil-in-water emulsion
F. NIU, Y. ZHANG, C. CHANG, W. PAN, W. SUN, Y. SU AND Y. YANG (China)
- 611 NMR spectroscopy of starch systems
F. ZHU (New Zealand)
- 625 A comparative study of covalent and non-covalent interactions between zein and polyphenols in ethanol-water solution
F. LIU (China, USA), C. MA (China), D. J. MCCLEMENTS (USA, Saudi Arabia) AND Y. GAO (China)
- 635 Rheological and thermogelling properties of commercial chitosan/ β -glycerophosphate: Retention of hydrogel in water, milk and UF-milk
A. R. TAHERIAN, P. LACASSE, B. BISAKOWSKI, M. PELLETIER, S. LANCTÔT AND P. FUSTIER (Canada)
- 646 *In vitro* and *in vivo* gastrointestinal digestion and fermentation of the polysaccharide from *Ganoderma atrum*
Q. DING, S. NIE, J. HU, X. ZONG, Q. LI AND M. XIE (PR China)
- 656 Monocationic salts of carrageenans: Preparation and physico-chemical properties
M. ROBAL (Estonia), T. BRENNER, S. MATSUKAWA, H. OGAWA (Japan), K. TRUUS (Estonia), B. RUDOLPH (Denmark) AND R. TUVIKENE (Estonia)
- 668 Effects of ultrasound treatment on physicochemical and emulsifying properties of whey proteins pre- and post-thermal aggregation
X. SHEN, T. FANG, F. GAO (China) AND M. GUO (China, USA)
- 677 Rheology of film-forming solutions and physical properties of tara gum film reinforced with polyvinyl alcohol (PVA)
Q. MA, L. DU, Y. YANG AND L. WANG (PR China)
- 685 Preparation of water-in-oil-in-water emulsions by low frequency ultrasound using skim milk and sunflower oil
T. S. H. LEONG, M. ZHOU, N. KUKAN, M. ASHOKKUMAR AND G. J. O. MARTIN (Australia)
- 696 Whey protein gelation induced by enzymatic hydrolysis and heat treatment: Comparison of creep and recovery behavior
M. J. SPOTTI (USA, Argentina), Ö. TARHAN (USA, Turkey), S. SCHAFFTER, C. CORVALAN AND O. H. CAMPANELLA (USA)
- 705 Polyphenol removal from sunflower seed and kernel: Effect on functional and rheological properties of protein isolates
M. A. MALIK AND C. S. SAINI (India)
- 716 Improved heat stability of whey protein isolate stabilized emulsions via dry heat treatment of WPI and low methoxyl pectin: Effect of pectin concentration, pH, and ionic strength
A. D. SETIOWATI, S. SAEEDI, W. WIJAYA AND P. VAN DER MEEREN (Belgium)
- 727 Impact of ultrasonic treatment on an emulsion system stabilized with soybean protein isolate and lecithin: Its emulsifying property and emulsion stability
X. SUI, S. BI, B. QI, Z. WANG, M. ZHANG, Y. LI AND L. JIANG (China)
- 735 Corrigendum to “Antimicrobial and physical-mechanical properties of pectin/papaya puree/cinnamaldehyde nanoemulsion edible composite films” [Food Hydrocolloids 41 (2014) 188–194]
C. G. OTONI, M. R. DE MOURA, F. A. AOUADA, G. P. CAMILLOTO, R. S. CRUZ, M. V. LOREVICE, N. D. F. F. SOARES AND L. H. C. MATTOSO (Brazil)
- 736 Calendar