

INDUSTRIAL CROPS AND PRODUCTS

VOLUME 97

March 2017

Contents

Fats and oils

- The effect of microwave pretreatment on some physico-chemical properties and bioactivity of Black cumin seeds' oil
H. Bakhshabadi, H. Mirzaei, A. Ghodsvali, S.M. Jafari, A.M. Ziaifar and V. Farzaneh (Iran, Portugal) 1
- Production of conjugated linoleic acid-rich cottonseed oil by supported Ru catalyzed isomerization
S. Liu, Z. Wang, X. Xu, Y. Ding and Z. Guo (Denmark, PR China) 10
- Assessment of the terpenic composition of *Hedychium coronarium* oil from Eastern India
A. Ray, B. Dash, A. Sahoo, N. Nasim, P.C. Panda, J. Patnaik, B. Ghosh, S. Nayak and B. Kar (India) 49
- Productivity and essential oil quality assessment of promising accessions of *Ocimum basilicum* L. from north India
R.C. Padalia, R.S. Verma, R.K. Upadhyay, A. Chauhan and V.R. Singh (India) 79
- Insecticidal activity of *Salvia veneris* Hedge. Essential oil against coleopteran stored product insects and *Spodoptera exigua* (Lepidoptera)
K. Polatoğlu, Ö.C. Karakoç, Y. Yücel Yücel, S. Gücel, B. Demirci, F. Demirci (Turkey) and K.H.C. Başer (Saudi Arabia, Turkey) 93
- Aroma profile and essential oil composition of *Rhus coriaria* fruits from four Sicilian sites of collection
S. Giovanelli, G. Giusti, P.L. Cioni, P. Minissale, D. Ciccarelli and L. Pistelli (Italy) 166
- Harvest date as a factor affecting crop yield, oil content and fatty acid composition of the seeds of calendula (*Calendula officinalis* L.) cultivars
B. Król and T. Paszko (Poland) 242
- Nontoxic oil preparation from *Jatropha curcas* L. seeds by an optimized methanol/n-hexane sequential extraction method
Y. He, T. Peng, Y. Guo, S. Li, Y. Guo, L. Tang and F. Chen (PR China) 308
- Chemical composition, antioxidant activity and thermal analysis of oil extracted from favela (*Cnidocolus quercifolius*) seeds
K.A. Santos, O.P.A. Filho, C.M. Aguiar, M.C. Milinsk, S.C. Sampaio, F. Palú and E.A. da Silva (Brazil) 368
- Seed morphology, oil content and fatty acid composition variability assessment in yellow horn (*Xanthoceras sorbifolium* Bunge) germplasm for optimum biodiesel production
H. Yu, S. Fan, Q. Bi, S. Wang, X. Hu, M. Chen and L. Wang (China) 425
- Synthesis of mixed anhydrides of fatty acids: Stability and Reactivity
I. Trabelsi, K. Essid and M.H. Frikha (Tunisia) 552

Non-food bioactive products

- Composition and biological activities of *Salvia veneris* Hedge growing in Cyprus
G. Gulsoy Toplan, M. Kurkcuoglu, F. Goger, G. İşcan, H.G. Ağalar, A. Mat, K.H.C. Baser, M. Koyuncu and G. Sariyar (Turkey, Cyprus, Saudi Arabia) 41
- Bioactivities of *n*-hexane fraction of *Vateria copallifera* and GC–MS analysis of its phytoconstituents
S.P. Samaradivakara, R. Samarasekera, L.M.V. Tillekeratne, S.M. Handunnetti, O.V.D.S.J. Weerasena, W.R. Taylor, Q. Alhadidi and Z.A. Shah (Sri Lanka, USA) 87
- Antimicrobial activity of several essential oils on pathogenic and beneficial bacteria
C.M.S. Ambrosio, S.M. de Alencar, R.L.M. de Sousa, A.M. Moreno and E.M. Da Gloria (Brazil) 128
- Analysis of flavonoids and antioxidants in extracts of ferns from Tianmu Mountain in Zhejiang Province (China)
X. Wang, M. Wang, J. Cao, Y. Wu, J. Xiao and Q. Wang (China, Macau) 137
- Highly conserved sequence of *CIPKS11* encodes a novel polyketide synthase involved in curcumin biosynthesis in turmeric (*Curcuma longa* L.)
D. K, S. TE, R. OB, S. V, K. KS and S. B (India) 229
- Biocontrol agents in co-inoculation manages root knot nematode [*Meloidogyne incognita* (Kofoid & White) Chitwood] and enhances essential oil content in *Ocimum basilicum* L.
S. Tiwari, S. Pandey, P. Singh Chauhan and R. Pandey (India) 292
- Allelochemicals from rhizosphere soils of *Glycyrrhiza uralensis* Fisch: Discovery of the autotoxic compounds of a traditional herbal medicine
X. Ren, Z.-q. Yan, X.-f. He, X.-z. Li and B. Qin (China, People's Republic of China) 302
- Stephalagine, an alkaloid with pancreatic lipase inhibitory activity isolated from the fruit peel of *Annona crassiflora* Mart.
M.N. Pereira, A.B. Justino, M.M. Martins, L.G. Peixoto, D.D. Vilela, P.S. Santos, T.L. Teixeira, C.V. da Silva, L.R. Goulart, M. Pivatto and F.S. Espindola (Brazil) 324
- Saponaria officinalis*-synthesized silver nanocrystals as effective biopesticides and oviposition inhibitors against *Tetranychus urticae* Koch
R. Pavela, K. Murugan, A. Canale and G. Benelli (Czechia, India, Italy) 338
- Optimization of hydrolysis conditions for release of biopesticides from glucosinolates in *Brassica juncea* and *Sinapis alba* seed meal extracts
I.E. Popova, J.S. Dubie and M.J. Morra (USA) 354
- Compounds from *Duguetia lanceolata* St.- Hil. (Annonaceae) bioactive against *Zabrotes subfasciatus* (Boheman) (Coleoptera: Chrysomelidae: Bruchinae)
G.L. Padoan Gonçalves, V. de Cássia Domingues, L. do Prado Ribeiro, J.B. Fernandes, M. de Fátima das Graças Fernandes, M. Rossi Forim and J.D. Vendramim (Brazil) 360
- Structure-activity relationships of cinnamaldehyde and eugenol derivatives against plant pathogenic fungi
Y. Xie, Q. Huang, Z. Wang, H. Cao and D. Zhang (PR China) 388
- The extraction efficiency enhancement of polyphenols from *Ulmus pumila* L. barks by trienzyme-assisted extraction
Z. Zhou, H. Shao, X. Han, K. Wang, C. Gong and X. Yang (China) 401
- A holistic anti-aging approach applied in selected cultivated medicinal plants: A view of photoprotection of the skin by different mechanisms
L. Duque, K. Bravo and E. Osorio (Colombia) 431
- Phytotoxic activities of essential oils and hydrosols of *Haplophyllum tuberculatum*
A. Hamdi, K. Majouli, Y. Vander Heyden, G. Flamini and Z. Marzouk (Belgium, Tunisia, Italy) 440
- Chemical composition, antioxidative and enzyme inhibition activities of chickweed herb (*Stelaria media* L., Vill.) ethanolic and aqueous extracts
M. Rogowska, M. Lenart, S. Srećec, M. Ziaja, A. Parzonko and A. Bazyłko (Poland, Croatia) 448
- Potential uses of *Ocimum gratissimum* and *Hesperozygis ringens* essential oils in aquaculture
G. Bandeira Jr., T.S. Pês, E.M.H. Saccol, F.J. Sutili, W.R. Rossi Jr., A.L. Murari, B.M. Heinzmann, M.A. Pavanato, A.C. de Vargas, L. de L. Silva and B. Baldisserotto (Brazil, USA) 484
- Evaluation of antifungal activity of essential oils against aflatoxigenic *Aspergillus flavus* and their allelopathic activity from fumigation to protect maize seeds during storage
S. Boukaew, P. Prasertsan and S. Sattayasamitsathit (Thailand) 558

Infusions of gamma irradiated <i>Aloysia citrodora</i> L. and <i>Mentha × piperita</i> L.: Effects on phenolic composition, cytotoxicity, antibacterial and virucidal activities <i>E. Pereira, A.I. Pimenta, R.C. Calhelha, A.L. Antonio, L. Barros, C. Santos-Buelga, S.C. Verde and I.C.F.R. Ferreira (Spain, Portugal)</i>	582
Ontogenetic and trans-generational variation of essential oil composition in <i>Agastache rugosa</i> <i>S. Zielińska, M. Dąbrowska, W. Kozłowska, D. Kalemba, R. Abel, A. Dryś, A. Szumny and A. Matkowski (Poland)</i>	612
Optimization of Accelerated Solvent Extraction of <i>Carthamus Caeruleus</i> L. Evaluation of antioxidant and anti-inflammatory activity of extracts <i>A. Toubane, S.A. Rezzoug, C. Besombes and K. Daoud (Algeria, France)</i>	620
A new natural neo-clerodane from <i>Teucrium polium</i> L. collected in Northern Iran <i>A. Venditti, C. Frezza, E. Trancanella, S.M.M. Zadeh, S. Foddai, F. Sciubba, M. Delfini, M. Serafini and A. Bianco (Italy)</i>	632
Natural rubber and resins	
Ultrastructural study of plasmodesmata in cork cells from <i>Quercus variabilis</i> Blume (Fagaceae) <i>X. Song and J. Zhao (China)</i>	275
Chemical variability of essential oils of <i>Copaifera langsdorffii</i> Desf. in different phenological phases on a savannah in the Northeast, Ceará, Brazil <i>L.G. Souza de Oliveira, D. Alves Ribeiro, M. Eufrazio Saraiva, D. Gonçalves de Macêdo, J. Gonçalves Ferreira Macedo, P. Gonçalves Pinheiro, J.G. Martins da Costa, M.M. de Almeida Souza and I.R. Alencar de Menezes (Brazil)</i>	455
Fibres, proteins and carbohydrates	
Carbodiimide stabilizes the ultrasound-pretreated camelina protein structure with improved water resistance <i>X. Zhu, D. Wang and X.S. Sun (USA)</i>	196
Better insight into the nano-mechanical properties of flax fibre cell walls <i>O. Arnould, D. Siniscalco, A. Bourmaud, A. Le Duigou and C. Baley (France)</i>	224
Assessing the influence of refining, bleaching and TEMPO-mediated oxidation on the production of more sustainable cellulose nanofibers and their application as paper additives <i>A. Balea, N. Merayo, E. De La Fuente, C. Negro and Á. Blanco (Spain)</i>	374
Interaction between two oppositely charged starches in an aqueous medium containing suspended mineral particles as a basis for the generation of cellulose-compatible composites <i>J. Fan, T. Li, Y. Ren, X. Qian, Q. Wang, J. Shen and Y. Ni (China, Canada)</i>	417
Isolation of <i>Bacillus cereus</i> P05 and <i>Pseudomonas</i> sp. X12 and their application in the ramie retting <i>Q. Wang, H.-g. Chen, G. Fang, A.-q. Chen, P. Yuan and J.-s. Liu (China)</i>	518
Role of conventional and biotechnological approaches for genetic improvement of cluster bean <i>S. Kumar, A.R. Modi, M.J. Parekh, H.R. Mahla, R. Sharma, R.S. Fougat, D. Yadav, N.R. Yadav and G.B. Patil (India)</i>	639
Biorefinery, valorization of byproducts	
Synthesis of graft-copolymers from palm cellulose and solketal acrylate and their characterization <i>K. Beyaz, M. Charton, A. Rouilly, E. Vedrenne, C. Vaca-Garcia, A. Benaboura and S. Thiebaud-Roux (Algeria, France)</i>	32
A potential use of vine-shoot wastes: The antioxidant, antifeedant and phytotoxic activities of their aqueous extracts <i>R. Sánchez-Gómez, R. Sánchez-Vioque, O. Santana-Méridas, M. Martín-Bejerano, G.L. Alonso, M.R. Salinas and A. Zalacain (Spain)</i>	120
Formosolv fractionation of hemp hurds <i>A. de Vega and P. Ligeró (Spain)</i>	252
Characterization and determination of the S/G ratio via Py-GC/MS of agricultural and industrial residues <i>A. Sequeiros and J. Labidi (Spain)</i>	469
Extraction of total phenolic compounds from yellow poplar hydrolysate and evaluation of their antioxidant activities <i>M. Um, G.-J. Shin and J.-W. Lee (Republic of Korea)</i>	574

Effect of extraction routes on protein content, solubility and molecular weight distribution of <i>Crambe abyssinica</i> protein concentrates and thermally processed films thereof <i>W.R. Newson, M.L. Prieto-Linde, R. Kuktaite, M.S. Hedenqvist, M. Gällstedt and E. Johansson (Sweden)</i>	591
Bioenergy - crops and processing	
Enhancing saccharification of cassava stems by starch hydrolysis prior to pretreatment <i>C. Martín, M. Wei, S. Xiong and L.J. Jönsson (Sweden)</i>	21
Hydroesterification of crambe oil (<i>Crambe abyssinica</i> H.) under pressurized conditions <i>B.T. Ferreira de Mello, J.E. Gonçalves, G. de Menezes Rodrigues, L. Cardozo-Filho and C. da Silva (Brazil)</i>	110
Optimization of bioethanol production from sorghum grains using artificial neural networks integrated with ant colony <i>A.H. Sebayang, H.H. Masjuki, H.C. Ong, S. Dharma, A.S. Silitonga, F. Kusumo and J. Milano (Indonesia, Malaysia)</i>	146
Optimization of the soda-ethanol delignification stage for a rice husk biorefinery <i>E.P. Dagnino, F.E. Felissia, E. Chamorro and M.C. Area (Argentina)</i>	156
Review on methyl ester production from inedible rubber seed oil under various catalysts <i>S.N.M. Khazaai, G.P. Maniam, M.H.Ab. Rahim, M.M. Yusoff and Y. Matsumura (Malaysia, Japan)</i>	191
Enzymatic interesterification of crambe oil assisted by ultrasound <i>G.R. Tavares, J.E. Gonçalves, W.D. dos Santos and C. da Silva (Brazil)</i>	218
Morphological and molecular diversity patterns in castor germplasm accessions <i>Rukhsar, M.P. Patel, D.J. Parmar, A.D. Kalola and S. Kumar (India)</i>	316
Evaluation of the multi-seeded (<i>msd</i>) mutant of sorghum for ethanol production <i>K. Zhang, G. Zheng, K. Saul, Y. Jiao, Z. Xin and D. Wang (USA, PR China)</i>	345
Early planting dates maximize winter annual field pennycress (<i>Thlaspi arvense</i> L.) yield and oil content <i>H.L. Dose, C.A. Eberle, F. Forcella and R.W. Gesch (USA)</i>	477
Recirculating calcium hydroxide solution: A practical choice for on-farm high solids lignocellulose pretreatment <i>W. Sympson, S.E. Nokes and A.N. Hickman (USA)</i>	492
Microstructure change in wood cell wall fracture from mechanical pretreatment and its influence on enzymatic hydrolysis <i>J. Jiang, J. Wang, X. Zhang and M. Wolcott (USA)</i>	498
Continuous pretreatment of sugarcane biomass using a twin-screw extruder <i>M. Kuster Moro, R. Sposina Sobral Teixeira, A. Sant'Ana da Silva, M. Duarte Fujimoto, P. Albuquerque Melo, A. Resende Secchi and E. Pinto da Silva Bon (Brazil)</i>	509
Murumuru (<i>Astrocaryum murumuru</i> Mart.) butter and oils of buriti (<i>Mauritia flexuosa</i> Mart.) and pracaxi (<i>Pentaclethra maculoba</i> (Willd.) Kuntze) can be used for biodiesel production: Physico-chemical properties and thermal and kinetic studies <i>R. Pereira Lima, P.T. Souza da Luz, M. Braga, P.R. dos Santos Batista, C.E. Ferreira da Costa, J.R. Zamian, L.A. Santos do Nascimento and G.N. da Rocha Filho (Brazil)</i>	536
Chromatographic characterization of the crambe (<i>Crambe abyssinica</i> Hochst) oil and modeling of some parameters for its conversion in biodiesel <i>E. Vieira Silveira, L. Santos Vilela, C.F. de Souza Castro, L. Moraes Lião, F. Fernandes Gambarra Neto and P. Santos Mello de Oliveira (Brazil)</i>	545
Tall wheatgrass (<i>Agropyron elongatum</i>) for biogas production: Crop management more important for biomass and methane yield than grass provenance <i>M. Dickeduisberg, H. Laser, B. Tonn and J. Isselstein (Germany)</i>	653
Bio-based Materials from Crops	
Varietal selection of flax over time: Evolution of plant architecture related to influence on the mechanical properties of fibers <i>C. Goudenhooff, A. Bourmaud and C. Baley (France)</i>	56
Preparation and modification of water-blown porous biodegradable polyurethane foams with palm oil-based polyester polyol <i>W.S. Ng, C.S. Lee, C.H. Chuah and S.-F. Cheng (Malaysia)</i>	65

Bioactivity of essential oils in the control of <i>Alternaria alternata</i> in dragon fruit (<i>Hylocereus undatus</i> Haw.) J.C. Castro, E.H. Endo, M.R. de Souza, E.B. Zanqueta, J.C. Polonio, J.A. Pamphile, T. Ueda-Nakamura, C.V. Nakamura, B.P. Dias Filho and B.A. de Abreu Filho (Brazil)	101
Optimization of cultural conditions for polygalacturonase production by a newly isolated <i>Aspergillus fumigatus</i> R6 capable of retting kenaf L.Y. Wong, W.Z. Saad, R. Mohamad and P.Md. Tahir (Malaysia)	175
Freeze-dried wheat gluten biofoams; scaling up with water welding Q. Wu, V.H. Lindh, E. Johansson, R.T. Olsson and M.S. Hedenqvist (Sweden)	184
Biological activities and major components determination in essential oils intended for a biodegradable food packaging R. Ribeiro-Santos, M. Andrade, N.R. de Melo, F.R. dos Santos, I. de Araújo Neves, M.G. de Carvalho and A. Sanches-Silva (Brazil, Portugal)	201
Peptide composition, oxidative and insecticidal activities of nectar from flowers of <i>Spathodea campanulata</i> P. Beauv V.H.M. Santos, I.O. Minatel, P.C. Reco, A. Garcia, G.P.P. Lima and R.M.G. Silva (Brazil)	211
Chemical and physical properties of <i>Paulownia elongata</i> biochar modified with oxidants for horticultural applications S.F. Vaughn, J.A. Kenar, B. Tisserat, M.A. Jackson, N. Joshee, B.N. Vaidya and S.C. Peterson (USA)	260
Active and sustainable materials from rice starch, fish protein and oregano essential oil for food packaging V.P. Romani, C. Prentice-Hernández and V.G. Martins (Brazil)	268
Esterification of industrial lignin and its effect on the resulting poly(3-hydroxybutyrate-co-3-hydroxyvalerate) or polypropylene blends S. Luo, J. Cao and A.G. McDonald (USA, China)	281
Genetic stability of regenerated plants <i>via</i> indirect somatic embryogenesis and indirect shoot regeneration of <i>Carum copticum</i> L. M. Niazian, S.A.S. Noori, P. Galuszka, M. Tohidfar and S.M.M. Mortazavian (Iran, Czechia)	330
Feasibility of using straw in a strong, thin, pulp moulded packaging material S.F. Curling, N. Laflin, G.M. Davies, G.A. Ormondroyd and R.M. Elias (UK)	395
Preparation of bio-based phenol formaldehyde foams using depolymerized hydrolysis lignin B. Li, Y. Wang, N. Mahmood, Z. Yuan, J. Schmidt and C.(Charles). Xu (Canada)	409
Improving the performance of hemp hurd/polypropylene composites using pectinase pre-treatments X. Li, R. Xiao, J.J. Morrell, X. Zhou and G. Du (USA, PR China)	465
Extractable phenolic yield variation in five cultivars of mature short rotation coppice willow from four plantations in Quebec N.J.B. Brereton, N. Berthod, B. Lafleur, K. Pedneault, F.E. Pitre and M. Labrecque (Canada)	525
<i>In situ</i> rose oxide enrichment led valorization of citronella (<i>Cymbopogon winterianus</i>) essential oil U. Singh, P. Dwivedi, R.S. Sangwan and B.B. Mishra (India)	567
Synthesis and chemical modification of poly(butylene succinate) with rutin useful to the release of silybin L.P. Ferreira, B.P. da Cunha, R.M. Kuster, J.C. Pinto, M.N. Souza and F.G. de Souza Junior (Brazil)	599
New use for succinylated sugarcane bagasse containing adsorbed Cu ²⁺ and Ni ²⁺ : Efficient catalysts for gas-phase <i>n</i> -hexane and <i>n</i> -heptane oxidation reactions R. Balzer, L.F.D. Probst, H.V. Fajardo, F.S. Teodoro, L.V.A. Gurgel and L.F. Gil (Brazil)	649
Nanocellulose in bio-based food packaging applications H.M.C. Azeredo, M.F. Rosa and L.H.C. Mattoso (Brazil)	664