

Food Hydrocolloids

CONTENTS

Volume 62, 2017

- 1 Two-step complex behavior between Bowman–Birk protease inhibitor and ι -carrageenan: Effect of protein concentration, ionic strength and temperature
X. LI, Y. HUA, Y. CHEN, X. KONG AND C. ZHANG (People's Republic of China)
- 10 α -Lactalbumin and sodium dodecyl sulfate aggregates: Denaturation, complex formation and time stability
Y. SUN (China, Brazil), P. L. OSELIERO FILHO AND C. L. P. OLIVEIRA (Brazil)
- 21 Fabrication, characterization and controlled release properties of oat protein gels with percolating structure induced by cold gelation
C. YANG, Y. WANG AND L. CHEN (Canada)
- 35 Pickering emulsions immobilized within hydrogel matrix with enhanced resistance against harsh processing conditions and sequential digestion
J. XIAO (USA), C. SHI, Y. LI (PR China), Y. PAN (USA) AND Q. HUANG (USA, PR China)
- 43 Lamellar structure change of waxy corn starch during gelatinization by time-resolved synchrotron SAXS
Q. KUANG, J. XU, Y. LIANG (China), F. XIE (Australia), F. TIAN, S. ZHOU AND X. LIU (China)
- 49 Comparative study of the microencapsulation by complex coacervation of nisin in combination with an avocado antioxidant extract
M. CALDERÓN-OLIVER, R. PEDROZA-ISLAS, H. B. ESCALONA-BUENDÍA, J. PEDRAZA-CHAVERRI AND E. PONCE-ALQUICIRA (Mexico)
- 58 Scaling law, fractal analysis and rheological characteristics of physical gels cross-linked with sodium trimetaphosphate
A. RAFA AND S. M. A. RAZAVI (Iran)
- 66 Probiotics in cellulose houses: Enhanced viability and targeted delivery of *Lactobacillus plantarum*
W. LI, Y. ZHU, F. YE, B. LI, X. LUO AND S. LIU (China)
- 73 Comparative study among rheological, near-infrared light backscattering and confocal microscopy methodologies in enzymatic milk coagulation: Impact of different enzyme and protein concentrations
B. R. D. C. LEITE JÚNIOR, A. A. L. TRIBST AND M. CRISTIANINI (Brazil)
- 83 Thermal and rheological characteristics of mutant rice starches with widespread variation of amylose content and amylopectin structure
T. TAKAHASHI AND N. FUJITA (Japan)
- 94 Modified soluble dietary fiber from black bean coats with its rheological and bile acid binding properties
Z. FENG, W. DOU, S. ALAXI, Y. NIU (China) AND L. YU (United States)
- 102 Complexation of lysozyme with sodium caseinate and micellar casein in aqueous buffered solutions
Y. A. ANTONOV (Russia), P. MOLDENAERS (Belgium) AND R. CARDINAELS (Belgium, The Netherlands)
- 119 The influence of solution viscosities and surface tension on calcium-alginate microbead formation using dripping technique
F. DAVARCI, D. TURAN, B. OZCELIK (Turkey) AND D. PONCELET (France)
- 128 Gastrophysics: Statistical thermodynamics of biomolecular denaturation and gelation from the Kirkwood-Buff theory towards the understanding of tofu
S. SHIMIZU, R. STENNER (United Kingdom) AND N. MATUBAYASI (Japan)

- 140 Producing liquid-core hydrogel beads by reverse spherification: Effect of secondary gelation on physical properties and release characteristics
F.-H. TSAI (ROC, Japan), P.-Y. CHIANG (ROC), Y. KITAMURA, M. KOKAWA AND M. Z. ISLAM (Japan)
- 149 Optimized analytical parameters for the viscometric determination of pasting temperatures of barley malt
M. RITTENAUER, M. GASTL AND T. BECKER (Germany)
- 158 Passion fruit peel flour – Technological properties and application in food products
E. M. COELHO, R. G. GOMES, B. A. S. MACHADO, R. S. OLIVEIRA, M. D. S. LIMA, L. C. DE AZÊVEDO AND M. A. U. GUEZ (Brazil)
- 165 Structural and physicochemical characterization of nanoparticles synthesized from an aqueous extract of wheat bran by a cold-set gelation/desolvation approach
J. G. LUNA-VALDEZ, R. R. BALANDRÁN-QUINTANA (México), J. A. AZAMAR-BARRIOS, G. RAMOS CLAMONT-MONTFORT (Mexico), A. M. MENDOZA-WILSON, J. N. MERCADO-RUIZ, T. J. MADERA-SANTANA, A. RASCON-CHU AND G. CHAQUILLA-QUILCA (México)
- 174 Rheological properties of pomegranate peel suspensions: The effect of fibrous material and low-methoxyl pectin at acidic pH
M. ABID, S. CHEIKHROUHO (Tunisia), G. CUVELIER, C. LEVERRIER, C. M. G. C. RENARD (France), H. ATTIA AND M. A. AYADI (Tunisia)
- 182 Physicochemical properties of waxy corn starch after three-stage modification
M. WŁODARCZYK-STASIAK, A. MAZUREK, R. KOWALSKI, U. PANKIEWICZ AND J. JAMROZ (Poland)
- 191 Thermo-mechanical, rheological, structural and antimicrobial properties of bionanocomposite films based on fish skin gelatin and silver-copper nanoparticles
Y. A. ARFAT, J. AHMED, N. HIREMATH (Kuwait), R. AURAS (USA) AND A. JOSEPH (Kuwait)
- 203 Annealing improves paste viscosity and stability of starch
S. WANG, J. WANG, S. WANG AND S. WANG (China)
- 212 Controlled-release of tea polyphenol from gelatin films incorporated with different ratios of free/nanoencapsulated tea polyphenols into fatty food simulants
F. LIU (People's Republic of China, United States), R. J. AVENA-BUSTILLOS, B.-S. CHIOU (United States), Y. LI, Y. MA (People's Republic of China), T. G. WILLIAMS, D. F. WOOD, T. H. MCHUGH (United States) AND F. ZHONG (People's Republic of China)
- 222 Effect of substitution degree on carboxymethylcellulose interaction with lysozyme
Z. LI, Y. WANG, Y. PEI, W. XIONG, W. XU, B. LI AND J. LI (China)
- 230 Double emulsion derived from kafirin nanoparticles stabilized Pickering emulsion: Fabrication, microstructure, stability and *in vitro* digestion profile
J. XIAO, X. LU (USA) AND Q. HUANG (USA, China)
- 239 Advances in the pectin production process using novel extraction techniques: A review
L. R. ADETUNJI, A. ADEKUNLE, V. ORSAT AND V. RAGHAVAN (Canada)
- 251 The impact of HPMC structure in the modulation of *in vitro* lipolysis: The role of bile salts
V. M. PIZONES RUIZ-HENESTROSA, F. A. BELLESI, N. A. CAMINO AND A. M. R. PILOSOFF (Argentina)
- 262 Fabrication methods of biopolymeric microgels and microgel-based hydrogels
T. FARJAMI AND A. MADADLOU (Iran)
- 273 Fractionation and structural characterization of six purified rhamnogalacturonans type I from flaxseed mucilage
R. ELBOUTACHFAITI, C. DELATTRE, A. QUÉRO, R. ROULARD, J. DUCHÊNE, F. MESNARD AND E. PETIT (France)
- 280 Effects of aroma compounds and lipid composition on release of functional substances encapsulated in nanostructured lipid carriers lipolyzed by lipase
T.-S. YANG, T.-T. LIU AND H.-I. LIU (Taiwan)
- 288 Interfacial and emulsifying properties of citrus pectin: Interaction of pH, ionic strength and degree of esterification
U. S. SCHMIDT, L. SCHÜTZ AND H. P. SCHUCHMANN (Germany)

- 299 Pectin nanostructure influences pectin-cation interactions and *in vitro*-bioaccessibility of Ca^{2+} , Zn^{2+} , Fe^{2+} and Mg^{2+} -ions in model systems
C. KYOMUGASHO, S. GWALA, S. CHRISTIAENS, Z. JAMSAZZADEH KERMANI, A. M. VAN LOEY, T. GRAUWET AND M. E. HENDRICKX (Belgium)
- 311 Describing the firmness, springiness and rubberiness of food gels using fractional calculus. Part I: Theoretical framework
T. J. FABER (The Netherlands), A. JAISHANKAR AND G. H. MCKINLEY (USA)
- 325 Describing the firmness, springiness and rubberiness of food gels using fractional calculus. Part II: Measurements on semi-hard cheese
T. J. FABER (The Netherlands), A. JAISHANKAR AND G. H. MCKINLEY (USA)
- 340 Calendar