

INDUSTRIAL CROPS AND PRODUCTS

VOLUME 95

January 2017

Contents

Fats and oils

- Preponderance of cumin (*Cuminum cyminum* L.) essential oil constituents across cumin growing Agro-Ecological Sub Regions, India
P.N. Dubey, S.N. Saxena, B.K. Mishra, R.K. Solanki, M.K. Vishal, B. Singh, L.K. Sharma, S. John, D. Agarwal, and A. Yogi (India) 50
- Physiologic and agronomic traits in safflower under various irrigation strategies, planting methods and nitrogen fertilization
M.H. Shahrokhnia and A.R. Sepaskhah (Iran) 126
- Optimized nitrogen fertilizer application enhances absorption of soil nitrogen and yield of castor with drip irrigation under mulch film
X. Xue, W. Mai, Z. Zhao, K. Zhang and C. Tian (China) 156
- Molecular mapping and identification of QTLs responsible for charcoal rot resistance in Castor (*Ricinus communis* L.)
R.S. Tomar, M.V. Parakhia, V.M. Rathod, J.R. Thakkar, S.M. Padhiyar, V.D. Thummar, H. Dalal, V.V. Kothari, J. Kheni, R.M. Dhingani, P. Sabara and B.A. Golakiya (India) 184
- Innovative porous polyurethane-polyisocyanurate foams based on rapeseed oil and modified with expandable graphite
M. Kurańska, A. Prociak, U. Cabulis, M. Kirpluks, J. Ryszkowska and M. Auguścik (Poland, Latvia) 316
- Physicochemical, oxidative and anti-oxidant stabilities of kenaf seed oil-in-water nanoemulsions under different storage temperatures
A.M. Cheong, C.P. Tan and K.L. Nyam (Malaysia) 374
- Camelina growth and yield response to sowing depth and rate in the northern Corn Belt USA
R.W. Gesch, H.L. Dose and F. Forcella (USA) 416
- Optimization of neutralization parameters in chemical refining of kenaf seed oil by response surface methodology
S.-C. Chew, C.-P. Tan and K.-L. Nyam (Malaysia) 742

Non-food bioactive products

- Bioactive metabolites involved in the antioxidant, anticancer and anticalpain activities of *Ficus carica* L., *Ceratonia siliqua* L. and *Quercus ilex* L. extracts
N. Amessis-Ouchemoukh, S. Ouchemoukh, N. Meziat, Y. Idiri, D. Hernanz, C.M. Stinco, F.J. Rodríguez-Pulido, F.J. Heredia, K. Madani and J. Luis (Algeria, Spain, France) 6

Validated method for quality assessment of henna (<i>Lawsonia inermis</i> L.) leaves after postharvest blanching and its cosmetic application <i>Jyotshna, P. Gaur, D.K. Singh, S. Luqman and K. Shanker (India)</i>	33
<i>Chimonanthus praecox</i> extract/cyclodextrin inclusion complexes: Selective inclusion, enhancement of antioxidant activity and thermal stability <i>S. Zhang, H. Zhang, Z. Xu, M. Wu, W. Xia and W. Zhang (PR China)</i>	60
Identification of triterpenoid saponins in flowers of four <i>Camellia Sinensis</i> cultivars from Zhejiang province: Differences between cultivars, developmental stages, and tissues <i>X. Shen, L. Shi, H. Pan, B. Li, Y. Wu and Y. Tu (China)</i>	140
Phenolic composition and biological prospecting of grains and stems of <i>Retama sphaerocarpa</i> <i>R. Touati, S.A.O. Santos, S.M. Rocha, K. Belhamel and A.J.D. Silvestre (Algeria, Portugal)</i>	244
Seasonal variation in the chemical composition, antimicrobial and mutagenic potential of essential oils from <i>Piper cernuum</i> <i>A. Gasparetto, A. Bella Cruz, T.M. Wagner, T.J. Bonomini, R. Correa and A. Malheiros (Brazil)</i>	256
Variability and heritability studies in floral homeotic mutants of <i>Papaver somniferum</i> L. <i>S.K. Singh, S. Gupta, N. Ahmad, A.K. Shukla, A.K. Shasany, R.K. Lal, M.M. Gupta and O.P. Dhawan (India)</i>	276
Alkaloids in the valorization of European <i>Lupinus</i> spp. seeds crop <i>S.C.Q. Magalhães, F. Fernandes, A.R.J. Cabrita, A.J.M. Fonseca, P. Valentão and P.B. Andrade (Portugal)</i>	286
Development of pressurized hot water extraction for five flavonoid glycosides from defatted <i>Camellia oleifera</i> seeds (byproducts) <i>B.-C. Liao, V.K. Ponnusamy, M.-R. Lee, T.-T. Jong and J.-H. Chen (Taiwan)</i>	296
Bioactive properties and phenolic profile of <i>Momordica charantia</i> L. medicinal plant growing wild in Trinidad and Tobago <i>B. Svobodova, L. Barros, R.C. Calhelha, S. Heleno, M.J. Alves, S. Walcott, M. Bittova, V. Kuban and I.C.F.R. Ferreira (Czechia, Portugal, Trinidad and Tobago)</i>	365
Microwave-assisted extraction (MAE) conditions using polynomial design for improving antioxidant phytochemicals in <i>Berberis asiatica</i> Roxb. ex DC. leaves <i>T. Belwal, I.D. Bhatt, R.S. Rawal and V. Pande (India)</i>	393
Catechin-based extract optimization obtained from <i>Arbutus unedo</i> L. fruits using maceration/microwave/ultrasound extraction techniques <i>B.R. Albuquerque, M.A. Prieto, M.F. Barreiro, A. Rodrigues, T.P. Curran, L. Barros and I.C.F.R. Ferreira (Brazil, Spain, Portugal, Ireland)</i>	404
Variation of essential oil composition of <i>Thymus pulegioides</i> in relation to soil chemistry <i>V. Vaičiulytė, K. Ložienė, R. Taraškevičius and R. Butkienė (Lithuania)</i>	422
Immature mulberry fruits richness of promising constituents in contrast with mature ones: A comparative study among three Tunisian species <i>A. Jelled, R. Ben Hassine, A. Thouri, G. Flamini, H. Chahdoura, A. El Arem, J. Ben Lamine, A. kacem, Z. Haouas, H. Ben Cheikh and L. Achour (Tunisia, Italy)</i>	434
Repellent activity of compounds from <i>Murraya alata</i> Drake against <i>Tribolium castaneum</i> <i>C.-x. You, S.-s. Guo, Z.-f. Geng, W.-j. Zhang, J.-y. Liang, Z. Zhang, C.-f. Wang, S.-s. Du and Z.-w. Deng (China)</i>	460
Screening of selected species from Spanish flora as a source of bioactive substances <i>M.S. Stanković, Z.S. Radić, J. Blanco-Salas, F.M. Vázquez-Pardo and T. Ruiz-Téllez (Serbia, Spain)</i>	493
Integrated extraction process to obtain bioactive extracts of <i>Artemisia annua</i> L. leaves using supercritical CO ₂ , ethanol and water <i>H.A. Martinez-Correa, R.G. Bitencourt, A.C.A.V. Kayano, P.M. Magalhães, F.T.M. Costa and F.A. Cabral (Colombia, Brazil)</i>	535
Seasonal variation affects the composition and antibacterial and antioxidant activities of <i>Thymus vulgaris</i> <i>M.F. Lemos, M.F. Lemos, H.P. Pacheco, A.C. Guimarães, M. Fronza, D.C. Endringer and R. Scherer (Brazil)</i>	543

Essential oil variation in Iranian Ajowan (<i>Trachyspermum ammi</i> (L.) Sprague) populations collected from different geographical regions in relation to climatic factors <i>M. Rahimmalek, E.F. Heidari, M.H. Ehtemam and S. Mohammadi (Iran)</i>	591
Callus culture and <i>in vitro</i> production of anthraquinone in <i>Gynochthodes umbellata</i> (L.) Razafim. & B. Bremer (Rubiaceae) <i>A. S. and G. A. (India)</i>	608
Microwave-assisted aqueous two-phase extraction coupled with high performance liquid chromatography for simultaneous extraction and determination of four flavonoids in <i>Crotalaria sessiliflora</i> L. <i>X. Xie, D. Zhu, W. Zhang, W. Huai, K. Wang, X. Huang, L. Zhou and H. Fan (China)</i>	632
Enzyme-assisted ionic liquid extraction of bioactive compound from turmeric (<i>Curcuma longa</i> L.): Isolation, purification and analysis of curcumin <i>F. Sahne, M. Mohammadi, G.D. Najafpour and A.A. Moghadamnia (Iran)</i>	686
A comparative investigation on the <i>in vitro</i> anti-inflammatory, antioxidant and antimicrobial potentials of subextracts from the aerial parts of <i>Daphne oleoides</i> Schreb. subsp. <i>oleoides</i> <i>I.A. Balkan, T. Taşkın, H.T Doğan, İ. Deniz, G. Akaydın and E. Yesilada (Turkey)</i>	695
Genetic variability and correlations of essential oil yield with agro-economic traits in <i>Mentha species</i> and identification of promising cultivars <i>A.K. Gupta, R. Mishra, A.K. Singh, A. Srivastava and R.K. Lal (India)</i>	726
Evaluation and mathematical modeling of processing variables for a supercritical fluid extraction of aromatic compounds from <i>Anethum graveolens</i> <i>J.J. Garcez, F. Barros, A.M. Lucas, V.B. Xavier, A.L. Fianco, E. Cassel and R.M.F. Vargas (Brazil)</i>	733
Natural rubber and resins	
MALDI-TOF, ¹³ C NMR and FTIR analysis of the cross-linking reaction of condensed tannins by triethyl phosphate <i>M.C. Basso, A. Pizzi, J. Polesel Maris, L. Delmotte, B. Colin and Y. Rogauume (France, Saudi Arabia, Luxembourg)</i>	621
Softwood-lignin/natural rubber composites containing novel plasticizing agent: Preparation and characterization <i>J. Datta, P. Parcheta and J. Surówka (Poland)</i>	675
Fibres, proteins and carbohydrates	
Hydrophilicity and physicochemical properties of chemically modified cassava starch films <i>J. Colivet and R.A. Carvalho (Venezuela, Brazil)</i>	599
Biorefinery, valorization of byproducts	
Selective single-stage xylan-to-xylose hydrolysis and its effect on enzymatic digestibility of energy crops giant reed and cardoon for bioethanol production <i>A.A. Shatalov, A.R.C. Morais, L.C. Duarte and F. Carvalheiro (Portugal)</i>	104
Chromatographic analysis and preparation of L-arabinose from corncob by acid hydrolysis <i>N. Yu, Z.-Y. Zhu, Y. Liu, J.-Y. Zhang and Y.-M. Zhang (PR China, France)</i>	163
An aggregated understanding of physicochemical properties and surface functionalities of wheat straw node and internode <i>S.H. Ghaffar and M. Fan (UK)</i>	207
Elderberry (<i>Sambucus nigra</i> L.) by-products a source of anthocyanins and antioxidant polyphenols <i>P. Silva, S. Ferreira and F.M. Nunes (Portugal)</i>	227
Secondary metabolites from <i>Eucalyptus grandis</i> wood cultivated in Portugal, Brazil and South Africa <i>S.A.O. Santos, C. Vilela, R.M.A. Domingues, C.S.D. Oliveira, J.J. Villaverde, C.S.R. Freire, C.P. Neto and A.J.D. Silvestre (Portugal)</i>	357
Fractionation of technical lignin with ionic liquids as a method for improving purity and antioxidant activity <i>M. Lauberts, O. Sevastyanova, J. Ponomarenko, T. Dizhbite, G. Dobele, A. Volperts, L. Lauberte and G. Telysheva (Latvia, Sweden)</i>	512
Characterization of syringyl and guaiacyl lignins in thermomechanical pulp from oil palm empty fruit bunch by pyrolysis-gas chromatography-mass spectrometry using ion intensity calibration <i>A. Nakagawa-Izumi, Y.Y. H'ng, L.T. Mulyantara, R. Maryana, V.T. Do and H. Ohi (Japan, Indonesia)</i>	615

Pretreatment optimization from rapeseed straw and lignin characterization <i>M. Brahim, N. Boussetta, N. Grimi, E. Vorobiev, I. Zieger-Devin and N. Brosse (France)</i>	643
Pyrolysis of sugarcane bagasse in semi batch reactor: Effects of process parameters on product yields and characterization of products <i>A.K. Varma and P. Mondal (India)</i>	704
Bioenergy - crops and processing	
Study of correlations between composition and physicochemical properties during methylic and ethylic biodiesel synthesis <i>F.L. da Silva, J.R. do Nascimento, L.N. de Melo, J.A.S. de Freitas, J.H. Bortoluzzi and S.M.P. Meneghetti (Brazil)</i>	18
Elephant grass ecotypes for bioenergy production via direct combustion of biomass <i>J.R. do Amaral Santos de Carvalho Rocha, J.C. Machado, P.C.S. Carneiro, J. da Costa Carneiro, M.D.V. Resende, A.V. Pereira and J.E. de Souza Carneiro (Brazil)</i>	27
Esterification of free fatty acids in non- edible oils using partially sulfonated polystyrene for biodiesel feedstock <i>R. Suresh, J.V. Antony, R. Vengalil, G.E. Kochimoolayil and R. Joseph (India)</i>	66
Agronomic productivity, bioethanol potential and postharvest storability of an industrial sweetpotato cultivar <i>W.A. Mussoline, J.R. Bohac, B.J. Boman, S. Trupia and A.C. Wilkie (USA)</i>	96
Using fitness parameters to evaluate three oilseed <i>Brassicaceae</i> species as potential oil crops in two contrasting environments <i>A. Royo-Esnal, E. Edo-Tena, J. Torra, J. Recasens and R.W. Gesch (Spain, USA)</i>	148
Biomass partition and productive aptitude of wild and cultivated cardoon genotypes (<i>Cynara cardunculus</i> L.) in a marginal land of Central Italy <i>U. Neri, B. Pennelli, G. Simonetti and R. Francaviglia (Italy)</i>	191
Enhancement of batch butanol production from sugarcane molasses using nitrogen supplementation integrated with gas stripping for product recovery <i>K. Wechgama, L. Laopaiboon and P. Laopaiboon (Thailand)</i>	216
Genetic diversity study amongst <i>Cymbopogon</i> species from NE-India using RAPD and ISSR markers <i>J. Baruah, B. Gogoi, K. Das, N.M. Ahmed, D.K. Sarmah, M. Lal and B.S. Bhau (India)</i>	235
Ensilage suitability and bio-methane yield of <i>Arundo donax</i> and <i>Miscanthus × giganteus</i> <i>M. Baldini, F. da Borso, C. Ferfuia, F. Zuliani and F. Danuso (Italy)</i>	264
Sustainable biobutanol production using alkali-catalyzed organosolv pretreated cornstalks <i>C. Tang, Y. Chen, J. Liu, T. Shen, Z. Cao, J. Shan, C. Zhu and H. Ying (China)</i>	383
Synthetic nanozeolite/nanohydroxyapatite as a phosphorus fertilizer for German chamomile (<i>Matricariachamomilla</i> L.) <i>A. Mikhak, A. Sohrabi, M.Z. Kassaee and M. Feizian (Iran)</i>	444
Xylanase and β -glucosidase production by <i>Aspergillus fumigatus</i> using commercial and lignocellulosic substrates submitted to chemical pre-treatments <i>P. de Oliveira Rodrigues, B.V. dos Santos, L. Costa, M.A. Henrique, D. Pasquini and M.A. Baffi (Brazil)</i>	453
Bioenergetic potential and genetic diversity of elephantgrass via morpho-agronomic and biomass quality traits <i>J.R. do Amaral Santos de Carvalho Rocha, J.C. Machado, P.C.S. Carneiro, J. da Costa. Carneiro, M.D.V. Resende, F.J. da Silva. Léo and J.E. de Souza. Carneiro (Brazil)</i>	485
Thermophilic solid-state anaerobic digestion of solid waste residues from palm oil mill industry for biogas production <i>W. Suksong, A. Jehlee, A. Singkhala, P. Kongjan, P. Prasertsan, T. Imai and S. O-Thong (Thailand, Japan)</i>	502
Chemical composition and ultrastructure of the foliar cuticular wax of two Brazilian cultivars of castor bean (<i>Ricinus communis</i> L.) <i>M.M. de Araújo Silva, D.Y.A.C. dos Santos, G.F.A. Melo-de-Pinna, T. de Jesus Rangel Câmara and A.F.M. Oliveira (Brazil)</i>	558
Bioethanol production from individual and mixed agricultural biomass residues <i>Q.A. Nguyen, J. Yang and H.-J. Bae (Republic of Korea, China)</i>	718

Bio-based Materials from Crops

- Eucalyptus pulp as an adsorbent for metal removal from biodiesel
A.L. Squizzato, A.F. Lima, E.S. Almeida, D. Pasquini, E.M. Richter and R.A.A. Munoz (Brazil) 1
- Characterization of interfacial stress transfer ability in acetylation-treated wood fibre composites using X-ray microtomography
T. Joffre, K. Segerholm, C. Persson, S.L. Bardage, C.L. Luengo Hendriks and P. Isaksson (Sweden) 43
- Artocarpus lakoocha roxb.*: An untapped bioresource of resveratrol from North East India, its extractive separation and antioxidant activity
H.J. Borah, R. Singhal and S. Hazarika (India) 75
- Ferulic acid-based renewable esters and amides-containing epoxy thermosets from wheat bran and beetroot pulp: Chemo-enzymatic synthesis and thermo-mechanical properties characterization
R. Ménard, S. Caillol and F. Allais (France) 83
- The influence of crude glycerol and castor oil-based polyol on the structure and performance of rigid polyurethane-polyisocyanurate foams
A. Hejna, M. Kirpluks, P. Kosmela, U. Cabulis, J. Haponiuk and Ł. Piszczyk (Poland, Latvia) 113
- Bioactive cellulose grafted soy protein isolate towards biomimetic calcium phosphate mineralization
A. Salama, N. Shukry, A. El-Gendy and M. El-Sakhawy (Egypt) 170
- Hydroxypropylation improves film properties of high amylose corn starch
H.-Y. Kim, J.-I. Jane and B. Lamsal (USA) 175
- The use of factorial design for ferulic acid production by co-culture
K.A. Samad and N. Zainol (Malaysia) 202
- Rapeseed straw polymeric hemicelluloses obtained by extraction methods based on severity factor
A. Svärd, E. Brännvall and U. Edlund (Sweden) 305
- Dynamic distribution and biological storage analysis of procyanidins, arabinogalactan and dihydroquercetin in different parts of *Larix gmelinii*
C. Ma, Y. Zu, J. Li, W. Li and S. Liu (China) 324
- Extraction of phenolic compounds and anthocyanin from black and purple rice bran (*Oryza sativa* L.) using ultrasound: A comparative analysis and phytochemical profiling
A.B. Das, V.V. Goud and C. Das (India) 332
- An evaluation study of pressure-compressed acoustic absorbers grown on agricultural by-products
M.G. Pelletier, G.A. Holt, J.D. Wanjura, A.J. Lara, A. Tapia-Carillo, G. McIntyre and E. Bayer (USA) 342
- The modification of cotton substrate using chitosan for improving its dyeability towards anionic microencapsulated nano-pigment particles
L. Hao, R. Wang, K. Fang and Y. Cai (China) 348
- Characterization of tannin-added *Rhizophora* spp. particleboards as phantom materials for photon beams
M.F.M. Yusof, R. Hashim, A.A. Tajuddin, S. Bauk and O. Sulaiman (Malaysia) 467
- Phenolics' composition in four endemic *Nepeta* species from Iran cultivated under experimental field conditions: The possibility of the exploitation of *Nepeta* germplasm
N. Hadi, F. Sefidkon, A. Shojaeiyan, B. Šiler, A.-A. Jafari, N. Aničić and D. Mišić (Iran, Serbia) 475
- Comparison of performances of corn fiber plastic composites made from different parts of corn stalk
Z. Luo, P. Li, D. Cai, Q. Chen, P. Qin, T. Tan and H. Cao (PR China) 521
- On the nanofibrillation of corn husks and oat hulls fibres
F. Valdebenito, M. Pereira, G. Ciudad, L. Azocar, R. Briones and G. Chinga-Carrasco (Chile, Norway) 528
- Recovery of phorbol esters from pressed jatropha seeds by surfactant extraction and cloud-point separation
N. Phasukarratchai, S. Damrongsiri and C. Tongcumpou (Thailand) 549
- An alternative approach for the incorporation of cellulose nanocrystals in flexible polyurethane foams based on renewably sourced polyols
L. Ugarte, A. Santamaria-Echart, S. Mastel, M. Autore, R. Hillenbrand, M.A. Corcuera and A. Eceiza (Spain) 564
- Nanocellulose in packaging: Advances in barrier layer technologies
A. Ferrer, L. Pal and M. Hubbe (USA) 574

Preparation of industrial sisal fiber waste derived activated carbon by chemical activation and effects of carbonization parameters on surface characteristics <i>M. Dizbay-Onat, U.K. Vaidya and C.T. Lungu (USA)</i>	583
Direct impregnation of thermoplastic melt into flax textile reinforcement for semi-structural composite parts <i>S.H. Kim and C.H. Park (France)</i>	651
Cellulose nanofibers produced from banana peel by enzymatic treatment: Study of process conditions <i>H. Tibolla, F.M. Pelissari, M.I. Rodrigues and F.C. Menegalli (Brazil)</i>	664