

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International;
Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.;
Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.;
Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Psidium guajava Paluma responses to environmental conditions and ozone concentrations in the urban forest of São Paulo, SE-Brazil J.M. Pina, S.R. Souza, S.T. Meirelles and R.M. Moraes (São Paulo, Brazil).....	1
Anthropogenically driven habitat formation by a tube dwelling diatom on the Northern Patagonian Atlantic coast A. Fricke (Bahía Blanca, Argentina, Wilhelmshaven, Germany and Bremen, Germany), T.C. Kihara (Wilhelmshaven, Germany), G.A. Kopprio (Bahía Blanca, Argentina and Bremen, Germany) and M. Hoppenrath (Wilhelmshaven, Germany)	8
Evaluating zooplankton indicators using signal detection theory S. Jernberg, M. Lehtiniemi and L. Uusitalo (Helsinki, Finland).....	14
Assessing indirect measures of abundance and distribution with remote cameras: Simplifying indices of activity at pygmy rabbit burrows K.S. Ellis, R.T. Larsen (Provo, UT, USA), J.C. Whiting (Rexburg, ID, USA), T.L. Wilson (Anchorage, AK, USA and Brookings, SD, USA) and B.R. McMillan (Provo, UT, USA).....	23
Quantifying street tree regulating ecosystem services using Google Street View D.R. Richards and P.J. Edwards (Singapore).....	31
An approach to analysis of functional redundancy in protozoan communities for bioassessment in marine ecosystems G. Xu and H. Xu (Qingdao, China)	41
Economic values and dominant providers of key ecosystem services of wetlands in Beijing, China B. Zhang, Y.-t. Shi, J.-h. Liu, J. Xu and G.-d. Xie (Beijing, China).....	48
The biochemical response of two commercial bivalve species to exposure to strong salinity changes illustrated by selected biomarkers A.M.M. Gonçalves (Coimbra, Portugal and Aveiro, Portugal), D.V. Barroso (Coimbra, Portugal), T.L. Serafim (Cantanhede, Portugal), T. Verdelhos, J.C. Marques (Coimbra, Portugal) and F. Gonçalves (Aveiro, Portugal)	59
Food-web indicators accounting for species interactions respond to multiple pressures M.A. Torres (Öregrund, Sweden), M. Casini (Lysekil, Sweden), M. Huss (Öregrund, Sweden), S.A. Otto (Hamburg, Germany and Stockholm, Sweden), M. Kadin (Stockholm, Sweden) and A. Gårdmark (Öregrund, Sweden)	67
Exploring city-wide patterns of cultural ecosystem service perceptions and use E. Rall (Freising, Germany), C. Bieling (Stuttgart, Germany), S. Zytynska (Freising, Germany) and D. Haase (Berlin, Germany and Leipzig, Germany)	80
Evaluating outcomes in planning: Indicators and reference values for Swiss landscapes A.M. Hersperger, G. Mueller, M. Knöpfel, A. Siegfried and F. Kienast (Birmensdorf, Switzerland)	96
An assessment of social vulnerability to climate change among the districts of Arunachal Pradesh, India S. Maiti, S.K. Jha, S. Garai (Karnal, India), A. Nag (Sabour, India), A.K. Bera, V. Paul (Dirang, India), R.C. Upadhaya (Karnal, India) and S.M. Deb (Dirang, India)	105
Integrating marine ecosystem conservation and ecosystems services economic valuation: Implications for coastal zones governance A.M. Ferreira (Alcabideche, Portugal and Portugal), J.C. Marques and S. Seixas (Portugal)	114
Stocks and flows of natural capital: Implications for Ecological Footprint M.S. Mancini (Siena, Italy and Geneva, Switzerland), A. Galli (Geneva, Switzerland), V. Niccolucci (Siena, Italy), D. Lin, L. Hanscom, M. Wackernagel (Oakland, CA, USA), S. Bastianoni and N. Marchettini (Siena, Italy).....	123

(Contents continued on inside back cover)



Error index for additional sampling to map soil contaminant grades B. Gao, Y. Liu, Y. Pan, Y. Gao, Z. Chen, X. Li and Y. Zhou (Beijing, China)	129
Assessing soil organic carbon stocks under current and potential forest cover using digital soil mapping and spatial generalisation S. Ottoy (Leuven, Belgium), B. De Vos (Geraardsbergen, Belgium), A. Sindayihebura (Leuven, Belgium and Bujumbura, Burundi), M. Hermy and J. Van Orshoven (Leuven, Belgium)	139
A multi-criteria, ecosystem-service value method used to assess catchment suitability for potential wetland reconstruction in Denmark M.V. Odgaard (Tjele, Denmark), K.G. Turner (Tjele, Denmark and Aarhus C, Denmark), P.K. Bøcher, J.-C. Svenning (Aarhus C, Denmark) and T. Dalgaard (Tjele, Denmark)	151
Ecological footprint and real income: Panel data evidence from the 27 highest emitting countries G.A. Uddin, M. Salahuddin, K. Alam (Toowoomba, Australia) and J. Gow (Toowoomba, Australia and Stellenbosch, South Africa)	166
Geographical information system-based forest fire risk assessment integrating national forest inventory data and analysis of its spatiotemporal variability W. You (Fuzhou, China), L. Lin (Wuyishan, China), L. Wu, Z. Ji (Fuzhou, China), J. Yu, J. Zhu, Y. Fan (Wuyishan, China) and D. He (Fuzhou, China)	176
Examining the relationship between urbanization and the eco-environment using a coupling analysis: Case study of Shanghai, China J. He (Changsha, China), S. Wang, Y. Liu (Guangzhou, China), H. Ma and Q. Liu (Beijing, China)	185
A general framework to describe the alteration of natural tree species composition as an indicator of forest naturalness A. Bončina, M. Klopčič, T. Simončič, I. Dakskobler, A. Ficko and A. Rozman (Ljubljana, Slovenia)	194
European farm scale habitat descriptors for the evaluation of biodiversity F. Herzog, G. Lüscher (Zurich, Switzerland), M. Arndorfer (Vienna, Austria and Schiltern, Austria), M. Bogers (Wageningen, The Netherlands), K. Balázs (Gödöllő, Hungary), R.G.H. Bunce (Wageningen, The Netherlands and Tartu, Estonia), P. Dennis (Aberystwyth, UK), E. Falusi (Gödöllő, Hungary), J.K. Friedel (Vienna, Austria), I.R. Geijzendorffer (Wageningen, The Netherlands and Arles, France), T. Gomiero (Padova, Italy), P. Jeanneret (Zurich, Switzerland), G. Moreno (Plasencia, Spain), M.-L. Oschatz (Vienna, Austria), M.G. Paoletti (Padova, Italy), J.-P. Sarthou (Castanet-Tolosan, France), S. Stoyanova (Sadovo, Bulgaria), E. Szerencsits (Zurich, Switzerland), S. Wolfrum (Freising, Germany), W. Fjellstad (Ås, Norway) and D. Bailey (Zurich, Switzerland)	205
Improved retrieval of Secchi depth for optically-complex waters using remote sensing data K. Alikas (Tõravere, Estonia) and S. Kratzer (Stockholm, Sweden)	218
Assessment and analysis of ecological quality, macroinvertebrate communities and diversity in rivers of a multifunctional tropical island M.A.E. Forio, K. Lock, E.D. Radam (Ghent, Belgium), M. Bande, V. Asio (Baybay, Philippines) and P.L.M. Goethals (Ghent, Belgium)	228
Cross-taxon congruence in the rarity of subtidal rocky marine assemblages: No taxonomic shortcut for conservation monitoring B. Leroy (Paris, France), R. Gallon (Paris, France and Plouzané, France), E. Feunteun (Paris, France and Dinard, France), M. Robuchon and F. Ysnel (Paris, France)	239
Air pollutant emissions from economic sectors in China: A linkage analysis Y. Wang, N. Lai, G. Mao (Tianjin, China), J. Zuo (Australia), J. Crittenden (Atlanta, GA, USA), Y. Jin (Tianjin, China) and J. Moreno-Cruz (Atlanta, GA, USA)	250
A new method for evaluating defense of microalgae against protozoan grazing Z. Wang, G. Xu, L. Zhao, Y. Gao, M.A. Al and H. Xu (Qingdao, China)	261
The index system for project selection in ecological industrial park: A China study Q. Wang, S. Lu, X. Yuan (Jinan, China), J. Zuo (Australia), J. Zhang and J. Hong (Jinan, China)	267
Mucous sheet production in <i>Porites</i> : an effective bioindicator of sediment related pressures P. Bessell-Browne, R. Fisher, A. Duckworth and R. Jones (QLD and Perth, Australia and Perth, Australia)	276
Ringed seal (<i>Pusa hispida</i>) tooth annuli as an index of reproduction in the Beaufort Sea L. Nguyen (Edmonton, Canada), N.W. Pilfold (Edmonton, Canada and San Diego, CA, USA), A.E. Derocher, I. Stirling, A.M. Bohart and E. Richardson (Edmonton, Canada)	286
Decomposing multiple pressure effects on invertebrate assemblages of boreal streams R.K. Johnson, D.G. Angeler, S. Hallstan (Uppsala, Sweden), L. Sandin (Drottningholm, Sweden) and B.G. McKie (Uppsala, Sweden)	293
Water, land and carbon footprints of sheep and chicken meat produced in Tunisia under different farming systems R. Ibidhi (Ariana, Tunisia and Zarzouna, Tunisia), A.Y. Hoekstra (Enschede, The Netherlands and Singapore), P.W. Gerbens-Leenes (The Netherlands) and H. Chouchane (Enschede, The Netherlands)	304
Physicochemical and microbiological indicators of surface water body contamination with different sources of digestate from biogas plants I. Studer, C. Boeker and J. Geist (Freising, Germany)	314

(Contents continued from inside back cover)

Spring green-up phenology products derived from MODIS NDVI and EVI: Intercomparison, interpretation and validation using National Phenology Network and AmeriFlux observations D. Peng (Beijing, China and Sanya, China), C. Wu, C. Li (Beijing, China), X. Zhang (Brookings, SD, USA), Z. Liu (Beijing, China), H. Ye (Beijing, China and Sanya, China), S. Luo, X. Liu (Beijing, China), Y. Hu (Chongqing, China) and B. Fang (New York, USA)	323
Temporal and spatial variability in the cover of deep reef species: Implications for monitoring N.R. Perkins (Australia), S.D. Foster (Hobart, Australia), N.A. Hill, M.P. Marzloff and N.S. Barrett (Australia)	337
Drivers of land use efficiency and trade embodied biomass use of Finland 2000–2010 L. Saikku and T.J. Mattila (Helsinki, Finland)	348
Refugial ecosystems in central Asia as indicators of biodiversity change during the Pleistocene–Holocene transition M. Chytrý, M. Horsák, V. Syrovátka, J. Danihelka (Brno, Czech Republic), N. Ermakov (Novosibirsk, Russia), D.A. German (Heidelberg, Germany and Barnaul, Russia), M. Hájek, O. Hájek, P. Hájková, V. Horsáková, M. Kočí, S. Kubešová, P. Lustyk (Brno, Czech Republic), J.C. Nekola (Brno, Czech Republic and Albuquerque, NM, USA), Z. Preislerová (Brno, Czech Republic), P. Resl (Graz, Austria) and M. Valachovič (Bratislava, Slovakia)	357
Optimal gillnet sampling design for the estimation of fish community indicators in heterogeneous freshwater ecosystems P. Blabolil, D.S. Boukal (České Budějovice, Czech Republic), D. Ricard (České Budějovice, Czech Republic and Moncton, Canada), J. Kubečka, M. Říha, M. Vašek, M. Prchalová, M. Čech, J. Frouzová, T. Jůza, M. Muška, M. Tušer, V. Draštík, M. Šmejkal, L. Vejřík and J. Peterka (České Budějovice, Czech Republic)	368
Snap, crackle, and pop: Acoustic-based model estimation of snapping shrimp populations in healthy and degraded hard-bottom habitats J. Butler, M.J. Butler IV and H. Gaff (Norfolk, VA, USA)	377
A fish-based multimetric index for Brazilian savanna streams D.R. de Carvalho (Lavras, Brazil), C.G. Leal (Lavras, Brazil and Belém, Brazil), N.T. Junqueira, M.A. de Castro, D.C. Fagundes (Lavras, Brazil), C.B.M. Alves (Belo Horizonte, Brazil), R.M. Hughes (Corvallis, OR, USA) and P.S. Pompeu (Lavras, Brazil)	386
Lipid biomarker evidence for determining the origin and distribution of organic matter in surface sediments of Lake Taihu, Eastern China Y. Zhang, Y. Su (Nanjing, China), Z. Liu (Nanjing, China and Guangzhou, China), J. Yu and M. Jin (Nanjing, China)	397