

CONTENTS

Page No.

Cluster bean [*Cyamopsis tetragonoloba* (L.) Taub.], an important industrial arid legume: A review

R.K. Bhatt, A.K. Jukanti and M.M. Roy.....207

GENETICS AND BREEDING

Evaluation of morphological diversity of field pea [*Pisum sativum* subsp. *arvense* (L.)] germplasm under sub-tropical climate of Manipur

S., Bhuvaneswari, Susheel Kumar Sharma, P., Punitha, K.S., Shashidhar Naveenkumar, K.L. and Narendra Prakash.....215

Molecular tagging of pod shattering tolerance trait in soybean [*Glycine max* (L.) Merrill] genotype MACS-450.

Dilip S. Thakare, Vivek P. Chimote, Amit Adsul, Milind P. Deshmukh and Santosh C. Pulate.....224

Genetic variability studies in cluster bean [*Cyamopsis tetragonoloba*(L.) Taub.] for growth, yield and quality parameters

G.R. Santhosha, Evoor Shashikanth, V.D. Gasti, G Prabhuling, V.D. Rathod and R. Mulge.....232

Genetic variability and divergence studies in cluster bean [*Cyamopsis tetragonoloba* (L.) Taub] under hill zone of Karnataka, India

Revati Goudar, V. Srinivasa and D. Lakshmana.....237

PHYSIOLOGY & BIOCHEMISTRY

Effect of iron source on iron deficiency induced chlorosis in groundnut

Anita Mann, A.L. Singh, Shubhangi Oza, Nisha Goswami, Deepti Mehta and Vidya Chaudhari.....241

Bioregulators protected the leaf anatomy and photosynthetic machinery under water deficit stress in chickpea (*Cicer arietinum* L.)

T.V. Vineeth, Pramod Kumar and Jasvir Singh.....250

Effect of irrigation and phosphorus levels on broad bean (*Vicia faba* L.) for improving growth, yield and water extraction pattern

S. Sarkar, A. Sarkar and A. Zaman.....257

The pharmacologically active components of *Oxytropis falcata* bunge reduce ischemic-reperfusion injury in the rat heart

DejunZhang, Ruofei Jiang, Eun-Kyung Hong, Guosheng Tan, Dianxiang Lu, Yongping Li and Wangtao Yuan.....264

| | |
|--|-----|
| Investigating morpho-physiological traits and agro-meteorological indices in green gram [<i>Vigna radiata</i> L. Wilczek] for terminal heat tolerance Chandan Kumar, S.B. Mishra, Nilanjaya and Chandra Mohan Singh..... | 271 |
| Metal uptake by psyllium (<i>Plantago ovata</i> L.) treated with lead (Pb) under semi-arid conditions Zafar Iqbal Khan, Shehnila Kashaf, Kafeel Ahmad, Nudrat Aisha Akram, Muhammad Ashraf, Syed Usman Mahmood, Muhammad Sohail, Humayun Bashir and Naunain Mehmood..... | 277 |
| <u>AGRONOMY</u> | |
| Long term effect of legume intensified crop rotations and tillage practices on productivity and profitability of maize <i>vis-a-vis</i> soil fertility in North-Western Indo-Gangetic Plains of India M.R. Yadav, C.M. Parihar, S.L. Jat, A.K. Singh, Rakesh Kumar, R.K. Yadav, B.R. Kuri, M.D. Parihar, Brijesh Yadav, A.P. Verma and M.L. Jat..... | 282 |
| Cardinal temperatures and thermal time required for emergence of lenti (<i>Lens culinaris</i> Medik) Ali reza Safahani, Behnam Kamakar and Amir Nabizadeh..... | 291 |
| The response of some physiological traits of chickpea (<i>Cicer arietinum</i> L.) to biochar and phosphorus fertilizer application Patricia Jozina Macil, John Bob Ochanda Ogola, Jude Julius Owuor Odhiambo and Sipiwe Gloria Lusiba..... | 299 |
| AMMI & GGE biplot analysis of multi environment yield trial of soybean in North Western Himalayan state Uttarakhand of India Anuradha Bhartiya, J.P. Aditya, Kamendra Singh, Pushpendra, J.P. Purwar and Anjuli Agarwal..... | 306 |
| Effect of foliar application of growth activator, promoter and antioxidant on seed quality of soybean P. Kuchlan, M.K. Kuchlan and S.M. Husain..... | 313 |
| Silage production with intercropped <i>pueraria lobata</i> and <i>zea may</i> L. X. Zhang, Y. Zhang, B. Li, C. Xu, and W. Cao and J. Wang..... | 319 |
| Influence of year and row spacing on yield component and seed yield in Alfalfa (<i>Medicago sativa</i> L.) Wenxu Zhang, Fangshan Xia, Ying Li, Mingya Wang and Peisheng Mao..... | 325 |
| Effect of Genotypes and phosphorus levels on growth analysis parameters of greengram (<i>Vigna radiata</i> L.) Beerbal Singh Rajput and R.L. Rajput..... | 331 |

| | |
|--|-----|
| Enhancement of productivity for chickpea (<i>Cicer arietinum</i> L.) through front line demonstration in farmer's fields Swapnil Dubey, Ranjeet Singh Raghav and Pradyumn Singh..... | 335 |
|--|-----|

MOLECULAR BIOLOGY AND BIOTECHNOLOGY

| | |
|--|-----|
| Genetic improvement of two cultivars of <i>Vicia faba</i> L. using gamma irradiation and ethyl methanesulphonate mutagenesis Shahnawaz Khursheed and Samiullah Khan..... | 338 |
|--|-----|

| | |
|--|-----|
| Molecular cloning of an S-adenosylmethionine synthase gene from pigeon pea (<i>Cajanus cajan</i>) and its expression analysis under arbuscular mycorrhizae fungi colonization and drought stress Guang Qiao, Bingxue Zhang and Xiaopeng Wen..... | 345 |
|--|-----|

| | |
|---|-----|
| Seasonal abundance of predatory bugs, <i>Eocanthecona furcellata</i> (Wolff.) and <i>Rhynocoris fuscipes</i> (F.) and its olfactory responses towards plant and pest mediated semiochemical cues in Pigeonpea ecosystem Snehel Chakravarty, Meena Agnihotri and Jaba Jagdish..... | 351 |
|---|-----|

| | |
|---|-----|
| Coat protein and movement protein based characterization of Lima bean yellow mosaic virus disease in Karnataka (India) M. Bhagyashree, S. Basavaraj, H.A. Prameela, G. Jyoti, Manjunath S. Hurakadli and K.T. Rangaswamy..... | 358 |
|---|-----|

| | |
|--|-----|
| New sources of resistance in land races and advance germplasm against <i>Fusarium oxysporum</i> f. sp. <i>ciceris</i> race 2 causal agent of chickpea wilt Parasappa Rajappa Saabale, Raj Kumar Mishra, Naimuddin and Sushil Kumar Chaturvedi..... | 364 |
|--|-----|

| | |
|---|-----|
| Study of population dynamics of soybean semi-looper <i>Gesonia gemma</i> Swinhoe by using rule induction model in Maharashtra, India J. Cruz Antony and M. Pratheepa..... | 369 |
|---|-----|

| | |
|--|-----|
| Effect of herbicides on weed control and yield of <i>kharif</i> groundnut (<i>Arachis hypogaea</i> L.) J.C. Patel, D.M. Patel, B.J. Patel, P.P. Patel and Shaukat Ali..... | 374 |
|--|-----|

| | |
|---|-----|
| Screening of some chickpea (<i>Cicer arietinum</i> L.) varieties against <i>Helicoverpa armigera</i> under semi arid climatic conditions Shafiq Ur Rehman, Muhammad Waqar Hassan, Moazzam Jamil and Muhammad Akram..... | 379 |
|---|-----|

| | |
|---|-----|
| Evaluation of new generation pesticides to control pod borer, <i>Helicoverpa armigera</i> (Hubner) infesting chickpea Lekha, O.P. Ameta and Hemant Swami..... | 384 |
|---|-----|

SHORT COMMUNICATIONS

Effect of organics on seed yield and quality of green gram (*Vigna radiata* L.)

A. Fazulla Shariff, Ashok S. Sajjan, H.B. Babalad , L.B. Nagaraj and S. Giresh Palankar.....388

Kairomonal effect of acetone extracts of groundnut on foraging activities of *Trichogramma chilonis* (Ishii) and *Chrysoperla zastrowi sillemi* (Esben-Peterson)

P. Parthiban, C. Chinniah, M. Kalyanasundarm and R.K. Murali Baskaran.....393

Esteemed reviewrs of this issue.....397

Author index of this issue.....397

Key words index of this issue.....399

Website- www.arccjournals.com

Impact Factor .145