

# CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

- Geostatistical modeling applied to spatiotemporal dynamics of successional tree species groups in a natural Mixed Tropical Forest  
A.L. Pelissari (Curitiba, Brazil), A. Figueiredo Filho (Iraci, Brazil), S. Péllico Netto (Curitiba, Brazil), A.A. Ebling (Parauapebas, Brazil), M. Roveda and C.R. Sanquetta (Curitiba, Brazil)
- Modelling biomass of mountainous grasslands by including a species composition map  
A. Magiera (Giessen, Germany), H. Feilhauer (Erlangen, Germany), R. Waldhardt, M. Wiesmair and A. Otte (Giessen, Germany)
- Major and trace elements in *Sphagnum* moss from four southern German bogs, and comparison with available moss monitoring data  
H. Kempter (Heidelberg Germany and Mannheim, Germany), M. Krachler (Heidelberg, Germany and Karlsruhe, Germany), W. Shotyk (Heidelberg, Germany and Alberta, Canada) and C. Zaccone (Foggia, Italy)
- Foliar symptoms on *Viburnum lantana* reflect annual changes in summer ozone concentration in Trentino (northern Italy)  
E. Gottardini, F. Cristofolini (San Michele all'Adige, Italy) and M. Ferretti (Birmensdorf, Switzerland and Grosseto, Italy)
- The consideration of time step in calculating grey water footprints of agricultural cropping systems  
X. Vergé, A. VanderZaag, W. Smith, B. Grant and R. Gordon (Canada and Ontario, Canada)
- Seasonal variation of DOM and associated stoichiometry for freshwater ecosystem in the subtropical watershed: Indicating the optimal C: N: P ratio  
Z. Hao, Y. Gao (Beijing, China) and T. Yang (Irvine, United States)
- A multi-assemblage, multi-metric biological condition index for eastern Amazonia streams  
K. Chen (Jiangsu, People's Republic of China), R.M. Hughes (Corvallis, USA), J.G. Brito (Manaus, Brazil), C.G. Leal (Lavras, Belém, Brazil, and Lancaster, United Kingdom) R.P. Leitão (Manaus, Brazil and Belo Horizonte, Brazil), J.M.B. de Oliveira-Júnior (Santarém, Brazil), V.C. de Oliveira, K. Dias-Silva (Manaus, Brazil), S.F.B. Ferraz (Piracicaba, Brazil), J. Ferreira (Belém, Brazil), N. Hamada (Manaus, Brazil), L. Juen (Belém, Brazil), J. Nessimian (Rio de Janeiro, Brazil), P.S. Pompeu (Lavras, Brazil) and J. Zuanon (Manaus, Brazil) 48
- Evaluating the role of livelihood assets in suitable livelihood strategies: Protocol for anti-poverty policy in the Eastern Tibetan Plateau, China  
X. Hua (Chongqing, China and Kyoto, Japan) J. Yan (Chongqing, China) and Y. Zhang (Beijing, China) 62
- Operationalizing the ecosystems approach: Assessing the environmental impact of major infrastructure development  
J.E. Zawadzka, R. Corstanje (Bedfordshire, United Kingdom), J. Fookes, J. Nichols (Norwich, United Kingdom) and J. Harris (Bedfordshire, United Kingdom) 75
- The economic and environmental efficiency assessment in EU cross-country: Evidence from DEA and quantile regression approach  
V. Moutinho, M. Madaleno and M. Robaina (Aveiro, Portugal) 85
- The antioxidation-related functional structure of plant communities: Understanding antioxidation at the plant community level  
S. Hu, Y. Li, W. Wang, J. Jiao, M. Kou, Q. Yin and H. Xu (Yangling, China) 98
- Evaluations of corporate sustainability indicators based on fuzzy similarity graphs  
M.P. Dočekalová, K. Doubravský, M. Dohnal and A. Kocmanová (Brno, Czech Republic) 108

Assessing the suitability of genetic diversity of <i>Chironomus riparius</i> (Meigen) as an indicator of environmental pollution J.A.M. Pedrosa (Aveiro, Portugal and Gelnhausen, Germany), A.L. Machado (Aveiro, Portugal), B. Cocchiara (Gelnhausen, Germany), A.M.V.M. Soares (Aveiro, Portugal), C. Nowak (Gelnhausen, Germany) and J.L.T. Pestana (Aveiro, Portugal)	115	Above-ground biomass estimation using airborne discrete-return and full-waveform LiDAR data in a coniferous forest S. Nie, C. Wang (Beijing, China), H. Zeng (Toronto, Canada) X. Xi and G. Li (Beijing, China)	221
Accessibility of urban blue in German major cities H. Wüstemann, D. Kalisch and J. Kolbe (Berlin, Germany)	125	Effects of dredging on critical ecological processes for marine invertebrates, seagrasses and macroalgae, and the potential for management with environmental windows using Western Australia as a case study M.W. Fraser, J. Short, G. Kendrick, D. McLean, J. Keesing (Perth, Australia and Crawley, Australia), M. Byrne (Sydney, Australia), M.J. Caley (Townsville, Australia), D. Clarke (Vicksburg, USA) A.R. Davis (Wollongong, Australia), P.L.A. Erftemeijer (Crawley, Australia), S. Field (Crawley, Australia and Kensington, Australia), S. Gustin-Craig (Perth, Australia and Crawley, Australia), J. Huisman (Murdoch, Australia and WA, Australia), M. Keough (VIC, Australia), P.S. Lavery, R. Masini, K. McMahon (Perth, Australia), K. Mengersen (Brisbane, Australia), M. Rasheed (QLD, Australia), J. Statton (Perth, Australia and Crawley, Australia), J. Stoddart (Crawley, Australia) and P. Wu (Brisbane, Australia)	229
Effects of phosphorus stress on the photosynthetic and physiological characteristics of <i>Chlorella vulgaris</i> based on chlorophyll fluorescence and flow cytometric analysis Y. Jiao, H.-L. Ouyang, Y.-J. Jiang, X.-Z. Kong, W. He, W.-X. Liu, B. Yang and F.-L. Xu (Beijing, China)	131	Groundwater quality classification derivation using Multi-Criteria-Decision-Making techniques S. Zahedi, A. Azarnivand and N. Chitsaz (Tehran, Iran)	243
Profiling urban vulnerabilities to climate change: An indicator-based vulnerability assessment for European cities C. Tapia, B. Abajo, E. Feliu, M. Mendizabal, J.A. Martinez, J.G. Fernández, T. Laburu and A. Lejarazu (Spain and Bizkaia, Spain)	142	Lichen elemental content bioindicators for air quality in upper Midwest, USA: A model for large-scale monitoring S. Will-Wolf (Madison, USA), S. Jovan (Portland, USA) and M.C. Amacher (Logan, USA)	253
A probabilistic space-time prism to explore changes in white Stork habitat use in Iran M. Saeedimoghaddam (Tehran, Iran), M. Keyanpour-Rad (Iran), H. Shafizadeh-Moghadam, R. Valavi, B. Mirbagheri, A. Shakiba and A. Matkan (Tehran, Iran)	156	Productivity gradient affects the temporal dynamics of testate amoebae in a neotropical floodplain L.T.F. Schwind, R.L. Arrieira, N.R. Simões, C.C. Bonecker and F.A. Lansac-Tôha (Brazil)	264
An empirical assessment of human development through remote sensing: Evidences from Italy L. Salvati, A. Guandalini, M. Carlucci (Rome, Italy) and F.M. Chelli (Ancona, Italy)	167	Drivers of fire occurrence in a mountainous Brazilian cerrado savanna: Tracking long-term fire regimes using remote sensing S.T. Alvarado, T. Fornazari, A. Cóstola, L.P.C. Morellato and T.S.F. Silva (Rio Claro, Brazil)	270
Cross-taxon congruence in benthic communities: Searching for surrogates in marine sediments G.N. Corte, H.H. Checon, G. Fonseca (São Paulo, Brazil), D.C. Vieira (Paraná, Brazil), F. Gallucci (São Paulo, Brazil), M.D. Domenico (Paraná, Brazil) and A.C.Z. Amaral (São Paulo, Brazil)	173	Mismatches between supply and demand in wildlife tourism: Insights for assessing cultural ecosystem services U. Arbieu, C. Grünwald (Frankfurt am Main, Germany), B. Martín-López (Lüneburg, Germany), M. Schleuning and K. Böhning-Gaese (Frankfurt am Main, Germany)	282
Predicting resource use in ant species and entire communities by studying their morphological traits: Influence of habitat and subfamily A. Salas-López (Kourou cedex, France)	183	Evaluation of mercury resistance and accumulation characteristics in wheat using a modified membership function N. Liu, S. Liu, Y. Gan, Q. Zhang, X. Wang, S. Liu and J. Dai (Jinan, China)	292
Ecophysiological biomarkers defining the thermal biology of the Caribbean lobster <i>Panulirus argus</i> G. Rodríguez-Fuentes (Yucatán, Mexico and CONACyT, Mexico), M. Murúa-Castillo (Yucatán, Mexico), F. Díaz (BC, Mexico), C. Rosas, C. Caamal-Monsreal (Yucatán, Mexico and CONACyT, Mexico), A. Sánchez (Yucatán, Mexico), K. Paschke (Puerto Montt, Chile) and C. Pascual (Yucatán, Mexico and CONACyT, Mexico)	192	Application of association analysis for identifying indicator taxa of vulnerable marine ecosystems in the Emperor Seamounts area, North Pacific Ocean M. Miyamoto and M. Kiyota (Kanagawa, Japan)	301
A diatom functional-based approach to assess changing environmental conditions in temporary depressional wetlands L. Riato (Onderstepoort, South Africa), V.D. Bella (Terni, Italy), M. Leira (Lisbon, Portugal and Santiago de Compostela, Spain) J.C. Taylor (Potchefstroom, South Africa and Grahamstown, South Africa) and P.J. Oberholster (Onderstepoort, South Africa and Stellenbosch, South Africa)	205	The role of annual periodic behavior of water quality parameters in primary production – Chlorophyll-a estimation J. Kovács (Budapest, Hungary), P. Tanos (Keszthely, Hungary and Gödöllő, Hungary), G. Várbíró (Debrecen, Hungary and Tihany, Hungary), A. Anda (Keszthely, Hungary), S. Molnár (Gödöllő, Hungary) and I.G. Hatvani (Budapest, Hungary)	311
Assessing the quality of service to customers provided by water utilities: A synthetic index approach M. Molinos-Senante (Santiago, Chile) T. Gómez (Málaga, Spain), R. Caballero (Málaga, Spain) and R. Sala-Garrido (Valencia, Spain)	214		

(Contents continued from inside back cover)

Panel estimation for the impacts of population-related factors on CO <sub>2</sub> emissions: A regional analysis in China Y. Wang (Yangling, China), Y. Kang (Zhengzhou, China), J. Wang (Tianjin, China) and L. Xu (Datong, China)	322	The analysis of convergence in ecological indicators: An application to the Mediterranean fisheries M.G. Pennino, J.M. Bellido (Murcia, Spain), D. Conesa (Valencia, Spain), M. Coll (Cape Town, South Africa and Barcelona, Spain) and E. Tortosa-Ausina (Castelló de la Plana, Spain)	449
Can land use indicate wetland floristic quality and taxonomic distinctness? S.K. Jog (Tahlequah, USA), J.T. Bried (Fayetteville, USA), X. Feng, A.R. Dzialowski (Stillwater, USA), M. Papeş (Knoxville, USA) and C.A. Davis (Stillwater, USA)	331	Regionalizing indicators for marine ecosystems: Bering Sea–Aleutian Island seabirds, climate, and competitors W.J. Sydeman (Petaluma, USA), S.A. Thompson (Petaluma, USA and Seattle, USA), J.F. Piatt (Anchorage, USA), M. García-Reyes (Petaluma, USA), S. Zador (Seattle, USA), J.C. Williams, M. Romano and H.M. Renner (Homer, USA)	458
Non-destructively predicting leaf area, leaf mass and specific leaf area based on a linear mixed-effect model for broadleaf species Z. Liu, Y. Zhu, F. Li and G. Jin (Harbin, China)	340	Sponge monitoring: Moving beyond diversity and abundance measures J.J. Bell, A. Biggerstaff, T. Bates, H. Bennett, J. Marlow, E. McGrath and M. Shaffer (Wellington, New Zealand)	470
Supplied, demanded and consumed ecosystem services: Prospects for national assessment in Russia E. Bukvareva, D. Zamolodchikov, G. Kraev (Moscow, Russia), K. Grunewald (Dresden, Germany) and A. Narykov (Moscow, Russia)	351	Addressing a gap in the Water Framework Directive implementation: Rocky shores assessment based on benthic macroinvertebrates P.A. Vinagre, A.J. Pais-Costa (Portugal), S.J. Hawkins (Southampton, UK and Plymouth, UK), Á. Borja (Pasaia, Spain) J.C. Marques and J.M. Neto (Portugal)	489
Can plant-pollinator network metrics indicate environmental quality? R.G.S. Soares, P.A. Ferreira and L.E. Lopes (São Paulo, Brazil)	361	Top-down approach to estimating the nitrogen footprint of food in Japan J. Shindo and A. Yanagawa (Yamanashi, Japan)	502
The Water Framework Directive's "percentage of surface water bodies at good status": unveiling the hidden side of a "hyperindicator" C. Carré, M. Meybeck and F. Esculier (France)	371	The use of meiofauna in freshwater sediment assessments: Structural and functional responses of meiobenthic communities to metal and organics contamination A. Haegerbaeumer (Bielefeld, Germany), S. Höss (Bielefeld, Germany and Starnberg, Germany), K. Ristau (Bielefeld, Germany), E. Claus, P. Heininger (Koblenz, Germany) and W. Traunspurger (Bielefeld, Germany)	512
Towards a physiological response of fishes under variable environmental conditions: An approach through neural network J. Mukherjee, M. Moniruzzaman, S.B. Chakraborty (West Bengal, India), S. Lek (France) and S. Ray (West Bengal, India)	381	An approach to analysis of colonization dynamics in community functioning of protozoa for bioassessment of marine pollution X. Zhong, G. Xu and H. Xu (Qingdao, China)	526
The elasticity of the potential of emission reduction to energy saving: Definition, measurement, and evidence from China G. Wu (Nanjing, China and Wuhan, China), Z. Miao (Wuhan, China and Nanjing, China), S. Shao, Y. Geng (Shanghai, China), J. Sheng (Nanjing, China) and D. Li (Acton, Australia)	395	Aridity indices predict organic matter decomposition and comminution processes at landscape scale O. Alessandro (Burnley, Australia) and P. Nyman (Parkville, Australia)	531
Environmental vulnerability evaluation using a spatial principal components approach in the Daxing'anling region, China T. Zou and K. Yoshino (Tsukuba, Japan)	405	Environmental flow assessment in estuaries taking into consideration species dispersal in fragmented potential habitats H. Zhang, T. Sun, S. Xue, W. Yang and X. Yin (Beijing, China)	541
Testing the performances of automated identification of bat echolocation calls: A request for prudence J. Rydell, S. Nyman (Lund, Sweden), J. Eklöf (Bollebygd, Sweden), G. Jones (Bristol, UK) and D. Russo (Bristol, UK and Portici, Italy)	416	Internet scientific name frequency as an indicator of cultural salience of biodiversity R.A. Correia (Maceió, Brazil and United Kingdom), P. Jepson (United Kingdom), A.C.M. Malhado (Maceió, Brazil) and R.J. Ladle (Maceió, Brazil, and United Kingdom)	549
Indicators for environmental dispersion in a two-layer wetland flow with effect of wind J. Luo, W. Huai and M. Gao (Wuhan, China)	421	A fish-based index for the assessment of the ecological quality of temperate lakes O. Petriki, M. Lazaridou and D.C. Bobori (Thessaloniki, Greece)	556
Comparability of macroinvertebrate biomonitoring indices of river health derived from semi-quantitative and quantitative methodologies N.C. Everall (Derbyshire, UK), M.F. Johnson (UK), P. Wood (Leicestershire, UK), A. Farmer (Derbyshire, UK), R.L. Wilby (Leicestershire, UK) and N. Measham (Hampshire, UK)	437	A new version of the Hydrochemical Dystrophy Index to evaluate dystrophy in lakes A. Górnjak (Białystok, Poland)	566