

Contents

(Abstracts/contents list published in *Biological Abstracts*, *Biological & Agricultural Index*, *Current Advances in Biological Sciences*, *Current Contents AB & ES*, *Ecological Abstracts*, *EMBIology*, *Environmental Abstracts*, *Field Crop Abstracts*, *Geo Abstracts*, *Geobase*, *Geographical Abstracts–Economic Geography*, *TROPAG* and *RURAL* database, *Science Citation Index*). Also covered in the abstract and citation database *SCOPUS*[®]. Full text available on *ScienceDirect*[®].

Research articles

- | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Intensification and diversification increase land and water productivity and profitability of rice-based cropping systems on the High Ganges River Floodplain of Bangladesh
M.J. Alam (Bangladesh), E. Humphreys (NSW 2680 Australia), M.A.R. Sarkar (Bangladesh) and Sudhir-Yadav (Philippines) | 10 | Is maize-cowpea intercropping a viable option for smallholder farms in the risky environments of semi-arid southern Africa?
E.N. Masvaya (Zimbabwe, The Netherlands), J. Nyamangara (Zimbabwe) K. Descheemaeker and K.E. Giller (The Netherlands) | 73 |
| Adaption of the AmaizeN model for nitrogen management in sweet corn (<i>Zea mays</i> L.)
M. Yuan, M.D. Ruark and W.L. Bland (United States) | 27 | Tailoring NPK fertilizer application to precipitation for dryland winter wheat in the Loess Plateau
H. Cao, Z. Wang, G. He, J. Dai, M. Huang, S. Wang, L. Luo (China), V.O. Sadras, M. Hoogmoed (Australia) and S.S. Malhi (Canada) | 88 |
| Closing the yield gap and achieving high N use efficiency and low apparent N losses
M. Wang, L. Wang, Z. Cui, X. Chen, J. Xie and Y. Hou (China) | 39 | Relevance of limited-transpiration trait for lentil (<i>Lens culinaris</i> Medik.) in South Asia
J. Guiguitant (Morocco, France), H. Marrou (France), V. Vadez (India), P. Gupta, S. Kumar (Morocco), A. Soltani (Iran), T.R. Sinclair (United States) and M.E. Ghanem (Morocco) | 96 |
| Assessment of growth, leaf N concentration and chlorophyll content of sweet sorghum using canopy reflectance
S.K. Singh, J.H. Houx III, M.J.W. Maw and F.B. Fritschi (USA) | 47 | Water and temperature stress define the optimal flowering period for wheat in south-eastern Australia
B.M. Flohr, J.R. Hunt, J.A. Kirkegaard and J.R. Evans (Australia) | 108 |
| Reserving winter snow for the relief of spring drought by film mulching in northeast China
H. Jia, Y. Zhang, S. Tian, R.M. Emon, X. Yang, H. Yan, T. Wu, W. Lu (China), K.H.M. Siddique (Australia) and T. Han (China) | 58 | Supplemental irrigation at tasseling optimizes water and nitrogen distribution for high-yield production in spring maize
Z. Gao, X.-G. Liang, S. Lin, X. Zhao, L. Zhang, L.-L. Zhou, S. Shen and S.-L. Zhou (China) | 120 |
| Competitive yield and economic benefits of cotton achieved through a combination of extensive pruning and a reduced nitrogen rate at high plant density
J. Dai, W. Li, D. Zhang, W. Tang, Z. Li, H. Lu, X. Kong, Z. Luo, S. Xu, C. Xin and H. Dong (China) | 65 | Planting density and sowing date strongly influence growth and lint yield of cotton crops
A. Khan (PR China), U. Najeab (Australia), L. Wang (PR China), D.K.Y. Tan (Australia), G. Yang (PR China), F. Munsif (Pakistan) S. Ali and A. Hafeez (PR China) | 129 |

(Contents continued on IBC)

(Contents continued from OBC)

Synergy between breeding for yield in winter wheat and high-input agriculture in North-West China Z. Wang (China, Australia), V.O. Sadras (Australia) X. Yang, X. Han, F. Huang and S. Zhang (China)	136	Emissions intensity and carbon stocks of a tropical Ultisol after amendment with Tithonia green manure, urea and biochar B. Fungo (Uganda, The Netherlands, Kenya), J. Lehmann (USA), K. Kalbitz (The Netherlands, Germany), M. Tenywa (Uganda) M. Thiongo and H. Neufeldt (Kenya)	179
Tillage and establishment system effects on annual ryegrass seed crops T.G. Chastain, C.J. Garbacik and W.C. Young III (United States)	144	Waterlogging reduction and wheat yield increase through long-term ditch-buried straw return in a rice–wheat rotation system H. Yang, S. Zhai, Y. Li, J. Zhou, R. He, J. Liu, Y. Xue and Y. Meng (PR China)	189
Effects of different sub-soiling frequencies incorporated into no-tillage systems on soil properties and crop yield in dryland wheat-maize rotation system Y. Zhang, R. Wang, S. Wang, H. Wang, Z. Xu, G. Jia, X. Wang and J. Li (China)	151	Short communications	
A framework to characterize the commercial life cycle of crop varieties: Application to the case study of the influence of yellow rust epidemics on French bread wheat varieties R. Perronne, S. Diguët, C.d. Vallavieille-Pope, M. Leconte and J. Enjalbert (France)	159	Arbuscular mycorrhizal fungal colonization is considerable at optimal Olsen-P levels for maximized yields in an intensive wheat-maize cropping system Y. Deng, G. Feng, X. Chen and C. Zou (PR China)	1
Breeding drought tolerant rice for shallow rainfed ecosystem of eastern India P. Swain (India), A. Raman (Philippines), S.P. Singh (India) and A. Kumar (Philippines)	168		