

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International;
Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.;
Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.;
Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Review of salinity effects on abundance, growth, and survival of nearshore life stages of pink shrimp (<i>Farfantepenaeus duorarum</i>) I.C. Zink, J.A. Browder, D. Lirman and J.E. Serafy (USA)		Intertidal zonation and latitudinal gradients on macroalgal assemblages: Species, functional groups and thallus morphology approaches R. Gaspar, L. Pereira and J.M. Neto (Portugal)	90
Cultural values on CSR patterns and evolution: A study from the biplot representation V.A. Esteban, M.P.G. Villardón and I.M.G. Sánchez (Spain)	1	CO ₂ emissions and economic performance in EU agriculture: Some evidence from Mediterranean countries E. Zafeiriou (Greece) and M. Azam (Malaysia)	104
Valuing ecosystem services to explore scenarios for adaptive spatial planning F. Lerouge, H. Gulinck and L. Vranken (Belgium)	18	Efficiency of the EU regulation on greenhouse gas emissions in Italy: The hierarchical cluster analysis approach R. Arbolino, F. Carlucci, A. Cirà, G. Ioppolo (Italy) and T. Yigitcanlar (Australia)	115
DER: An algorithm for comparing species diversity between assemblages C. Guisande, J. Heine, E. García-Roselló, J. González-Dacosta, L.G. Vilas and B.J.G. Perez-Schofield (Spain)	30	Using river microalgae as indicators for freshwater biomonitoring: Review of published research and future directions N. Wu (Denmark), X. Dong (Denmark, China), Y. Liu, C. Wang (China) A. Baattrup-Pedersen and T. Riis (Denmark)	124
A long-term improvement in Danish stream fauna: Analyses of temporal dynamics and community alignment of a biotic index M.L. Rasmussen, P. Wiberg-Larsen and D. Jacobsen (Denmark)	41	Assessing the urban environmental quality of mountainous cities: A case study in Chongqing, China Y. Liu, W. Yue (PR China), P. Fan (USA), Z. Zhang (PR China) and J. Huang (PR China)	132
Texture analysis in liver of common carp (<i>Cyprinus carpio</i>) sub-chronically exposed to perfluorooctanoic acid M. Manera, L. Giari, F. Vincenzi, C. Guerranti (Italy), J.A. DePasquale (USA) and G. Castaldelli (Italy)	47	Thermal stress, thermal safety margins and acclimation capacity in tropical shallow waters—An experimental approach testing multiple end-points in two common fish C. Madeira, V. Mendonça (Portugal), M.C. Leal (Portugal, Switzerland), A.A.V. Flores (Brazil) and H.N. Cabral, M.S. Diniz and C. Vinagre (Portugal)	146
Transferability of bioassessment indices among water body types and ecoregions: A California experiment in wetland assessment E.D. Stein, J.S. Brown and R.D. Mazor (USA)	54	Evaluating regional water security through a freshwater ecosystem service flow model: A case study in Beijing-Tianjian-Hebei region, China D. Li, S. Wu, L. Liu, Z. Liang and S. Li (China)	159
Sensitivity of the carbon footprint of New Zealand milk to greenhouse gas metrics A. Reisinger, S.F. Ledgard and S.J. Falconer (New Zealand)	65	Conservation efforts based on local ecological knowledge: The role of social variables in identifying environmental indicators A. Sobral (Brazil), M.d.l.Á.L. TORRE-CUADROS (Peru), R.R.N. Alves and U.P. Albuquerque (Brazil)	171
Optimizing sampling design to infer the number of marine turtles nesting on low and high density sea turtle rookeries using convolution of negative binomial distribution M. Girondot (France)	74		
	83		

(Contents continued on inside back cover)

A sampling design strategy to reduce survey costs in forest monitoring M. Marchi, C. Ferrara, G. Bertini, S. Fares and L. Salvati (Italy)	182	Trophic structures in tropical marine ecosystems: a comparative investigation using three different ecological tracers F. Sardenne (France), S. Hollanda, S. Lawrence, R. Albert-Arrisol (Seychelles), M. Degroote (France) and N. Bodin (Seychelles)	315
Multi-node selection of patches for protecting habitat connectivity: Fragmentation versus reachability J. Pereira (Hungary) and F. Jordán (Hungary, Germany)	192	Morphology of <i>Aulacoseira</i> filaments as indicator of the aquatic environment in a large subtropical river: The Pearl River, China C. Wang (China), S. Lek (France), Z. Lai (China) and L. Tudesque (France)	325
Assessing the relationship between ecosystem functions and services: Importance of local ecological conditions F. Weyland, M.P. Barral and P. Laterra (Argentina)	201	Aquatic macroinvertebrates are poor indicators of agricultural activity in northern prairie pothole wetlands J.E. Gleason and R.C. Rooney (Canada)	333
Ten years of monitoring air quality and ecological integrity using field-identifiable lichens at Kejimikujik National Park and National Historic Site in Nova Scotia, Canada R.T. McMullin, D. Ure, M. Smith, H. Clapp and Y.F. Wiersma (Canada)	214	A Monte Carlo method to account for sampling error in multi-species indicators L.L. Soldaat, J. Pannekoek, R.J.T. Verweij, C.A.M. van Turnhout and A.J. van Strien (The Netherlands)	340
Spectral response characteristics and identification of typical plant species in Ebinur lake wetland national nature reserve (ELWNNR) under a water and salinity gradient W. Xiaoping, Z. Fei (China), K. Hsiang-te (USA) and Y. Haiyang (China)	222	Determinants of Ecological Footprints: What is the role of globalization? A. Rudolph (Germany) and L. Figge (The Netherlands)	348
Taxonomic and functional diversity of stream invertebrates along an environmental stress gradient K. Voß and R.B. Schäfer (Germany)	235	Water eutrophication evaluation based on semi-supervised classification: A case study in Three Gorges Reservoir D. Wu, H. Yan, M. Shang, K. Shan and G. Wang (China)	362
Ecological and environmental effects of land use change in rapid urbanization: The case of Hangzhou, China X. Du and Z. Huang (China)	243	Can vegetation provide indications of ancient lake shorelines after more than one hundred years? A case study of Iskander-kul Lake, Tajikistan A. Nowak (Poland, Czech Republic), E. Yazykova, M. Nobis (Poland) and A.A. Nikonov (Russia)	373
The link between landscape pattern and vegetation naturalness on a regional scale P. Szilassi, T. Bata, Sz. Szabó, B. Czúcz, Zs. Molnár and G. Mezősi (Hungary)	252	Assessing the importance of nursery areas of European hake (<i>Merluccius merluccius</i>) using a body condition index A. Cantafaro, G. Ardizzone, M. Enea, A. Ligas and F. Colloca (Italy)	383
Pseudomonads from wild free-living sea turtles in Príncipe Island, Gulf of Guinea M. Oliveira, I. Serrano, J.P. Santos (Portugal), F. Bilocq (Belgium), N. Pereira, N. de Santos Loureiro, L. Tavares (Portugal), J.-P. Pirnay and D. De Vos (Belgium)	260	Responses of maize ecosystem to warming based on WATDPED experiment under near-field condition L. Tan, S. Liu, X. Mo, Z. Lin, S. Hu, Y. Qiao, E. Liu and X. Song (China)	390
Vegetation cover change in growing urban agglomerations in Chile F. de la Barrera and C. Henríquez (Chile)	265	A new method to estimate aquatic invertebrate diversity in French shallow lakes and ponds F. Labat (France)	401
Impact of rapid urban expansion on green space structure A.N.M. Nor (United Kingdom, Malaysia), R. Corstanje, J.A. Harris and T. Brewer (United Kingdom)	274	What can indicators of good environmental status tell us about ecosystem services?: Reducing efforts and increasing cost-effectiveness by reapplying biodiversity indicator data S. Broszeit, N.J. Beaumont (UK), M.C. Uyarra (Spain), A.-S. Heiskanen (Finland), M. Frost, P.J. Somerfield, A.G. Rossberg (UK), H. Teixeira (Portugal) and M.C. Austen (UK)	409
A growing season climatic index to simulate gross primary productivity and carbon budget in a Tibetan alpine meadow X. Chai, P. Shi, N. Zong, Y. He, X. Zhang, M. Xu and J. Zhang (China)	285	Occurrence of water phosphorus at the water-sediment interface of a freshwater shallow lake: Indications of lake chemistry X. Pu, H. Cheng (China), M. Tysklind (Sweden) J. Xie, L. Lu and S. Yang (China)	443
Basin-scale comprehensive assessment of cadmium pollution, risk, and toxicity in riverine sediments of the Haihe Basin in north China W. Tang, W. Zhang, Y. Zhao, H. Zhang and B. Shan (PR China)	295	Quantifying keystone species complexes: Ecosystem-based conservation management in the King George Island (Antarctic Peninsula) M. Ortiz, B. Hermosillo-Nuñez, J. González (Chile), F. Rodríguez-Zaragoza (Mexico), I. Gómez (Chile) and F. Jordán (Hungary, Italy)	453
ELM evaluation model of regional groundwater quality based on the crow search algorithm D. Liu, C. Liu, Q. Fu, T. Li, K.M. Imran, S. Cui and F.M. Abrar (China)	302		

(Contents continued from inside back cover)

Monitoring river water quality with transplanted bryophytes: A methodological review S. Debén, J.R. Aboal, A. Carballeira (Spain), M. Cesa (Italy) and J.A. Fernández (Spain)	461	Review of cultural heritage indicators related to landscape: Types, categorisation schemes and their usefulness in quality assessment B. Sowińska-Świerkosz (Poland)	526
Ecosystem response to different management options in Marine Protected Areas (MPA): A case study of intertidal rocky shore communities A. Ferreira, A.S. Alves, J.C. Marques and S. Seixas (Portugal)	471	Developing a two-step method for retrieving cyanobacteria abundance from inland eutrophic lakes using MERIS data Q. Jin, H. Lyu, L. Shi, S. Miao, Z. Wu, Y. Li and Q. Wang (China)	543
The dynamics of freshwater phytoplankton stability in the Naroch Lakes (Belarus) T.M. Mikheyeva (Belarus), A. Parparov (Israel), B.V. Adamovich (Belarus), G. Gal (Israel) and E.V. Lukyanova (Belarus)	481	Odonata (Insecta) as a tool for the biomonitoring of environmental quality T.B. Miguel, J.M.B. Oliveira-Junior, R. Ligeiro and L. Juen (Brazil)	555
When to use what: Methods for weighting and aggregating sustainability indicators X. Gan (China), I.C. Fernandez (USA), J. Guo (China), M. Wilson (USA), Y. Zhao (China), B. Zhou (USA) and J. Wu (USA, China)	491	On the edge: The use of infrared thermography in monitoring responses of intertidal organisms to heat stress J.A. Lathlean (UK), L. Seuront (France) and T.P.T. Ng (China)	567
Biomonitoring potential of a Caryophyllaeid tapeworm: Evaluation of <i>Adenoscolex oreini</i> infection level and health status in three fish species of the genus <i>Schizothorax</i> across eutrophication and pollution gradients U.R. Zargar, M.Z. Chishti, M.I. Rather, M. Rehman and N. Zargar (India)	503	Capacity of a temperate intertidal seagrass species to tolerate changing environmental conditions: Significance of light and tidal exposure R.P. Manassa, T.M. Smith, J. Beardall, M.J. Keough and P.L.M. Cook (Australia)	578
An improved macroinvertebrate multimetric index for the assessment of wadeable streams in the neotropical savanna D.R.O. Silva (Brazil), A.T. Herlihy, R.M. Hughes (USA) and M. Callisto (Brazil)	514	Phytoplankton of rhithral rivers: Its origin, diversity and possible use for quality-assessment Á. Bolgovics, G. Várbíró, É. Ács, Z. Trábert, K.T. Kiss, V. Pozderka, J. Görgényi, P. Boda, B.-A. Lukács, Z. Nagy-László, A. Abonyi and G. Borics (Hungary)	587
		Expression of Concern J.C. Marques and D. Descoteaux	597