

# Food Hydrocolloids

## CONTENTS

Volume 73, 2017

- 1 Potential of microencapsulation through emulsion-electrospraying to improve the bioaccessibility of  $\beta$ -carotene  
L. G. GÓMEZ-MASCARAQUE, R. PEREZ-MASIÁ, R. GONZÁLEZ-BARRIO, M. J. PERIAGO AND  
A. LÓPEZ-RUBIO (Spain)
- 13 Structure formation in sugar containing pectin gels - Influence of gel composition and cooling rate on the gelation of non-  
amidated and amidated low-methoxylated pectin  
H. KASTNER, U. EINHORN-STOLL AND S. DRUSCH (Germany)
- 21 Improvement of mechanical and water absorption properties of plant protein based bioplastics  
D. GÓMEZ-HEINCKE, I. MARTÍNEZ (Spain), M. STADING (Sweden), C. GALLEGOS AND P. PARTAL (Spain)
- 30 Stability and phase behavior of konjac glucomannan-milk systems  
S. DAI (Hong Kong, China), F. JIANG (China), N. P. SHAH (Hong Kong) AND H. CORKE (PR China)
- 41 Complex coacervation of ovalbumin-carboxymethylcellulose assessed by isothermal titration calorimeter and rheology:  
Effect of ionic strength and charge density of polysaccharide  
W. XIONG, C. REN, M. TIAN, X. YANG, J. LI AND B. LI (China)
- 51 Antioxidant hydrocolloids from herb *Graptopetalum paraguayense* leaves show anti-colon cancer cells and anti-  
neuroinflammatory potentials  
L. AI (PR China), Y.-C. CHUNG, K.-C. G. JENG (Taiwan), P. F.-H. LAI (PR China, Taiwan), S.-C. YEH, K. C. LEE,  
S.-Y. LIN (Taiwan), Y. XIA, G. WANG (PR China) AND S. W. CUI (Canada)
- 60 Gelation of cereal  $\beta$ -glucan at low concentrations  
N. MÄKELÄ, N. H. MAINA, P. VIKGREN AND T. SONTAG-STROHM (Finland)
- 67 Protein nanovehicles produced from egg white. Part 1: Effect of pH and heat treatment time on particle size and binding  
capacity  
O. E. SPONTON, A. A. PEREZ, J. V. RAMEL AND L. G. SANTIAGO (Argentina)
- 74 Fabrication and characterization of biocompatible hybrid nanoparticles from spontaneous co-assembly of casein/gliadin  
and proanthocyanidin  
C. LIU, M. LI, J. YANG, L. XIONG AND Q. SUN (China)
- 90 Effect of protocatechuic acid incorporation on the physical, mechanical, structural and antioxidant properties of chitosan  
film  
J. LIU, S. LIU, Q. WU, Y. GU, J. KAN AND C. JIN (China)
- 101  $\text{Fe}^{2+}$  adsorption on citrus pectin is influenced by the degree and pattern of methylesterification  
M. CELUS, C. KYOMUGASHO, Z. J. KERMANI, K. ROGGEN, A. M. VAN LOEY, T. GRAUWET AND  
M. E. HENDRICKX (Belgium)
- 110 Microstructural design of aerated food systems by soft-solid materials  
A. LAZIDIS, L. DE ALMEIDA PARIZOTTO, F. SPYROPOULOS AND I. T. NORTON (UK)
- 120 Bioactive chitosan/ellagic acid films with UV-light protection for active food packaging  
C. VILELA, R. J. B. PINTO, J. COELHO, M. R. M. DOMINGUES (Portugal), S. DAINA, P. SADOCCO (Italy),  
S. A. O. SANTOS AND C. S. R. FREIRE (Portugal)

Contents continued on BM I

- 129 Interfacial properties of whey protein and whey protein hydrolysates and their influence on O/W emulsion stability  
A. SCHRÖDER, C. BERTON-CARABIN, P. VENEMA AND L. CORNACCHIA (The Netherlands)
- 141 Nonuniform kinetic method applied to evolutionary process of a rate constant in NaOH-gelatinization of rice starch  
H. YAMAMOTO (Japan)
- 153 Microfluidization initiated cross-linking of gliadin particles for structured algal oil emulsions  
X. LIU, Y.-Y. LIU, J. GUO, S.-W. YIN AND X.-Q. YANG (People's Republic of China)
- 162 Progress in C-type starches from different plant sources  
W. HE AND C. WEI (China)
- 176 Polysaccharide from leaf skin of *Aloe barbadensis* Miller: Part I. Extraction, fractionation, physicochemical properties and structural characterization  
X.-D. SHI, S.-P. NIE, J.-Y. YIN, Z.-Q. QUE, L.-J. ZHANG AND X.-J. HUANG (China)
- 184 Effects of calcium on lipid digestion in nanoemulsions stabilized by modified starch: Implications for bioaccessibility of  $\beta$ -carotene  
Q. LIN (China, New Zealand), R. LIANG (China), A. YE, H. SINGH (New Zealand) AND F. ZHONG (China)
- 194 Effect of protein molecules and  $MgCl_2$  in the water phase on the dilational rheology of polyglycerol polyricinoleate molecules adsorbed at the soy oil-water interface  
Q. ZHU, C. WANG (China), N. KHALID (Pakistan), S. QIU AND L. YIN (China)
- 203 Revealing the structure of high-water content biopolymer networks: Diminishing freezing artefacts in cryo-SEM images  
C. EFTHYMIOU, M. A. K. WILLIAMS AND K. M. MCGRATH (New Zealand)
- 213 Heat-set emulsion gels of casein micelles in mixtures with whey protein isolate  
G. BALAKRISHNAN, B. T. NGUYEN (France), C. SCHMITT (Switzerland), T. NICOLAI AND C. CHASSENIEUX (France)
- 222 Stabilisation of foams by agar gel particles  
A. L. ELLIS, A. B. NORTON, T. B. MILLS AND I. T. NORTON (UK)
- 229 Enhanced self-association and "weak gel" rheology of microdispersed oxidised cellulose (MDOC) by low concentrations of guar gum  
A. A. AGOUB, X. XIE AND E. R. MORRIS (Ireland)
- 235 Sequencing analysis of  $\beta$ -glucan from highland barley with high performance anion exchange chromatography coupled to quadrupole time – Of – Flight mass spectrometry  
Y. RONG, N. XU, B. XIE, J. HAO, L. YI, R. CHENG, D. LI (China), R. J. LINHARDT (USA) AND Z. ZHANG (China)
- 243 Physical properties and lipid bioavailability of nanoemulsion-based matrices with different thickening agents  
C. ARANCIBIA, M. MIRANDA, S. MATIACEVICH AND E. TRONCOSO (Chile)
- 255 Permeation of probe molecules into alginate microbeads: Effect of salt and processing  
P. VAN LEUSDEN, G. J. M. DEN HARTOG, A. BAST (The Netherlands), M. POSTEMA (France, South Africa), E. VAN DER LINDEN AND L. M. C. SAGIS (The Netherlands)
- 262 Insoluble soybean polysaccharides: Obtaining and evaluation of their O/W emulsifying properties  
M. C. PORFIRI, J. VACCARO, C. A. STORTZ, D. A. NAVARRO, J. R. WAGNER AND D. M. CABEZAS (Argentina)
- 274 Physicochemical properties of  $\beta$ -carotene and eugenol co-encapsulated flax seed oil powders using OSA starches as wall material  
H. R. SHARIF (People's Republic of China), H. D. GOFF (Canada), H. MAJEED, M. SHAMOON, F. LIU, J. NSOR-ATINDANA (People's Republic of China), J. HAIDER (People's Republic of China, Pakistan), R. LIANG AND F. ZHONG (People's Republic of China)
- 284 Air-water interfacial properties of enzymatically hydrolyzed wheat gluten in the presence of sucrose  
A. G. B. WOUTERS, E. FIERENS, I. ROMBOUTS, K. BRIJS, C. BLECKER AND J. A. DELCOUR (Belgium)
- 295 The molecular structures of leached starch during rice cooking are controlled by thermodynamic effects, rather than kinetic effects  
H. LI (China, Australia), Y. WEN, J. WANG AND B. SUN (China)
- 300 Rheological behavior of starch/carrageenan/milk proteins mixed systems: Role of each biopolymer type and chemical characteristics  
G. AGODA-TANDJAWA, C. LE GARNEC, P. BOULENGUER, M. GILLES AND V. LANGENDORFF (France)

- 313 Functional properties and applications of basil seed gum: An overview  
S. NAJI-TABASI AND S. M. A. RAZAVI (Iran)
- 326 Physical bonding between sunflower proteins and phenols: Impact on interfacial properties  
D. KAREFYLLAKIS, S. ALTUNKAYA, C. C. BERTON-CARABIN, A. J. VAN DER GOOT AND C. V. NIKIFORIDIS  
(The Netherlands)
- 335 Effect of the type of carbohydrate on the DVS critical relative humidity in spray-dried fat-filled pea protein-based powders: Comparison with monolayer coverage and T<sub>g</sub> values  
E. DOMIAN, A. BRYNDA-KOPYTOWSKA, J. CIEŚLA AND E. OSTROWSKA-LIGĘZA (Poland)
- 344 Interactions in casein micelle - Pea protein system (Part II): Mixture acid gelation with glucono- $\delta$ -lactone  
J.-L. MESSION, S. ROUSTEL AND R. SAUREL (France)
- 358 Calendar