

CONTENTS

RESEARCH ARTICLES

- Insecticidal effect of citronella and neem oil Nanoemulsions against *Spodoptera litura* (Fab) — *Eisa Osman Mohamed Ali, Najam Akhtar Shakil, Virendra Singh Rana, Chitra Srivastava, Dhruba Jyoti Sarka and Parshant Kaushik* 231
- Combined effect of nutrients, stickers and spreaders on biological parameters of *Beauveria bassiana* (Bals.) Vuill. and its efficacy against *Cnaphalocrocis medinalis* (Guenee) — *Purnima Das, Lakshmi K. Hazarika and Karishma Das* 239
- Efficacy of some biorational insecticides against *Chilo partellus* (Swinhoe) in Maize — *Jawala Jindal, Gurmail Singh Sandhu and Ravinder Kumar* 244
- Beet army worm, *Spodoptera exigua* (Hübner): A newly emerging pest of Chick pea and its effect on dates of sowing and seasonal incidence — *A.P. Chavan, S.R. Kulkarni, R.V. Datkhile and S.K. Patil* 248
- Evaluation of flupyradifurone 200 SL against sucking pests on Brinjal — *S.D. Wale, S.A. Pawar and R.V. Datkhile* 254
- Chemical intervention in Stored Wheat protects *Rhizopertha dominica* (F.) damage without affecting seed health — *Beant Singh* 259
- Field evaluation of Sugarcane clones for resistance to borer complex — *J. Jayakumar* 263
- Efficacy of cyantraniliprole 10 SE in insect pests management on Pigeon pea — *S.D. Wale, R.V. Kadu, S.A. Pawar and R.V. Datkhile* 267
- Efficacy of insecticides against insect pests of Chilli — *R.K. Patil, B. Halappa and P.N. Guru* 272
- Influence of abiotic factors on population dynamics of *Leucinodes orbonalis* Guenee on Brinjal in Hisar Agro-climatic conditions — *Jyoti Raina and G.S. Yadav* 277
- Efficacy of bio-pesticides and Newer insecticides against *Earias vittella* Fab. infesting Okra — *Swati S. Gurve, S.R. Kulkarni and S.K. Patil* 281
- Seasonal larval intensity of *Helicoverpa armigera* in Chick pea — *Vikrant, D.R. Singh, Akshay Kumar and Devendra Singh* 287
- Mining constraint based association rules on Pest data using closed frequent items — *V. Jinubala and R. Lawrance* 291

Diversity of Pteromalids (Pteromalidae: Hymenoptera) among three Rice growing zones of Tamil Nadu, India — J. Alfred Daniel, K. Ramaraju, V.K. Raseena Farsana and P.M. Sureshan	298
Management of Indian peafowl, <i>Pavo cristatus</i> (L.) on Rice in Kerala — P. Sreeja and Mani Chellappan	304
Population dynamics of white fly, <i>Bemisia tabaci</i> (Genn.) and Bihar hairy caterpillar, <i>Spilosoma obliqua</i> (Walker) in Black gram — Akhilesh Kumar, Girish Patidar, Inderjeet S. Rajawat and A.K. Pandey	308
Validation of ITKs practised for management of Red Spider mite infecting Tea plantation — Kapil K. Bhuyan, Gautam K. Saikia and Mukul K. Deka	311
Biochemical responses of Cotton genotypes to <i>Alternaria</i> leaf spot disease (<i>Alternaria macrospora</i> Zimm.) — A.V. Suryawanshi, R.R. Perane, K.S. Raghuwanshi and V.S. Shinde	315
Probable location identification of inserted tungro resistant gene in Rice cultivar — Nivedita Chattopadhyay, Rupsanatan Mandal and Jayanta Tarafdar	324
Effect of organic and inorganic salt against sour rot (<i>Geotrichum candidum</i>) of Tomato — K.M. Madhu, Sobita Simon and Abhilasha A. Lal	330
Management module of foliar diseases of Urd bean at Keonjhar, Odisha — Poly Saha and T.R. Mohanty	334
Efficiency of plant extract and <i>Trichoderma</i> sp. against <i>Turcicum</i> leaf blight of Maize caused by <i>Exserohilum turcicum</i> (Pass.) Leonord and Suggs — V. Vishwanath, Abhilasha A. Lal, Sunil Zacharia and Sobita Simon	338
Genetic diversity in cultivated and wild Cotton (<i>Gossypium</i> sp.) in relation to responses to <i>Alternaria</i> leaf spot — A.V. Suryawanshi, R.R. Perane, V.S. Shinde and K.S. Raghuwanshi	342
Efficacy of <i>Trichoderma</i> spp., <i>Pseudomonas fluorescens</i> and neem cake against the Chick pea wilt (<i>Fusarium oxysporum</i>) f. sp. <i>ciceri</i> — Mohan Lal Yadav, Sobita Simon and Abhilasha A. Lal	347
Effect of weather parameters on development of early blight of Tomato caused by <i>Alternaria solani</i> in polyhouse and field conditions — Rajendra Soni, R.N. Bunker and V.K. Tanwar	351
Efficacy of fungicides against <i>Choanephora cucurbitarum</i> causing wet rot of Cucumber — Sangeeta Choudhary, R.P. Ghasolia and Manju Kumari	355
Efficacy of fungicides for management of <i>Alternaria</i> blight of Linseed — Vishal Mahajan, D.S. Tomar and M.K. Nayak	358
Eco-friendly management of anthracnose (<i>Colletotrichum truncatum</i>) of Green gram (<i>Vigna radiata</i> L.) — Indra Raj Meena, Sobita Simon and Abhilasha A. Lal	362
Effect of organic manures and <i>Pseudomonas fluorescens</i> on early blight of Potato (<i>Solanum tuberosum</i> L.) — N.R. Meena, Sobita Simon and Sunil Zacharia	365
Antifungal activity of selected spices against <i>Aspergillus niger</i> — Elizabeth T. Jojy, Sobita Simon and Abhilasha A. Lal	369
Factors affecting disease development on fruit rot of Chilli caused by <i>Colletotrichum capsici</i> — Kartar Singh, Dama Ram, Manoj Choudhary, Bharat Raj Meena, S.K. Khirbat and L.S. Rajput	372
Detection of Cotton leaf curl-begomovirus and betasatellite DNA in weed and other hosts in around Cotton fields — Vivek Kumar Khare, Balram Nenavath, Supratik Pal Choudhury, Rajender Beniwal and K.K. Biswas	375

Managing <i>Meloidogyne incognita</i> on Cucumber through bio-agents and organic amendments in Field — <i>Th. Sunita Devi and Debanand Das</i>	380
Efficacy of oil cakes, nematicides and bio-control agents for management of <i>Meloidogyne incognita</i> in Tuberose (<i>Polianthes tuberosa</i> L.) — <i>Swapnanjali Mishra, J.K. Mahalik and A. Acharya</i>	384
Community structure of plant parasitic nematodes in Polyhouse Vegetables in Kerala — <i>P. Sreeja and Susannamma Kurien</i>	389
Efficacy of Rhizospheric biological agents for management of <i>Meloidogyne incognita</i> and growth in Cucumber under Field condition — <i>Th. Sunita Devi and Debanand Das</i>	394
<i>Hirschmanniella</i> sp. (Nematoda: Pratylenchidae) associated with Black Pepper (<i>Piper nigrum</i> L.): A first report — <i>Rashid Pervez, Md. Niraul Islam and Santhosh J. Eapen</i>	399
Quantitative structure activity relationship for nematicidal activity of O, O-Diaryl O-Methyl Phosphorothionates [#] — <i>Gitanjali Maurya</i>	403
Morphology and morphometrical variations of <i>Meloidogyne incognita</i> in Assam — <i>Rimi Deuri, Prabhat Das, Debanand Das and B.N. Choudhury</i>	406
Efficacy test of Glyphosate 71 SG at different concentrations on Grass, Broad leaf and Sedges — <i>Jony Kumar, P. Bhandari, Mobin Ahmad and P.K. Patanjali</i>	412
SHORT COMMUNICATIONS	
Evaluation of novel molecules against insect pests of Brinjal — <i>S.R. Sinha, R.K. Sharma and Suresh Dharavath</i>	416
Comparative efficacy of bio-insecticides for management of Maize stem borer — <i>Ashwinder K. Dhaliwal, D.S. Brar and Jawala Jindal</i>	418
Investigate the host preference of (<i>Callosobruchus chinensis</i>) in different stored Pulses — <i>S.K. Choudhary, H.L. Deshwal and S.M. Haldhar</i>	419
Field evaluation of pesticide schedule against <i>Bemisia tabaci</i> in Tomato — <i>S.K. Mandal</i>	421
Intensity of losses due to Pulse beetle in Chick pea — <i>S.K. Choudhary, H.L. Deshwal and S.M. Haldhar</i>	423
Host variability and leaf mining intensity of <i>Liriomyza trifolii</i> — <i>Vinod K. Garg and Yogesh Patel</i>	425
Seasonal abundance of diamondback moth and natural enemies in Cabbage — <i>P. Sharma, K.C. Kumawat and M.K. Yadav</i>	426
Detrimental effect of fungicides on <i>Spodoptera litura</i> — <i>Kuldeep Srivastava, Sonika Sharma and Devinder Sharma</i>	428
<i>In vitro</i> evaluation of plant extracts on mycelial growth of <i>Sclerotium rolfsii</i> cause of collar rot of Soybean — <i>Bippi Karbak, N. Tiamerao, Toge Riba and R.C. Shakywar</i>	430
On Farm evaluation of fungicides to control late blight of Potato caused by <i>Phytophthora infestans</i> — <i>Sanjeev Kumar, Anand Kumar, D.P. Mishra and Erayya</i>	431
Evaluation of organic amendments for management of Rice sheath blight — <i>Santosh Kumar, Puja Kumari, Amarendra Kumar, Md. Nadeem Akhtar and Mahendra Singh</i>	433

Compatibility of fungicides with Entomopathogenic fungi — <i>P.D. Turkhade, S.K. Godase, A.L. Narangalkar, V.S. Desai and S.S. Gurve</i>	434
Identification of blast resistance sources in indigenous Rice germplasm — <i>R.C. Shakywar, Dinesh Sah, Mukul Kumar, Siddhartha Singh, Nicolee Lyngdoh and Toge Riba</i>	436
Disease scenario of Tomato in semi-arid region of Karnataka as influenced by Rainfall and Dry spell — <i>M. Narayana Bhat, S. Vennila, H.R. Sardana, Mobin Ahmad and M.S. Kulkarni</i>	437
Management of Rice sheath blight under field condition in YSR District Andhra Pradesh — <i>P. Nagamani, A. Veeraiah and M. Johnson</i>	439
<i>Beauveria bassiana</i> : A potential entomopathogenic fungi from yellow tail Tussock moth and Black fly — <i>Purnima Das, Lakshmi K. Hazarika and Karishma Das</i>	441
Climatic relationship of Pigeon pea <i>Fusarium</i> wilt in hot arid ecoregion of Banaskantha, Gujarat — <i>Puran Chandra, O.P. Sharma, S. Vennila, Nerendra Singh and Satish K. Yadav</i>	443
Indigenous practices for the management of Brinjal shoot and fruit borer — <i>Chiga D. Sangma, Sobita Simon and Sasya Nagar</i>	445
Effect of botanicals on incidence of green mold and yield of Oyster Mushroom (<i>Pleurotus sajor-caju</i>) — <i>Valenta Kangjam, Abhilasha A. Lal and Sobita Simon</i>	447
Effect of chopped <i>Datura stramonium</i> leaf against <i>Meloidogyne incognita</i> on Mungbean — <i>Archana U. Singh, D. Prasad and I.K. Kushwaha</i>	448
Susceptibility of <i>Heterorhabditis indica</i> and <i>Steinernema abbassi</i> to pre and post overwintering stages of apple root borer, <i>Dorysthenes hugelli</i> — <i>Sh. urad Mohan, Akanksha Upadhyay and D.R. Khajuria</i>	449