

## Contents

### Reviews

Technologies and theoretical basis of light and simplified cotton cultivation in China

J. Dai, X. Kong, D. Zhang, W. Li and H. Dong (PR China) 142

The possibility of replacing puddled transplanted flooded rice with dry seeded rice in central China: A review

W. Wang, S. Peng, H. Liu, Y. Tao, J. Huang, K. Cui and L. Nie (China) 310

### Research articles

Border row effects on light interception in wheat/maize strip intercropping systems

Z. Wang, X. Zhao, P. Wu, Y. Gao, Q. Yang and Y. Shen (China) 1

Delayed or early sowing: Timing as parasitic weed control strategy in rice is species and ecosystem dependent

D.E. Tippe (The Netherlands), J. Rodenburg (Cote d'Ivoire), A. van Ast, N.P.R. Anten (The Netherlands), I. Dieng (Cote d'Ivoire), J. Kayeke (Tanzania), M. Cissoko (UK) and L. Bastiaans (The Netherlands) 14

Biochar improves phosphorus use efficiency of organic-inorganic fertilizers, maize-wheat productivity and soil quality in a low fertility alkaline soil

M. Arif, M. Ilyas, M. Riaz, K. Ali, K. Shah, I. Ul Haq (Pakistan) and S. Fahad (China, Pakistan) 25

Crop yield and soil available potassium changes as affected by potassium rate in rice-wheat systems

D. Lu, C. Li (China), E. Sokolwski, H. Magen (Switzerland), X. Chen, H. Wang and J. Zhou (China) 38

Duration of developmental phases, and dynamics of leaf appearance and tillering, as affected by source and doses of photoperiod insensitivity alleles in wheat under field conditions

H. Ochagavía, P. Prieto, R. Savin (Spain), S. Griffiths (United Kingdom) and G.A. Slafer (Spain) 45

Lignocellulosic biomass production of Mediterranean wild accessions (*Oryzopsis miliacea*, *Cymbopogon hirtus*, *Sorghum halepense* and *Saccharum spontaneum*) in a semi-arid environment

D. Scordia, G. Testa, V. Copani, C. Patanè and S.L. Cosentino (Italy) 56

Fall nitrogen application increases seed yield, forage yield and nitrogen use efficiency more than spring nitrogen application in *Leymus chinensis*, a perennial grass

Y. Shi, S. Gao, D. Zhou, M. Liu, J. Wang (PR China), J.M.H. Knops (USA) and C. Mu (PR China) 66

Use of a chlorophyll meter to assess nitrogen nutrition index during the growth cycle in winter wheat

C. Ravier (France), M. Quemada (Spain) and M.-H. Jeuffroy (France) 73

Effect of phosphorus and potassium foliage application post-anthesis on grain filling and hormonal changes of wheat

X. Lv, J. Han, Y. Liao and Y. Liu (China) 83

Cultivar competitiveness in pea-oat intercrops under Mediterranean conditions

D. Baxevanos, I.T. Tsialtas, D.N. Vlachostergios, J. Hadjigeorgiou, C. Dordas and A. Lithourgidis (Greece) 94

Vetch-rye biculture is a sustainable alternative for enhanced nitrogen availability and low leaching losses in a no-till cover crop system I. Frasier, E. Noellemeyer, N. Amiotti and A. Quiroga (Argentina)	104	Using <i>Sorghum</i> to suppress weeds in dry seeded aerobic and puddled transplanted rice M. Farooq (Pakistan, Australia, Oman), A. Nawaz, E. Ahmad, F. Nadeem, M. Hussain (Pakistan) and K.H.M. Siddique (Oman)	211
Thinking beyond agronomic yield gap: Smallholder farm efficiency under contrasted livelihood strategies in Malawi D. Berre, M. Corbeels (Kenya, France), L. Rusinamhodzi (Kenya), M. Mutenje, C. Thierfelder (Zimbabwe) and S. Lopez-Ridaura (Mexico)	113	Wide crosses of durum wheat ( <i>Triticum durum</i> Desf.) reveal good disease resistance, yield stability, and industrial quality across Mediterranean sites M. Zaim, K. El Hassouni (Morocco), F. Gamba (Uruguay), A. Filali-Maltouf, B. Belkadi (Morocco), A. Sourour (Tunisia), A. Amri, M. Nachit, M. Taghouti and F.M. Bassi (Morocco)	219
Differences in biomass and water dynamics between a cotton-peanut rotation and a sweet sorghum bioenergy crop with and without biochar and vinasse as soil amendments J. Reyes-Cabrera, R.G. Leon, J.E. Erickson, D.L. Rowland, M.L. Silveira and K.T. Morgan (USA)	123	Evaluation of climate change impacts and effectiveness of adaptation options on crop yield in the Southeastern United States T.E. Lychuk, R.L. Hill, R.C. Izaurralde, B. Momen and A.M. Thomson (USA)	228
Root vertical distribution is important to improve water use efficiency and grain yield of wheat S. Feng, S. Gu, H. Zhang and D. Wang (People's Republic of China)	131	Modeling the response of maize phenology, kernel set, and yield components to heat stress and heat shock with CSM-IXIM J.I. Lizaso, M. Ruiz-Ramos, L. Rodríguez, C. Gabaldon-Leal, J.A. Oliveira, I.J. Lorite, A. Rodríguez (Spain), G.A. Maddonni and M.E. Otegui (Argentina)	239
Simulating response of wheat to timing and depth of irrigation water in drip irrigation system using CERES-Wheat model E.A. Dar, A.S. Brar, S.K. Mishra and K.B. Singh (India)	149	Harvest management effects on sugarcane growth, yield and nutrient cycling in Florida and Costa Rica H.S. Sandhu, M.P. Singh, R.A. Gilbert (United States), F. Subiros-Ruiz (Costa Rica), R.W. Rice and J.M. Shine Jr. (United States)	253
Optimal planting density and sowing date can improve cotton yield by maintaining reproductive organ biomass and enhancing potassium uptake A. Khan, L. Wang, S. Ali, S.A. Tung, A. Hafeez and G. Yang (PR China)	164	How does inclusion of weather forecasting impact in-season crop model predictions? K. Togliatti, S.V. Archontoulis, R. Dietzel, L. Puntel and A. VanLoocke (United States)	261
Yield associated traits correlate with cytokinin profiles in developing pods and seeds of field-grown soybean cultivars S. Kambhampati, L.V. Kurepin, A.B. Kisiala, K.E. Bruce, E.R. Cober, M.J. Morrison and R.J.N. Emery (Canada)	175	Duckweed ( <i>Spirodela polyrhiza</i> ) as green manure for increasing yield and reducing nitrogen loss in rice production Y. Yao, M. Zhang, Y. Tian, M. Zhao, B. Zhang, M. Zhao, K. Zeng and B. Yin (China)	273
Water use efficiency for grain yield in an old and two more recent maize hybrids M.L. Nagore, A. Della Maggiora, F.H. Andrade and L. Echarte (Argentina)	185	Does maize hybrid intercropping increase yield due to border effects? Y. Wang, Z. Zhao, J. Li, M. Zhang, S. Zhou, Z. Wang and Y. Zhang (China)	283
Responses of cassava growth and yield to leaf harvesting frequency and NPK fertilizer in South Kivu, Democratic Republic of Congo W. Munyahali (Belgium, Democratic Republic of the Congo), P. Pypers (Kenya), R. Swennen (Tanzania, Belgium), J. Walangululu (Democratic Republic of the Congo), B. Vanlauwe (Kenya) and R. Merckx (Belgium)	194	Pooling together spot blotch resistance, high yield with earliness in wheat for eastern Gangetic Plains of South Asia R.R. Saxesena, V.K. Mishra, R. Chand, A.K. Chowdhury, P.M. Bhattacharya and A.K. Joshi (India)	291
Nighttime warming increases winter-sown wheat yield across major Chinese cropping regions C. Zheng, J. Zhang, J. Chen, C. Chen, Y. Tian, A. Deng, Z. Song, M.M. Nawaz (China), K.J. van Groenigen (UK) and W. Zhang (China)	202	Cultivar sensitivity of cotton seed yield to potassium availability is associated with differences in carbohydrate metabolism in the developing embryo W. Hu, Z. Dai, J. Yang (PR China), J.L. Snider (USA), S. Wang, Y. Meng, Y. Wang, B. Chen, W. Zhao and Z. Zhou (PR China)	301

Strong spatial-temporal patterns in maize yield response to nutrient additions in African smallholder farms S. Njoroge (Kenya, The Netherlands), A.G.T. Schut, K.E. Giller (The Netherlands) and S. Zingore (Kenya)	321	The effects of cultivation methods and planting season on biomass yield of Napier grass ( <i>Pennisetum purpureum</i> Schumach.) under rainfed conditions in the northeast region of Thailand M.T. Haegele and W. Arjarn (Thailand)	359
Nitrogen nutrition index predicted by a crop model improves the genomic prediction of grain number for a bread wheat core collection D. Ly (France), K. Chenu (Australia), A. Gauffreteau, R. Rincent, S. Huet, D. Gouache, P. Martre, J. Bordes and G. Charmet (France)	331	Improving nitrogen use efficiency with minimal environmental risks using an active canopy sensor in a wheat-maize cropping system Q. Cao (China), Y. Miao (China, USA), G. Feng, X. Gao, B. Liu, Y. Liu, F. Li (China), R. Khosla, D.J. Mulla (USA) and F. Zhang (China)	365
Long-term effects of pig slurry combined with mineral nitrogen on maize in a Mediterranean irrigated environment E. Martínez, A. Maresma, A. Biau, P. Berenguer, S. Cela, F. Santiveri, A. Michelena and J. Lloveras (Spain)	341	Genetic impact of <i>Rht</i> dwarfing genes on grain micronutrients concentration in wheat G. Velu, R.P. Singh, J. Huerta and C. Guzmán (Mexico)	373
Evaluating effects of four controlling methods in bare strips on soil temperature, water, and salt accumulation under film-mulched drip irrigation S. Tan, Q. Wang, D. Xu, J. Zhang and Y. Shan (China)	350		