

LWT—Food Science and Technology

CONTENTS

Volume 97, November 2018

Research papers

- Food preservatives influence biofilm formation, gene expression and small RNAs in *Salmonella enterica***
A. Lamas, A.M. Paz-Mendez, P. Regal, B. Vazquez, J.M. Miranda, A. Cepeda and C.M. Franco
- Biochemical properties of a novel chitosanase from *Bacillus amyloliquefaciens* and its use in membrane reactor**
Z. Qin, S. Luo, Y. Li, Q. Chen, Y. Qiu, L. Zhao, L. Jiang and J. Zhou
- Transcriptomic analysis by RNA-seq of *Escherichia coli* O157:H7 response to prolonged cold stress**
Y. Li, D. Zhou, S. Hu, X. Xiao, Y. Yu and X. Li
- Efficacy of commercial sanitizers against fungi of concern in the food industry**
A.O. Bernardi, A. Stefanello, M.V. Garcia, G. Parussolo, R.F. Stefanello, C.B. Moro and M.V. Copetti
- Banana liqueur: Optimization of the alcohol and sugar contents, sensory profile and analysis of volatile compounds**
M. de Jesus Filho, L.B. do Carmo, S.M. Della Lucia, S.H. Saraiva, A.V. Costa, V.M. Osório and L.J.Q. Teixeira
- Moringa oleifera* seed extracts as promising natural thickening agents for food industry: Study of the thickening action in yogurt production**
P.H.F. Cardines, A.T.A. Baptista, R.G. Gomes, R. Bergamasco and A.M.S. Vieira
- Cellulose acetate and adsorbents supported on cellulose fiber extracted from waxy corn husks for improving shelf life of frying oil**
P. Udomkun, B. Innawong and N. Jumrusjumroendee
- Probiotic characterization and antioxidant properties of *Weissella confusa* KR780676, isolated from an Indian fermented food**
S. Sharma, S. Kandasamy, D. Kavitate and P.H. Shetty
- Core bacterial community of *soy-daddawa*: Insights from high-throughput DNA metabarcoding**
O.T. Ezeokoli, R.A. Adeleke and C.C. Bezuidenhout
- Fortification of puffed rice extrudates and rice noodles with different calcium salts: Physicochemical properties and calcium bioaccessibility**
M. Janve and R.S. Singhal 67
- 1 Production of recrystallized starch microspheres using water-in-water emulsion and multiple recycling of polyethylene glycol solution**
B.-Z. Li, X.-Q. Xian, Y. Wang, B. Adhikari and D. Chen 76
- 9 Spray- or freeze-drying of casein micelles loaded with Vitamin D2: Studies on storage stability and *in vitro* digestibility**
H. Moeller, D. Martin, K. Schrader, W. Hoffmann and P.Chr. Lorenzen 87
- 17 Evaluation of probiotic *Bacillus subtilis* P229 isolated from *cheonggukjang* and its application in soybean fermentation**
H.-L. Jeon, S.-J. Yang, S.-H. Son, W.-S. Kim, N.-K. Lee and H.-D. Paik 94
- 25 Quality analysis of commercial protein powder supplements and relation to characteristics declared by manufacturer**
A.J. Sánchez-Oliver, J. Contreras-Calderón, J.M. Puya-Braza and E. Guerra-Hernández 100
- 31 Evaluation of Chios mastic gum as antimicrobial agent and matrix forming material targeting probiotic cell encapsulation for functional fermented milk production**
A. Terpou, P.S. Nigam, L. Bosnea and M. Kanellaki 109
- 39 Histochemical and ultrastructural characterization of easy-to-cook and hard-to-cook carioca bean genotypes**
B.S. Siqueira, K.F. Fernandes, P.V.A. Brito and F.C.A. Santos 117
- 45 Efficacy of limonene nano coatings on post-harvest shelf life of strawberries**
R. Dhital, N.B. Mora, D.G. Watson, P. Kohli and R. Choudhary 124
- 53 Comparative dynamics of fish by-catch hydrolysis through chemical and microbial methods**
Z. Khiari and B. Mason 135
- 61**

Viability of <i>Lactobacillus plantarum</i> NCIMB 8826 in fermented apple juice under simulated gastric and intestinal conditions <i>D. Roberts, V. Reyes, F. Bonilla, B. Dzandu, C. Liu, A. Chouljenko and S. Sathivel</i>	144	The application of growth-no growth models to directly assess the stability of wholemeal multigrain bread towards <i>Penicillium paneum</i> LMQA-002 and <i>Paecilomyces variotii</i> LMQA-001 <i>J.L.P. dos Santos, B.S. Silva, M.M. Furtado, L.L.P. Morassi, A. Vermeulen and A.S. Sant'Ana</i>	231
Effect of microwave-assisted phosphorylation modification on the structural and foaming properties of egg white powder <i>P. Li, Z. Sun, M. Ma, Y. Jin and L. Sheng</i>	151	Dynamic of biogenic amines and precursor amino acids during cabernet sauvignon vinification <i>K. Henríquez-Aedo, O. Galarce-Bustos, P. Aqueveque, A. García and M. Aranda</i>	238
Effect of regenerated cellulose fiber on the physicochemical properties and sensory characteristics of fat-reduced emulsified sausage <i>Y. Zhao, Q. Hou, X. Zhuang, Y. Wang, G. Zhou and W. Zhang</i>	157	Effects of Maillard reaction on bioactivities promotion of anchovy protein hydrolysate: The key role of MRPs and newly formed peptides with basic and aromatic amino acids <i>T. Zhao, Q. Zhang, S. Wang, C. Qiu, Y. Liu, G. Su and M. Zhao</i>	245
Influence of different storage conditions on physical and sensory properties of freeze-dried <i>Agaricus bisporus</i> slices <i>W. Liuqing, H. Qiuhui, P. Fei, M. Alfred Mugambi and Y. Wenjian</i>	164	Inactivation of <i>Bacillus cereus</i> spores in infant formula by combination of high pressure and trans-cinnamaldehyde <i>H. Cetin-Karaca and M.C. Morgan</i>	254
Optimization of fermentation parameters with magnetically immobilized <i>Bacillus natto</i> on Ginkgo seeds and evaluation of bioactivity and safety <i>N. Guo, X.-R. Song, P. Kou, Y.-P. Zang, J. Jiao, T. Efferth, Z.-M. Liu and Y.-J. Fu</i>	172	Process severity affects texture and color of potato strips baked in pilot-scale infrared Radiant Wall Oven <i>B. Kirmaci and R.K. Singh</i>	261
Characterization and detection of adulterated whey protein supplements using stationary and time-resolved fluorescence spectroscopy <i>C.G. Pereira, J. Andrade, T. Ranquine, I.N. de Moura, R.A. da Rocha, M.A.M. Furtado, M.J.V. Bell and V. Anjos</i>	180	Pigeon pea enzymatic protein hydrolysates and ultrafiltration peptide fractions as potential sources of antioxidant peptides: An in vitro study <i>A.I. Olagunju, O.S. Omoba, V.N. Enujiughha, A.M. Alashi and R.E. Aluko</i>	269
Pregelatinized starches enriched in slowly digestible and resistant fractions <i>E. Agama-Acevedo, L.A. Bello-Perez, J. Lim, B.-H. Lee and B.R. Hamaker</i>	187	Determination of powder flow properties of skim milk powder produced from high-pressure homogenization treated milk concentrates during storage <i>E. Mercan, D. Sert and N. Akin</i>	279
Bacteriophages for pre- and post-contamination biocontrol of artificial <i>Escherichia coli</i> contamination in carrots <i>A. Vaidya, S. Ravindranath and U.S. Annapure</i>	193	Identification of potential spoilage bacteria in farmed shrimp (<i>Litopenaeus vannamei</i>): Application of Relative Rate of Spoilage models in shelf life-prediction <i>S. Don, K.A.M. Xavier, S.T. Devi, B.B. Nayak and N. Kannuchamy</i>	295
Microbiological, physicochemical and sensory characteristics of Turkish fermented sausages (sucuk) coated with chitosan-essential oils <i>E. Demirok Soncu, B. Arslan, D. Ertürk, S. Küçükkaya, N. Özdemir and A. Soyer</i>	198	Inhibitory effects of chitosan on <i>Cronobacter malonicus</i> cells and biofilm formation <i>L. Tong, R. Jiao, X. Zhang, D. Ou, Y. Wang, J. Zhang, Q. Wu and Y. Ye</i>	302
Optimization of gelatin extraction from chicken mechanically deboned meat residue using alkaline pre-treatment <i>A. Erge and Ö. Zorba</i>	205	Preparation of mango kernel fat stearin-based hard chocolate fats via physical blending and enzymatic interesterification <i>J. Jin, C.C. Akoh, Q. Jin and X. Wang</i>	308
Shrinkage and deformation during convective drying of calcium alginate <i>P.O. Vargas, N.R. Pereira, A.O. Guimarães, W.R. Waldman and V.R. Pereira</i>	213	Influence of ultrasound and vacuum assisted drying on papaya quality parameters <i>E. Vieira da Silva Júnior, L. Lins de Melo, R.A. Batista de Medeiros, Z.M. Pimenta Barros and P.M. Azoubel</i>	317
The effect of cultivar and processing method on the stability, flavor, and nutritional properties of winter melon juice <i>X. Sun, E. Baldwin, A. Plotto, R. Cameron, J. Manthey, C. Dorado and J. Bai</i>	223	A potential of brown rice polish as a substrate for the lactic acid and bioactive compounds production by the lactic acid bacteria newly isolated from cereal-based fermented products <i>R. Jukonyte, D. Zadeike, E. Bartkiene, V. Lele, D. Cernauskas, S. Suproniene and G. Juodeikiene</i>	323

Probiotic characteristics in <i>Saccharomyces cerevisiae</i> strains: Properties for application in food industries <i>P. Fernandez-Pacheco, M. Arévalo-Villena, A. Bevilacqua, M.R. Corbo and A. Briones Pérez</i>	332	Fermentative degradation of Patulin by <i>Saccharomyces cerevisiae</i> in aqueous solution <i>M. Li, W. Chen, Z. Zhang, Z. Zhang and B. Peng</i>	427
Protein and lipid oxidations in jerky chicken and consequences on sensory quality <i>F.A.P. Silva, M. Estévez, V.C.S. Ferreira, S.A. Silva, L.T.M. Lemos, E.I. Ida, M. Shimokomaki and M.S. Madruga</i>	341	Effect of lactic acid and ajwain (<i>Carum copticum</i>) on the biogenic amines and quality of refrigerated common carp (<i>Cyprinus carpio</i>) <i>S.M.A. Noori, S. Khanzadi, A. Fazlara, H. Najafzadehvarzi and M. Azizzadeh</i>	434
Texture, rheology and fat bloom study of 'chocolates' made from cocoa butter equivalent synthesized from illipe butter and palm mid-fraction <i>A. Bahari and C.C. Akoh</i>	349	Improving survivability of <i>Lactobacillus plantarum</i> in alginate-chitosan beads reinforced by Natripolyphosphate dual cross-linking <i>A.S. Vaziri, I. Alemzadeh and M. Vossoughi</i>	440
Physicochemical characteristics and microbial safety of defatted bovine heart and its lipid extracted with supercritical-CO ₂ and solvent extraction <i>M.S. Rahman, J.-K. Seo, S.-G. Choi, K. Gul and H.-S. Yang</i>	355	Potato (<i>Solanum tuberosum</i> L.) nutritional changes associated with French fry processing: Comparison of low-temperature long-time and high-temperature short-time blanching and frying treatments <i>N.Z. Ngobese and T.S. Workneh</i>	448
Utilization of Ca ²⁺ -induced setting of alginate or low methoxyl pectin for noodle production from <i>Japonica</i> rice <i>Y. Nitta, Y. Yoshimura, N. Ganeko, H. Ito, N. Okushima, M. Kitagawa and K. Nishinari</i>	362	Nutritional quality, phenolics, and antioxidant capacity of mung bean paste obtained from seeds soaked in sodium bicarbonate <i>M. Sikora, M. Świeca, U. Gawlik-Dziki, U. Złotek and B. Baraniak</i>	456
Enhancing rosemary oil-in-water microfluidized nanoemulsion properties through formulation optimization by response surface methodology <i>R. Llinares, J. Santos, L.A. Trujillo-Cayado, P. Ramírez and J. Muñoz</i>	370	Fat blocking roles of fish proteins in fried fish cake <i>S. Supawong, J.W. Park and S. Thawornchinsombut</i>	462
Development and validation of UHPLC-HRMS methodology for the determination of flavonoids, amino acids and organosulfur compounds in black onion, a novel derived product from fresh shallot onions (<i>Allium cepa</i> var. <i>aggregatum</i>) <i>J.M. Moreno-Rojas, A. Moreno-Ortega, J.L. Ordóñez, R. Moreno-Rojas, J. Pérez-Aparicio and G. Pereira-Caro</i>	376	Development of healthy crispy carrot snacks using sequential infrared blanching and hot air drying method <i>J. Chen, C. Venkitasamy, Q. Shen, T.H. McHugh, R. Zhang and Z. Pan</i>	469
Gellan-based coatings incorporated with natural antimicrobials in fresh-cut strawberries: Microbiological and sensory evaluation through refrigerated storage <i>B. Tomadoni, M.R. Moreira, M. Pereda and A.G. Ponce</i>	384	Sweetness and sensory properties of commercial and novel oligosaccharides of prebiotic potential <i>L. Ruiz-Aceituno, O. Hernandez-Hernandez, S. Kolida, F.J. Moreno and L. Methven</i>	476
Comparative study of cooking quality, microstructure, and textural and sensory properties between fresh wheat noodles prepared using sodium chloride and salt substitutes <i>H.-L. Tan, T.-C. Tan and A.M. Easa</i>	396	Starch-gelatin antimicrobial packaging materials to extend the shelf life of chicken breast fillets <i>O. Moreno, L. Atarés, A. Chiralt, M.C. Cruz-Romero and J. Kerry</i>	483
Stability, physical properties and acceptance of salad dressings containing saffron (<i>Crocus sativus</i>) or pomegranate juice powder as affected by high shear (HS) and ultrasonication (US) process <i>O. Kalisa, S. Yanniotis, M. Polissiou and I. Mandala</i>	404	Ascorbic acid-enriched goat milk may be a suitable vehicle for iron fortification <i>R.J.C. Stewart, A. Smialowska, K.C. Pedley and A.J. Carr</i>	491
Absence of a continuous water spray system does not influence the microbiological contamination of the conveyor belts in chicken slaughterhouses <i>V.M. Soares, C. Viana, J.G. Pereira, M.T. Destro, L.A. Nero, L.d.S. Bersot and J. Paes de Almeida Nogueira Pinto</i>	414	Effects of solid-state fermentation and proteolytic hydrolysis on defatted soybean meal <i>Y. Zhao, D. Sun-Waterhouse, M. Zhao, Q. Zhao, C. Qiu and G. Su</i>	496
Exopolysaccharide producing <i>Lactobacillus plantarum</i> SKT109 as adjunct culture in Cheddar cheese production <i>J. Wang, X. Fang, T. Wu, W. Min and Z. Yang</i>	419	Applications and effects of monoglycerides on frozen dessert stability <i>L.Y. Lee, N.L. Chin, E.S. Christensen, C.H. Lim, Y.A. Yusof and R.A. Talib</i>	508
		Development of a starch/gum-based edible coating for rice cakes to retard retrogradation during storage <i>H. Eom, Y. Chang, E.-s. Lee, H.-D. Choi and J. Han</i>	516
		Effects of extraction pH of chia protein isolates on functional properties <i>D.N. López, R. Ingrassia, P. Busti, J. Wagner, V. Boeris and D. Spelzini</i>	523
		Inactivation of yeast in apple juice using gas-phase surface discharge plasma treatment with a spray reactor <i>Y. Wang, T. Wang, Y. Yuan, Y. Fan, K. Guo and T. Yue</i>	530

Bacterial community succession and metabolite changes during sufu fermentation <i>X. Huang, S. Yu, B. Han and J. Chen</i>	537	Inoculation strategies to improve persistence and implantation of commercial <i>S. cerevisiae</i> strains in red wines produced with prefermentative cold soak <i>Y.P. Maturano, M.C. Lerena, M.V. Mestre, L.F. Casassa, M.E. Toro, F. Vazquez, L. Mercado and M. Combina</i>	648
Antimicrobial polymer coatings with efficacy against pathogenic and spoilage microorganisms <i>Y.-T. Hung, L.A. McLandsborough, J.M. Goddard and L.J. Bastarrachea</i>	546	Quality aspects of fillet, loin and tail products made from live-stored feed-deprived Atlantic cod (<i>Gadus morhua</i> L.) at different times <i>post mortem</i> <i>T.N. Ageeva, R.L. Olsen, S. Joensen and M. Esaiassen</i>	656
Hot water treatment as a kill-step to inactivate <i>Escherichia coli</i> O157:H7, <i>Salmonella enterica</i>, <i>Listeria monocytogenes</i> and <i>Enterococcus faecium</i> on in-shell pecans <i>K. Kharel, V.K. Yemireddy, C.J. Graham, W. Prinyawiwatkul and A. Adhikari</i>	555	Effects of proteolysis and transglutaminase crosslinking on physicochemical characteristics of walnut protein isolate <i>A.-M. Shi, B. Jiao, H.-Z. Liu, S. Zhu, M.-j. Shen, X.-L. Feng, H. Hu, L. Liu, S. Faisal, Q. Wang and B. Adhikari</i>	662
Influence of acerola pulp concentration on mead production by <i>Saccharomyces cerevisiae</i> AWRI 796 <i>T.S. Amorim, S.d.B. Lopes, J.A.C. Bispo, C.F.S. Bonafe, G.B.M. de Carvalho and E.A. Martínez</i>	561	Incorporation of natural colorants obtained from edible flowers in yogurts <i>T.C.S.P. Pires, M.I. Dias, L. Barros, J.C.M. Barreira, C. Santos-Buelga and I.C.F.R. Ferreira</i>	668
Process optimization and anti-oxidative activity of peanut meal Maillard reaction products <i>Z. Qinzhu, C. Yan-ling, S. Dong-xiao, B. Tian, Y. Yang and H. Shan</i>	573	Reduction of formaldehyde residues induced by the thermal decomposition of trimethylamine oxide during the processing and storage of jumbo squid (<i>Dosidicus gigas</i>) <i>T. Zhang, X. Xin, Y. Xue, Y. Zhao and C. Xue</i>	676
Effect of infrared heating of pre-soaked whole and dehulled bambara groundnut (<i>Vigna subterranea</i>) seeds on their cooking characteristics and microstructure <i>O.M. Ogundele and M.N. Emmambux</i>	581	Sensory metabolites profiling in <i>Myristica fragrans</i> (Nutmeg) organs and in response to roasting as analyzed <i>via</i> chemometric tools <i>M.A. Farag, E. Mohsen and A.E.N.G. El-Gendy</i>	684
Industrial production of a balanced virgin olive oil <i>A.M. Vidal, S. Alcalá, A. de Torres, M. Moya and F. Espínola</i>	588	Development and comparison of a porcine gelatin detection system targeting mitochondrial markers for Halal authentication <i>S.S.N. Kang, H.G. Lee and H. Kim</i>	697
Polyphenols of coloured-flesh potatoes as native antioxidants in stored fried snacks <i>A. Nems and A. Peksa</i>	597	Investigation of inhibition of lipid oxidation by L-carnosine using an oxidized-myoglobin-mediated washed fish muscle system <i>S. Xiao, H. Zhuang, G. Zhou and J. Zhang</i>	703
Inactivation kinetics of pectin methyl esterase in the microwave-assisted pasteurization of orange juice <i>A.F.O. Brugos, J.A.W. Gut and C.C. Tadini</i>	603	Electrospun thyme essential oil/gelatin nanofibers for active packaging against <i>Campylobacter jejuni</i> in chicken <i>L. Lin, Y. Zhu and H. Cui</i>	711
Non-destructive measurement of salt using NIR spectroscopy in the herring marinating process <i>M.H. Laub-Ekgreen, B. Martinez-Lopez, F. Jessen and T. Skov</i>	610	Biofilm reduction potential of micro-plasma discharged water (m-PDW) against the microbes isolated from a tofu manufacturing plant <i>M.-H. Kim, M.S.I. Khan, K.-W. Lee and Y.-J. Kim</i>	719
Effects of enzymatic hydrolysis on the chemical constituents in jujube alcoholic beverage fermented with <i>Torulaspora delbrueckii</i> <i>J. Guo, Y. Yan, M. Wang, Y. Wu, S.-Q. Liu, D. Chen and Y. Lu</i>	617	The use of soft fresh cheese manufactured from freeze concentrated milk as a novelty protective matrix on <i>Bifidobacterium</i> BB-12 survival under <i>in vitro</i> simulated gastrointestinal conditions <i>I.d.B. Muñoz, S. Verruck, M.H.M. Canella, C.O. Dias, R.D.d.M.C. Amboni and E.S. Prudencio</i>	725
Edible films and coatings based on mango (var. Ataulfo) by-products to improve gas transfer rate of peach <i>C. Torres-León, A.A. Vicente, M.L. Flores-López, R. Rojas, L. Serna-Cock, O.B. Alvarez-Pérez and C.N. Aguilar</i>	624	Biogenic amine production by nonstarter strains of <i>Lactobacillus curvatus</i> and <i>Lactobacillus paracasei</i> in the model system of Dutch-type cheese <i>V. Pachlová, L. Buřková, R. Flasarová, R.-N. Salek, A. Dlabajová, I. Butor and F. Buřka</i>	730
Interaction of salt content and processing conditions drives the quality response in streaky rashers <i>G. Delgado-Pando, P. Allen, J.P. Kerry, M.G. O'Sullivan and R.M. Hamill</i>	632		
Ultrasound-assisted bleaching of canola oil: Improve the bleaching process by central composite design <i>N.C. Icyer and M.Z. Durak</i>	640		

- Effects of water extractable and unextractable pentosans on dough and bread properties of hard wheat cultivars**
S. Arif, M. Ahmed, Q. Chaudhry and A. Hasnain 736
- Insights into a century of breeding of durum wheat in Tunisia: The properties of flours and starches isolated from landraces, old and modern genotypes**
F. Boukid, E. Vittadini, B. Prandi, M. Mattarozzi, M. Marchini, S. Sforza, R. Sayar, Y.W. Seo, I. Yacoubi and M. Mejri 743
- Anti quorum sensing and anti biofilm efficacy of cinnamaldehyde encapsulated chitosan nanoparticles against *Pseudomonas aeruginosa* PAO1**
P. Subhaswaraj, S. Barik, C. Macha, P.V. Chiranjeevi and B. Siddhardha 752
- Qualitative and quantitative analysis of chlorpyrifos residues in tea by surface-enhanced Raman spectroscopy (SERS) combined with chemometric models**
J. Zhu, A.A. Agyekum, F.Y.H. Kutsanedzie, H. Li, Q. Chen, Q. Ouyang and H. Jiang 760
- Effect of grape (*Vitis labrusca* L.) pomace dried by different methods on physicochemical, microbiological and bioactive properties of yoghurt**
M. Demirkol and Z. Tarakci 770
- Extrusion cooking of cassava-soy flour with 200 g/kg wheat bran promotes slower oral processing during consumption of the instant porridge and higher derived satiety**
D.A. Oladiran, M.N. Enmambux and H.L. de Kock 778
- Storage stability of sorghum phenolic extracts' flavones luteolin and apigenin**
J. Bradwell, M. Hurd, P. Pangloli, A. McClure and V.P. Dia 787
- Physicochemical and antimicrobial properties of kefiran /waterborne polyurethane film incorporated with essential oils on refrigerated ostrich meat**
F. Hedayati Rad, A. Sharifan and G. Asadi 794
- Functional properties of protein isolates from bell pepper (*Capsicum annuum* L. var. *annuum*) seeds**
M. Li, X. Wen, Y. Peng, Y. Wang, K. Wang and Y. Ni 802
- Modeling inhibition effects of *Lactobacillus plantarum* subsp. *plantarum* CICC 6257 on growth of *Listeria monocytogenes* in ground pork stored at CO₂-rich atmospheres**
W. Zhang, X. Wang, C. Xu, Y. Chen, W. Sun, Q. Liu and Q. Dong 811
- Quality changes in fat-reduced sausages by partial replacing sodium chloride with other chloride salts during five weeks of refrigeration**
S.-K. Jin, J.-w. Hwang, S.J. Hur and G.-D. Kim 818
- Comparative analysis of chemical composition, antimicrobial and antioxidant activity of citrus essential oils from the main cultivated varieties in China**
J.-j. Guo, Z.-p. Gao, J.-l. Xia, M.A. Ritenour, G.-y. Li and Y. Shan 825
- Short communications**
- Immunomagnetic separation combined with RT-qPCR for evaluating the effect of disinfectant treatments against norovirus on food contact surfaces**
H.-M. Lee, J.-S. Yang, S.-R. Yoon, J.Y. Lee, S.-J. Kim, H.-W. Lee, S.H. Kim and J.-H. Ha 83
- Lipid fraction and fatty acid profile changes in low-salt fermented fish as affected by processing stage and inoculation of autochthonous starter cultures**
Y. Xu, Y. Xie, W. Xia, J.M. Regenstein and P. Gao 289
- Mineral profile as a potential parameter for verifying the authenticity of bracinga honeydew honeys**
G. Bergamo, S.K. Tischer Seraglio, L.V. Gonzaga, R. Fett and A.C.O. Costa 390
- Comparison of traditional and backslipping methods for kefir fermentation based on physicochemical and microbiological characteristics**
D.-H. Kim, D. Jeong, K.-Y. Song and K.-H. Seo 503
- Evaluation of chickpea as alternative to soy in plant-based beverages, fresh and fermented**
S. Wang, V. Chelikani and L. Serventi 570
- Comparison between the 3M MDS® method and phenotypic methods to detect *Salmonella* spp. in foods**
G. Bergamo, C.D. Timm, N.R. Carvalho, E. Helbig and E.A. Gandra 693