

CONTENTS

Patterns as early warnings

- Effects of long-term nitrogen and phosphorus addition on plant defence compounds in a freshwater wetland
L. Shan, C. Song, X. Zhang and J. Ren (PR China)
- A novel methodology based on LCA + DEA to detect eco-efficiency shifts in wastewater treatment plants
D. Torregrossa, A. Marvuglia and U. Leopold (Luxembourg)
- Suitability of NDVI and OSAVI as estimators of green biomass and coverage in a semi-arid rangeland
R.R. Fern, E.A. Foxley, A. Bruno and M.L. Morrison (USA)
- Relations between rare earth elements accumulation in *Taraxacum officinale* L. and land use in an urban area – A preliminary study
K. Borowiak, M. Lisiak, J. Kanclerz, A. Budka, M. Mleczek, P. Niedzielski, A. Adamska and E. Janicka (Poland)
- The environmental sustainability evaluation of an urban tap water treatment plant based on emergy
Y. Qi, X. Zhang (PR China), X. Yang (China), Y. Lv, J. Wu, L. Lin, Y. Xiao, H. Qi, X. Yu and Y. Zhang (PR China)
- Analysis of the ecological relationships and hierarchical structure of Beijing's nitrogen metabolic system
Y. Zhang, X. Zhang and X. Zhao (PR China)
- Using NDVI time series to diagnose vegetation recovery after major earthquake based on dynamic time warping and lower bound distance
X. Zhang, M. Wang, K. Liu, J. Xie and H. Xu (China)
- The 'niche' city: A multifactor spatial approach to identify local-scale dimensions of urban complexity
L. Salvati (Italy)
- How external trade reshapes air pollutants emission profile of an urban economy: A case study of Macao
J. Li, M. Shi, P. Cai, B.A. Galvez Campos, X. Song, B. Chen, Q. Yang and H. Chen (China) 74
- 1 Threatened grassland butterflies as indicators of microclimatic niches along an elevational gradient – Implications for conservation in times of climate change
G. Stuhldreher and T. Fartmann (Germany) 83
- 7 High degree of philopatry is required for mobile insects used as local indicators in biodiversity studies
A. Talašová, J. Straka, J. Hadrava, D. Benda, F. Kocourek and J. Kazda (Czech Republic) 99
- 16 Pattern and driving factor of intense defoliation of rubber plantations in SW China
Y. Lin, Y. Zhang, W. Zhao, Y. Dong, X. Fei, Q. Song, L. Sha (China), S. Wang (Canada) and J. Grace (United Kingdom) 104
- 22 Analyzing spatio-temporal changes and trade-offs to support the supply of multiple ecosystem services in Beijing, China
X. Sun (China, USA), Z. Lu (USA, PR China), F. Li (China) and J.C. Crittenden (USA) 117
- 28 Photosynthetic gas-exchange and PSII photochemical acclimation to drought in a native and non-native xerophytic species (*Artemisia ordosica* and *Salix psammophila*)
Y.J. Wu, C. Ren, Y. Tian, T.S. Zha, P. Liu, Y.J. Bai, J.Y. Ma, Z.R. Lai (PR China) and C.P.-A. Bourque (PR China, Canada) 130
- 39 Impact of unusual monsoonal rainfall in structuring meiobenthic assemblages at Sundarban estuarine system, India
M. Ghosh, S. Mandal and M. Chatterjee (India) 139
- 52 Soil quality indicators – From soil functions to ecosystem services
T. Drobnik, L. Greiner, A. Keller and A. Grêt-Regamey (Switzerland) 151
- 62

- Investigating 'risk' of groundwater drought occurrences by using reliability analysis
S. Sadeghfam, A. Ehsanitarbar (Iran), R. Khatibi (UK) and R. Daneshfaraz (Iran) 170
- Macrophyte assessment in European lakes: Diverse approaches but convergent views of 'good' ecological status
S. Poikane (Italy), R. Portielje (The Netherlands), L. Denys (Belgium), D. Elferts (Latvia), M. Kelly (United Kingdom), A. Kolada (Poland), H. Mäemets (Estonia), G. Phillips (United Kingdom), M. Søndergaard (Denmark), N. Willby (United Kingdom) and M.S. van den Berg (The Netherlands) 185
- Selecting indicators based on biodiversity surrogacy and environmental response in a riverine network: Bringing operationality to biomonitoring
F. Valente-Neto, M.E. Rodrigues (Brazil) and F.d.O. Roque (Brazil, Australia) 198
- Effects of hydrological variables on structuring morphological trait (cell size) of diatom community in a lowland river
X. Sun, N. Wu, C. Faber and N. Fohrer (Germany) 207
- Minimising the limitations of using dietary analysis to assess foodweb changes by combining multiple techniques
C. Horswill, J.A. Jackson, R. Medeiros, R.W. Nowell, P.N. Trathan and T.C. O'Connell (United Kingdom) 218
- An assessment of the state of nature in the United Kingdom: A review of findings, methods and impact
F. Burns, M.A. Eaton, D.B. Hayhow, C.L. Outhwaite, N. Al Fulajj, T.A. August, K.L. Boughey, T. Brereton, A. Brown, D.J. Bullock, T. Gent, K.A. Haysom, N.J.B. Isaac, D.G. Johns, C.R. Macadam, F. Mathews, D.G. Noble, G.D. Powney, D.W. Sims, S.M. Smart, P. Stroh, K.J. Walker, J.R. Webb, T.J. Webb and R.D. Gregory (UK) 226
- How reliable is my historical land-use reconstruction? Assessing uncertainties in old cadastral maps
M. Forejt, M. Dolejš and P. Raška (Czech Republic) 237
- Spatio-temporal quantification of the trade-offs and synergies among ecosystem services based on grid-cells: A case study of Guanzhong Basin, NW China
B. Li, N. Chen, Y. Wang and W. Wang (China) 246
- Anionic exchange membranes, a promising tool to measure distribution of soil nutrients in tropical multispecific plantations
E.L. Cadre (France), M. Kinkondi, L.-S. Koutika (People's Republic of Congo), D. Epron and L. Mareschal (France) 254
- Exploring management strategies to enhance the provision of ecosystem services in complex smallholder agroforestry systems
F. Andreotti (France, The Netherlands), Z. Mao, P. Jagoret (France), E.N. Speelman (The Netherlands), C. Gary and S. Saj (France) 257
- Leaf $\delta^{13}\text{C}$ as an indicator of water availability along elevation gradients in the dry Himalayas
R. Ale, L. Zhang, X. Li, B.B. Raskoti (China), F.I. Pugnaire (Spain) and T. Luo (China) 266
- A framework for deriving measures of chronic anthropogenic disturbance: Surrogate, direct, single and multi-metric indices in Brazilian Caatinga
X. Arnan (Spain, Brazil), I.R. Leal, M. Tabarelli, J.F. Andrade, M.F. Barros, T. Câmara, D. Jamelli, C.M. Knoechelmann, T.G.C. Menezes, A.G.S. Menezes, F.M.P. Oliveira, A.S. de Paula, S.C. Pereira (Brazil), K.F. Rito (Brazil, Mexico), J.C. Sfair, F.F.S. Siqueira, D.G. Souza, M.J. Specht, L.A. Vieira (Brazil), G.B. Arcoverde and A.N. Andersen (Australia) 274
- Citizen science data facilitate monitoring of rare large carnivores in remote montane landscapes
M.S. Farhadinia (UK), R.J. Moll (USA), R.A. Montgomery (UK, USA), S. Ashrafi (Iran), P.J. Johnson (UK), L.T.B. Hunter (USA, South Africa) and D.W. Macdonald (UK) 283
- Spatio-temporal variations in water use efficiency and its drivers in China over the last three decades
S. Sun, Z. Song, X. Wu, T. Wang, Y. Wu, W. Du, T. Che, C. Huang, X. Zhang, B. Ping, X. Lin, P. Li, Y. Yang and B. Chen (China) 292
- Metal bioaccessibility in a wastewater irrigated soil-wheat system and associated human health risks: Implications for regional thresholds
B. Liu, S. Ai, S. Naeem, J. Ding (China), W. Ji (New Zealand) and Y. Zhang (China) 305
- Multivariable cokriging prediction and source analysis of potentially toxic elements (Cr, Cu, Cd, Pb, and Zn) in surface sediments from Dongting Lake, China
L. Wang, L. Dai, L. Li and T. Liang (China) 312
- Mustelids as bioindicators of the environmental contamination by heavy metals
E. Goretti, M. Pallottini, B.T. Cenci Goga, R. Selvaggi, C. Petroselli, F. Vercillo and D. Cappelletti (Italy) 320
- Urban springtail species richness decreases with increasing air pollution
M. Sterzyńska, P. Nicia, P. Zadrozny (Poland), C. Fiera (Romania), J. Shrubovych (Poland, Ukraine, Czech Republic) and W. Ulrich (Poland) 328
- Revealing the role of livelihood assets in livelihood strategies: Towards enhancing conservation and livelihood development in the Hara Biosphere Reserve, Iran
M. Dehghani Pour, A.A. Barati (Iran), H. Azadi (Germany, Belgium) and J. Scheffran (Germany) 336
- Uncertainty in site classification and its sensitivity to sample size and indicator quality – Bayesian misclassification rate in ecological risk assessment
R. Ottermanns, E. Cramer, B. Daniels, R. Lehmann and M. Roß-Nickoll (Germany) 348
- Improved coupling analysis on the coordination between socio-economy and carbon emission
L. Shen, Y. Huang, Z. Huang, Y. Lou, G. Ye and S.-W. Wong (China) 357
- Improving tropical deforestation detection through using photosynthetic vegetation time series – (PVts- β)
Y. Tarazona (Portugal, Peru), V.M. Mantas and A.J.S.C. Pereira (Portugal) 367

Evaluating anthropogenic landscape alterations as wildlife hazards, with wind farms as an example P.R. Law (South Africa) and M. Fuller (USA)		Indicators of vegetation development in restored wetlands S. Taddeo and I. Dronova (United States)	454
A Mamdani fuzzy inference approach for assessing ecological security in the Pearl River Delta urban agglomeration, China J. Sun (China), Y.P. Li (China, Canada), P.P. Gao and B.C. Xia (China)	380	Assessment of human consumption of ecosystem services in China from 2000 to 2014 based on an ecosystem service footprint model Z. Feng, Y. Cui, H. Zhang and Y. Gao (China)	468
Fine-scale hydrodynamic metrics underlying predator occupancy patterns in tidal stream environments L. Lieber, W.A.M. Nimmo-Smith, J.J. Waggitt and L. Kregting (UK)	386	Complex effects of landscape, habitat and reservoir operation on riparian vegetation across multiple scales in a human-dominated landscape C. Chen, M. Ma, S. Wu, J. Jia and Y. Wang (China)	482
Landscape-scale effects of Christmas-tree plantations in an intensively used low-mountain landscape – Applying breeding bird assemblages as indicators T. Fartmann, S. Kämpfer, J. Brüggeshemke, M. Juchem, F. Klauer, S. Weking and F. Löffler (Germany)	397	Spatiotemporal patterns as indicators of approaching critical transitions S. Kéfi and P. Couteron (France)	491
The added value of geodiversity indices in explaining variation of stream macroinvertebrate diversity O.-M. Kärnä, J. Heino, M. Grönroos and J. Hjort (Finland)	409	Identifying best-indicator species for abrupt transitions in multispecies communities V. Dakos (Switzerland, France)	494
Projections of future land use changes: Multiple scenarios-based impacts analysis on ecosystem services for Wuhan city, China Y. Wang, X. Li (China), Q. Zhang (USA), J. Li and X. Zhou (China)	409	Implications of being discrete and spatial for detecting early warning signals of regime shifts S. Sankaran, S. Majumder (India), S. Kéfi (France) and V. Guttal (India)	503
Identifying components of mixed and contaminated soil samples by detecting specific signatures of control 16S rRNA libraries A.A. Igolkina (Russia), G.A. Grekhov (Netherlands), E.V. Pershina, G.G. Samosorov, V.M. Leunova, A.N. Semenov, O.A. Baturina, M.R. Kabilov and E.E. Andronov (Russia)	420	A null model for assessing the cover-independent role of bare soil connectivity as indicator of dryland functioning and dynamics F. Rodríguez (Spain), Á.G. Mayor (France), M. Rietkerk (The Netherlands) and S. Bautista (Spain)	512
	430	Spatially heterogeneous stressors can alter the performance of indicators of regime shifts A. Génin (France), S. Majumder, S. Sankaran (India), F.D. Schneider (France, Germany), A. Danet (France), M. Berdugo (Spain), V. Guttal (India) and S. Kéfi (France)	520
	446	Extended patchy ecosystems may increase their total biomass through self-replication M. Tlidi (Belgium), I. Bordeu (United Kingdom), M.G. Clerc and D. Escaff (Chile)	534
		Regime shifts by front dynamics Y.R. Zelnik and E. Meron (Israel)	544