

## CONTENTS

### RESEARCH ARTICLES

- Effect of profenofos 50 EC on Tea leaf miner, *Tropicomyia theae* (Cotes)  
— J. Alfred Daniel and K. Ramaraju 231
- Efficacy of new insecticide combinations and alone application against leaf folder, *Cnaphalocrocis medinalis* (Guenee) in Rice crop — Kamal Ravi Sharma and S.V.S. Raju 236
- Bio-efficacy of insecticidal mixtures against sucking pests of Brinjal (*Solanum melongena* L.)  
— S.A. Nevgi, S.A. Pawar, R.V. Datkhile and M.N. Bhalekar 240
- Evaluation of insecticides against yellow stem borer, *Scirpophaga incertulas* (Walk.) in Rice  
— R.P. Soundararajan and Gururaj Katti 244
- Rice Genotypes resistant to Brown plant hopper, *Nilaparvata lugens* (Stål) population of West Godavari, Andhra Pradesh — V. Sunil, V. Jhansi Lakshmi, K. Chiranjeevi, M. Sampathkumar, J.S. Bentur and G.R. Katti 249
- Evaluation of management strategies against pests of Chilli (*Capsicum annuum* Linn.) — S.A. Pawar, A.G. Ingale, M.N. Bhalekar and R.V. Datkhile 256
- Population distribution of insect pests of cole crops and its management by neem based bio-pesticides in Gurugram district, Haryana — Bharat Singh, B.K. Goswami, Neetu Singh and Satyendra Singh 260
- Biology of *Helicoverpa armigera* (Hübner) on Chick pea based artificial diet under laboratory condition  
— Snehel Chakravarty, C.P. Srivastava and Ram Keval 265
- Screening of sugarcane clones for resistance to Early shoot borer and Internode borer — J. Jayakumar 270
- Safety of *Chromolaena odorata* (Asteraceae) leaf extracts against *Trichogramma japonicum* Ashmead  
— Surajit Kalita and Lakshmi Kanta Hazarika 276
- Seasonal incidence of major insect pests of Brinjal, *Solanum melongena* L. under Agro climatic conditions of Varanasi region — L.C. Raidu, R.S. Meena and M.A. Laichattiwari 281
- Biology and morphometry of Rice leaf folder, *Cnaphalocrocis medinalis* (Guen.) under Allahabad condition  
— Ravi Chandra Menthula, Anoorag R. Tayde and Sobita Simon 284
- Field efficacy of insecticides and bioinoculants against white grub in Sugarcane — S. Dowressamy, V. Ravichandran and J. Jayakumar 287
- Occurrence of polyhouse Vegetable pests in Kerala — P. Sreeja, Mani Chellappan and R. Anuja 291

Field reaction of selected Sugarcane hybrids and <i>Erianthus arundinaceus</i> genotypes against shoot borer <i>Chilo infuscatellus</i> , Snellen — M. Punithavalli and K.P. Salin	296
Evaluation of Grainsafe II <sup>TM</sup> Hermetic Silo Bag for storage of Rice seed — S.V.S. Gopala Swamy, R. Lakshmi pathy, D. Saida Naik and B. John Wesley	301
Comparative morphological study of Genus <i>Fascellina</i> (Lepidoptera: Geometridae: Ennominae) in Tamil Nadu — P. Kiruthika, C. Chinniah and N. Chitra	305
Effect of planting dates on dynamics of natural enemies of aphids infesting <i>Brassica campestris</i> , <i>Brassica oleracea</i> var. <i>capitata</i> and <i>Brassica oleracea</i> var. <i>botrytis</i> — Shabistana Nisar and Parvez Qamar Rizvi	312
Monitoring to Tobacco Beetle, <i>Lasioderma serricorne</i> (Fab.) in Turmeric store houses — N. Chaitanya and S.V.S. Gopala Swamy	316
Effect of abiotic factors on Coccinellids population under Mustard Agro-ecosystem — G.T. Shruti, N.N. Singh, Babli Bagri and V.K. Mishra	319
Fungicidal screening of novel halogenated Schiff based derived secondary amines against <i>Rhizoctonia bataticola</i> and <i>Macrophomina phaseolina</i> — Braj Bhushan Singh, Najam Akhtar Shakil, Anuradha Mishra, Prashant Kaushik, Sujan Majumder and Virendra S. Rana	322
Incidence of pod rot of Groundnut ( <i>Arachis hypogaea</i> L.) in Chittoor and Anantapur districts of Andhra Pradesh — P. Ramanjineyulu, K. Viswanath, M. Reddi Kumar and P. Sumathi	328
<i>In vitro</i> Screening of <i>Trichoderma</i> spp. for their antagonism against Soil-borne Fungi — Erayya, Kumar, J., Nandani Shukla, Kahkashan Arzoo and Santosh Kumar	332
Status of adoption to Guava wilt management practices in Eastern Uttar Pradesh — Manoj Choudhary, H.S. Singh and Jitendra Singh	337
Anti-fungicidal activity of medicinal plant leaf extract to control seed mycoflora of Urdbean ( <i>Vigna mungo</i> L.) — Anil Kumar Kushwaha	341
Investigation on antimutagenic effects of neem extract against lead induced genotoxicity in <i>Allium cepa</i> L. — Shalini Singh, Anjali Singh, Aradhana Singh and Meenakshee Pandey	344
Management of root grub [ <i>Holotrichea longipennis</i> (Blanch)] infesting ginger ( <i>Zingiber officinale</i> Rosc.) through entomopathogenic nematodes— Rashid Pervez and Rajkumar	348
Sustainable management of root knot nematode, <i>Meloidogyne incognita</i> by humic acid in Chilli ( <i>Capsicum annuum</i> ) — G. Jothi and K. Poornima	352
Effect of interaction between Arbuscular Mycorrhizal fungi ( <i>Glomus fasciculatum</i> ) and root knot nematode ( <i>Meloidogyne incognita</i> ) on Tomato — B.K. Samal, J.K. Mahalik, B.K. Dash and Jitendra Patasani	355
Status and yield loss assessment of Rice root-knot nematode, <i>Meloidogyne graminicola</i> infestation in Siddharthnagar district, Uttar Pradesh — Faheem Ahamad and Mujeebur Rahman Khan	360
Studies on life stages of reniform nematode, <i>Rotylenchulus reniformis</i> on Papaya — M. Sruthi, A. Shanthi, P. Vetrivelkalai and C. Kavitha	365
Bio-efficacy of Emamectin Benzoate for managemnt of <i>Meloidogyne incognita</i> in Chilli ( <i>Capsicum annuum</i> L.) — Priyadarshini Das, S.N. Mahapatra and J.K. Mahalik	370
Biological approach for management of nematode in Banana — Debanand Das and Nibedita Borgohain	374

Effect of soil texture on infectivity of root knot nematode ( <i>Meloidogyne incognita</i> ) in Chillies — G. Jothi	378
Herbicide residues <i>vis-a-vis</i> Food safety — Gita Kulshrestha	382

#### **SHORT COMMUNICATIONS**

Evaluation of <i>Citrus aurantifolia</i> to citrus leaf miner, <i>Phyllocnistis citrella</i> Stainton — C.N. Rao, V.N. Dhengre and I.P. Singh	389
Abundance of Chilli Mite, <i>Polyphagotarsonemus latus</i> Banks in relation to climatic condition of South Gujarat — G.D. Hadiya and G.B. Kalariya	390
Species diversity of insect pollinators on medicinal tree, Jammu ( <i>Syzigium cuminii</i> L.) — Vadde Anoosha, Sumit Saini and H.D. Kaushik	392
Bio-efficacy of <i>Bacillus subtilis</i> in management of <i>Meloidogyne incognita</i> infesting Tuberose — Prasanna Holajjer, Tarak Nath Saha and K.S. Girish	393

#### **RESEARCH ARTICLE CONTINUED**

Chemotaxis responses of <i>Meloidogyne incognita</i> towards tomato roots depends on concentration gradient of root exudates <i>in vitro</i> assay — Tagginahalli N. Shivakumara and Uma Rao	396
--	-----