

CONTENTS

| | | | |
|--|----|---|-----|
| Effect of an offshore wind farm on the viviparous eelpout: Biometrics, brood development and population studies in Lillgrund, Sweden O. Langhamer, T.G. Dahlgren (Sweden, Norway) and G. Rosenqvist (Norway) | 1 | An improved method for integrated ecosystem health assessments based on the structure and function of coastal ecosystems: A case study of the Jiangsu coastal area, China D. Tang, X. Liu and X. Zou (China) | 82 |
| Evaluating the stick-gap method in a Mexican tropical dryland: Effect of stick length and sample size L. Ríos-Casanova and H. Godínez-Alvarez (Mexico) | 7 | Soil carbon fractions and biological activity based indices can be used to study the impact of land management and ecological successions J.C. de Moraes Sá, D.R.P. Gonçalves, L.A. Ferreira (Brazil), U. Mishra (USA), T.M. Inagaki (Germany), F.J.F. Furlan, R.S. Moro, N. Floriani, C. Briedis and A. de Oliveira Ferreira (Brazil) | 96 |
| Monitoring riverine thermal regimes on stream networks: Insights into spatial sampling designs from the Snoqualmie River, WA A. Marsha, E.A. Steel, A.H. Fullerton and C. Sowder (USA) | 11 | Imputing missing data in non-renewable empower time series from night-time lights observations L. Neri (Italy), L. Coscieme (Brazil), B.F. Giannetti (Brazil, China) and F.M. Pulselli (Italy) | 106 |
| Climate change adaptation in the western-Himalayas: Household level perspectives on impacts and barriers R. Pandey, P. Kumar (India), K.M. Archie (New Zealand), A.K. Gupta, P.K. Joshi (India), D. Valente and I. Petrosillo (Italy) | 27 | Analysis of spatiotemporal changes of the human-water relationship using water resources constraint intensity index in Northwest China C. Bao and J. Zou (China) | 119 |
| Night-day speed ratio of elephants as indicator of poaching levels F.W. Ihwagi (The Netherlands, Kenya), C. Thouless (Kenya), T. Wang, A.K. Skidmore (The Netherlands), P. Omondi (Kenya) and I. Douglas-Hamilton (Kenya, UK) | 38 | Benthic foraminifera to assess Ecological Quality Statuses in Italian transitional waters V.M.P. Bouchet (France), E. Goberville (France, United Kingdom) and F. Frontalini (Italy) | 130 |
| The Ecological and Conservation Status of The Guadalquivir River Basin (s Spain) Through The Application Of A Fish-based Multimetric Index A. Ramos-Merchante and J. Prenda (Spain) | 45 | River water quality assessment based on a multi-descriptor approach including chemistry, diatom assemblage structure, and non-taxonomical diatom metrics L.K. Pandey (Republic of Korea), I. Lavoie (Canada), S. Morin (France), J. Park, J. Lyu, S. Choi, H. Lee and T. Han (Republic of Korea) | 140 |
| How to assess the impact of fine sediments on the macroinvertebrate communities of alpine streams? A selection of the best metrics A. Doretto, E. Piano, F. Bona and S. Fenoglio (Italy) | 60 | The isopod <i>Eurydice spinigera</i> and the chaetognath <i>Flaccisagitta enflata</i> : How habitat affects bioaccumulation of metals in predaceous marine invertebrates M. Battuello, N. Nurra, P. Brizio, R.M. Sartor, D. Pessani, C. Stella, M.C. Abete and S. Squadrone (Italy) | 152 |
| A functional approach to Hill's numbers for assessing changes in species variety of ecological communities over time F. Maturo and T. Di Battista (Italy) | 70 | | |

(Contents continued on inside back cover)

- On the vulnerability of Small Island Developing States: A dynamic analysis
G. Scandurra, A.A. Romano, M. Ronghi and A. Carfora (Italy) 482
- Ecosystem health assessment of Dongshan Island based on its ability to provide ecological services that regulate heavy rainfall
W. Liyun, Y. Weibin, J. Zhirong, X. Shihong and H. Dongjin (China) 393
- Developing qualitative ecosystem service relationships with the Driver-Pressure-State-Impact-Response framework: A case study on Cape Cod, Massachusetts
D.M. Martin, A.N. Piscopo, M.M. Chintala, T.R. Gleason and W. Berry (USA) 404
- A combined model for river health evaluation based upon the physical, chemical, and biological elements
X. Zhang, Y. Meng, J. Xia, B. Wu and D. She (People's Republic of China) 416
- Uniqueness of sampling site contributions to the total variance of macroinvertebrate communities in the Lower Mekong Basin
R. Sor (France, Cambodia), P. Legendre (Canada) and S. Lek (France) 425
- Effects of wind turbines on spatial distribution of the European hamster
R. Łopucki and K. Perzanowski (Poland) 433
- Water quality response to sustainable restoration measures – Case study of urban Swarzędzkie Lake
J. Rosińska, A. Kozak, R. Dondajewska, K. Kowalczywska-Madura and R. Gołdyn (Poland) 437
- El Niño Southern Oscillation cycle indicator for modeling extreme rainfall intensity over India
V. Agilan and N.V. Umamahesh (India) 450
- Application of lithotopo units for automatic classification of rivers: Concept, development and validation
J. Horacio (Spain, Chile), D.R. Montgomery (USA), A. Ollero, A. Ibasate and A. Pérez-Alberti (Spain) 459
- Identifying spatially and temporally transferrable surrogate measures of species richness
E. Fleishman (USA), J.D.L. Yen, J.R. Thomson, R. Mac Nally (Australia), D.S. Dobkin and M. Leu (USA) 470
- A hidden Markov model approach to indicate Bryde's whale acoustics
R.L. Putland (New Zealand), L. Ranjard (Australia), R. Constantine and C.A. Radford (New Zealand) 479
- Factors determining zooplankton assemblage difference among a man-made lake, connecting canals, and the water-origin river
K. Zhao (China), L. Wang, C. Riseng, K. Wehrly, Y. Pan (USA), K. Song, L. Da, W. Pang, Q. You, H. Tian, S. Liu and Q. Wang (China) 488
- Atmospheric dispersion of trace metals between two smelters: An approach coupling lead, strontium and osmium isotopes from bioindicators
D. Widory, G. Vautour and A. Poirier (Canada) 497
- Plant coverage is more sensitive than species diversity in indicating the dynamics of the above-ground biomass along a precipitation gradient on the Tibetan Plateau
X. Qin, J. Sun and X. Wang (China) 507
- An axiomatic approach to decoupling indicators for green growth
E. Casadio Tarabusi and G. Guarini (Italy) 515
- Towards a more comprehensive assessment of river corridor conditions: A comparison between the Morphological Quality Index and three biotic indices
B. Golfieri, N. Surian and S. Hardersen (Italy) 525
- Valuing urban wetland quality with hedonic price model
Y. Mei (China), B. Sohngen and T. Babb (USA) 535
- The need for validation of ecological indices
P.E. Moriarty, E.E. Hodgson, H.E. Froehlich, S.M. Hennessey, K.N. Marshall, K.L. Oken, M.C. Siple, S. Ko, L.E. Koehn, B.D. Pierce and C.C. Stawitz (United States) 546
- The value of small arable habitats in the agricultural landscape: Importance for vascular plants and the provisioning of floral resources for bees
A.M.E. Söderman, T.I. Street, K. Hall, O. Olsson, H.C. Prentice and H.G. Smith (Sweden) 553
- A search for standardized protocols to detect alien invasive crayfish based on environmental DNA (eDNA): A lab and field evaluation
A.N. Geerts, P. Boets, S. Van den Heede, P. Goethals and C. Van der heyden (Belgium) 564
- Land cover disturbance homogenizes aquatic insect functional structure in neotropical savanna streams
D.M.P. de Castro (Brazil), S. Dolédec (France) and M. Callisto (Brazil) 573
- Determination and distribution of region-specific background Secchi depth based on long-term monitoring data in the Seto Inland Sea, Japan
W. Nishijima, A. Umehara, S. Sekito, F. Wang, T. Okuda and S. Nakai (Japan) 583
- A novel approach to phytosociological classification of weeds flora of an agro-ecological system through Cluster, Two Way Cluster and Indicator Species Analyses
M. Iqbal, S.M. Khan, M. Azim Khan, Z. Ahmad and H. Ahmad (Pakistan) 590
- Data envelopment analysis of urban efficiency— Interpretative methods to make DEA a heuristic tool
C. Deilmann, J. Hennersdorf, I. Lehmann and D. Reißmann (Germany) 607
- A quantitative framework for selecting and validating food web indicators
S.A. Otto (Germany, Sweden), M. Kadin (Sweden, USA), M. Casini (Sweden), M.A. Torres (Sweden, Portugal) and T. Blenckner (Sweden) 619
- Vulnerability of socio—ecological systems: A conceptual Framework
L.M. Berrouet, J. Machado and C. Villegas-Palacio (Colombia) 632

| | | | |
|---|-----|---|-----|
| Variation in fish mercury concentrations in streams of the Adirondack region, New York: A simplified screening approach using chemical metrics D.A. Burns and K. Riva-Murray (USA) | 648 | Resilience of benthic foraminifera in the Northern Gulf of Mexico following the Deepwater Horizon event (2011–2015) P.T. Schwing, B.J. O'Malley and D.J. Hollander (United States) | 753 |
| Selecting fungal disturbance indicators to compare forest soil profile re-construction regimes N. Sukdeo, E. Teen, P.M. Rutherford, H.B. Massicotte and K.N. Egger (Canada) | 662 | Evaluating statistical models to measure environmental change: A tidal turbine case study H.L. Linder and J.K. Horne (USA) | 765 |
| Harmonisation of a new assessment method for estimating the ecological quality status of Greek running waters M. Lazaridou, C. Ntislidou, I. Karaouzas and N. Skoulikidis (Greece) | 683 | Estimating vegetation biomass and cover across large plots in shrub and grass dominated drylands using terrestrial lidar and machine learning K.E. Anderson, N.F. Glenn, L.P. Spaete, D.J. Shinneman, D.S. Pilliod, R.S. Arkle, S.K. McIlroy and D.R. Derryberry (United States) | 793 |
| The relevance of host overcrowding in wildlife epidemiology: A new spatially explicit aggregation index E. Laguna, J.A. Barasona, R. Triguero-Ocaña (Spain), M. Mulero-Pázmány (Spain, Ecuador), J.J. Negro, J. Vicente and P. Acevedo (Spain) | 695 | Leaf Attenuated Total Reflection Fourier Transform Infrared (ATR-FTIR) biochemical profile of grassland plant species related to land-use intensity R. Rana (Germany, Bangladesh), K. Herz, H. Bruelheide, S. Dietz, S. Haider, U. Jandt and R. Pena (Germany) | 803 |
| The economic value of fisheries harvest supported by saltmarsh and mangrove productivity in two Australian estuaries M.D. Taylor, T.F. Gaston and V. Raoult (Australia) | 701 | Evaluation of agricultural water demand under future climate change scenarios in the Loess Plateau of Northern Shaanxi, China S.K. Sun, C. Li, P.T. Wu, X.N. Zhao and Y.B. Wang (China) | 811 |
| Use of macroalgae to biomonitor pollutants in coastal waters: Optimization of the methodology R. García-Seoane, J.A. Fernández, R. Villares and J.R. Aboal (Spain) | 710 | Quantitative evaluation of the spatial resilience to the <i>B. oleae</i> pest in olive grove socio-ecological landscapes at different scales A.J. Rescia and M. Ortega (Spain) | 820 |
| Characteristics of dissolved organic nitrogen in overlying water of typical lakes of Yunnan Plateau, China L. Zhang, K. Xu (PR China, China), S. Wang, S. Wang, Y. Li, Q. Li and Z. Meng (China) | 727 | The simpler the better: When decreasing landscape complexity increases community stability Z. László, L. Rákósy (Romania) and B. Tóthmérész (Hungary) | 828 |
| Evaluating the timing of the start of the Anthropocene from Northeast China: Applications of stratigraphic indicators H. Liu, C. Gao, C. Wei, C. Wang, X. Yu and G. Wang (China) | 738 | Trade-offs and synergies in ecosystem services for the Yinchuan Basin in China B. Li and W. Wang (China) | 837 |
| Ecological environmental early-warning model for strategic emerging industries in China based on logistic regression L.-y. Sun, C.-l. Miao and L. Yang (China) | 748 | Forest history and epiphytic lichens: Testing indicators for assessing forest autochthony in Switzerland L. Dymytrava, U.-B. Brändli, C. Ginzler and C. Scheidegger (Switzerland) | 847 |

| | | | |
|---|-----|---|-----|
| An allometric tragedy of the commons: Response to the article "Evaluation of models capacity to predict size spectra parameters in ecosystems under stress" C. Mulder (The Netherlands), G. Mancinelli and G. Zurlini (Italy) | 161 | Corrigendum to "Testing the performances of automated identification of bat echolocation calls: A request for prudence" [Ecol. Indic. 78 (2017) 416-420] J. Rydell, S. Nyman, J. Eklöf (Sweden), G. Jones (UK) and D. Russo (UK, Italy) | 273 |
| Living in habitats affected by wind turbines may result in an increase in corticosterone levels in ground dwelling animals R. Łopucki, D. Klich, A. Ścibior, D. Gołębiowska and K. Perzanowski (Poland) | 165 | Testate amoebae as functionally significant bioindicators in forest-to-bog restoration A.L. Creevy, R. Andersen, J.G. Rowson (UK) and R.J. Payne (UK, Russia) | 274 |
| Towards indicators outlining prospects to reduce car use with an application to European cities N. Bojković, M. Petrović and T. Parezanović (Serbia) | 172 | Fluctuating asymmetry of birch leaves did not increase with pollution and drought stress in a controlled experiment V. Zverev, A.D. Lama and M.V. Kozlov (Finland) | 283 |
| Projecting the impacts of urban expansion on simultaneous losses of ecosystem services: A case study in Beijing, China W. Xie, Q. Huang, C. He and X. Zhao (China) | 183 | Monitoring and evaluation in freeze stress of winter wheat (<i>Triticum aestivum</i> L.) through canopy hyperspectrum reflectance and multiple statistical analysis M. Feng, X. Guo, C. Wang, W. Yang, C. Shi (China), G. Ding (USA), X. Zhang, L. Xiao, M. Zhang and X. Song (China) | 290 |
| Tree related microhabitats in temperate and Mediterranean European forests: A hierarchical typology for inventory standardization L. Larrieu, Y. Paillet (France), S. Winter (Germany), R. Bütler (Switzerland), D. Kraus (Germany), F. Krumm, T. Lachat (Switzerland), A.K. Michel (Germany), B. Regnery (France) and K. Vandekerckhove (Belgium) | 194 | Soil micro-biological indicators separated land use practices in contrast to abiotic soil properties at the 50 km scale under summer warm Mediterranean climate in northern Italy O. Dilly (Germany), L. Pompili and A. Benedetti (Italy) | 298 |
| Are culvert assessment scores an indicator of Brook Trout <i>Salvelinus fontinalis</i> population fragmentation? L.R. Nathan, A.A. Smith, A.B. Welsh and J.C. Vokoun (USA) | 208 | Optimization of ecological node layout and stability analysis of ecological network in desert oasis: a typical case study of ecological fragile zone located at Deng Kou County (Inner Mongolia) Q. Yu, D. Yue, Y. Wang, S. Kai, M. Fang, H. Ma, Q. Zhang and Y. Huang (China) | 304 |
| An attempt to introduce atmospheric CO ₂ concentration data to estimate the gross primary production by the terrestrial biosphere and analyze its effects Z. Sun, X. Wang, H. Yamamoto, H. Tani, G. Zhong and S. Yin (Japan) | 218 | Consequences of drift and carcass decomposition for estimating sea turtle mortality hotspots B.S. Santos, D.M. Kaplan, M.A.M. Friedrichs, S.G. Barco, K.L. Mansfield and J.P. Manning (United States) | 319 |
| Research on environmental efficiency and TFP of Beijing areas under the constraint of energy-saving and emission reduction J. Wen, H. Wang, F. Chen and R. Yu (China) | 235 | Can China achieve its CO ₂ emissions peak by 2030? F. Li, Z. Xu and H. Ma (China) | 337 |
| Combined statistical techniques for the water quality analysis of a natural wetland and evaluation of the potential implementation of a FWS for the area restoration: the Torre Flavia case study, Italy G. Sabia, L. Petta, F. Moretti and R. Ceccarelli (Italy) | 244 | <i>In situ</i> evaluation of the toxicological impact of a wastewater effluent on the fish <i>Prochilodus lineatus</i> : biochemical and histological assessment M.R. Pérez, A.S. Rossi, C. Bacchetta, Y. Elorriaga, P. Carriquiriborde and J. Cazenave (Argentina) | 345 |
| Litter and soil-related variation in functional group abundances in cacao agroforests using structural equation modeling P.H.G. Oliveira, A.C. Gama-Rodrigues, E.F. Gama-Rodrigues and M.V.S. Sales (Brazil) | 254 | Questioning the reliability of "ancient" woodland indicators: Resilience to interruptions and persistence following deforestation J.C. Webb and A.E. Goodenough (UK) | 354 |
| Role of environmental variables in the spatial distribution of soil carbon (C), nitrogen (N), and C:N ratio from the northeastern coastal agroecosystems in China S. Wang (China), K. Adhikari (United States), Q. Wang, X. Jin and H. Li (China) | 263 | Spatial correlation of agri-environmental measures with high levels of ecosystem services A. Frueh-Mueller, C. Krippes, S. Hotes, L. Breuer, T. Koellner and V. Wolters (Germany) | 364 |
| | | Spatial trade-offs and synergies among ecosystem services within a global biodiversity hotspot S. Lin, R. Wu, F. Yang, J. Wang and W. Wu (China) | 371 |