

# INDUSTRIAL CROPS AND PRODUCTS

VOLUME 113

March 2018

## Contents

### Fats and oils

Anatomical and chemical characteristics of leaves and branches of *Juniperus deppeana* var. *deppeana* (Cupressaceae): A potential source of raw materials for the perfume and sweet candies industries

M.L. Rangel, J.A. Guerrero-Analco, J.L. Monribot-Villanueva, A.L. Kiel-Martínez (Mexico), S. Avendaño-Reyes (México), J.P. Díaz Abad, I. Bonilla-Landa, R. Dávalos-Sotelo, J.L. Olivares-Romero (Mexico) and G. Angeles (México)

50

Effect of temperature and water potential on *Carthamus tinctorius* L. seed germination: Quantification of the cardinal temperatures and modeling using hydrothermal time

R. Ostadian Bidgoly, H. Balouchi, E. Soltani and A. Moradi (Iran)

121

Impact of pretreatments on the solid/liquid expression behavior of canola seeds based on the simplified computational method

L. Bogaert, H. Mhemdi and E. Vorobiev (France)

135

Enrichment of minor components from crude palm oil and palm-pressed mesocarp fibre oil via sequential adsorption-desorption strategy

K.Y. Phoon, H.S. Ng, R. Zakaria, H.S. Yim and M.N. Mokhtar (Malaysia)

187

Various strategies elicited and modulated by elevated UV-B radiation and protectant compounds in *Thymus* species:

Differences in response over treatments, acclimation and interaction

A. Shayganfar, M. Azizi and M. Rasouli (Iran)

298

Enzymatic production of green epoxides from fatty acids present in soapstock in a microchannel bioreactor

F. Mashhadi, A. Habibi and K. Varmira (Iran)

324

Nanoencapsulation of *Thymus capitatus* essential oil: Formulation process, physical stability characterization and antibacterial efficiency monitoring

M. Benjema (Japan, Tunisia), M.A. Neves (Japan), H. Falleh (Tunisia), H. Isoda (Japan), R. Ksouri (Tunisia) and M. Nakajima (Japan)

414

### Non-food bioactive products

Chemical composition, *in vitro* anti-tumor activities and related mechanisms of the essential oil from the roots of *Potentilla discolor*

J. Zhang, R.-Z. Huang, H.-J. Cao, A.-W. Cheng, C.-S. Jiang, Z.-X. Liao, C. Liu and J.-Y. Sun (PR China)

19

- Post-application temperature as a factor influencing the insecticidal activity of essential oil from *Thymus vulgaris*  
R. Pavela and P. Sedlák (Czech Republic) 46
- Chemical composition and antioxidant activity of the endemic *Crataegus microphylla* Koch subsp. *malyana* K. I. Chr. & Janjić from Bosnia  
A. Čopra-Janićijević, D. Čulum, D. Vidic, A. Tahirović, L. Klepo and N. Bašić (Bosnia and Herzegovina) 75
- Ocimum tenuiflorum* L. and *Ocimum basilicum* L., two spices of Lamiaceae family with bioactive essential oils  
A. Piras (Italy), M.J. Gonçalves, J. Alves (Portugal), D. Falconieri, S. Porcedda, A. Maxia (Italy) and L. Salgueiro (Portugal) 89
- Activity guided fractionation of pomegranate extract and its antioxidant, antidiabetic and antineurodegenerative properties  
K. Šavikin, J. Živković, A. Alimpić, G. Zdunić, T. Janković, S. Duletić-Laušević and N. Menković (Serbia) 142
- Dittrichia viscosa* L. leaves lipid extract: An unexploited source of essential fatty acids and tocopherols with antifungal and anti-inflammatory properties  
W. Rhimi (Tunisia, Tunisia1), I. Ben Salem (Tunisia1), R. Iatta (Italy), H. Chaabane (Tunisia), M. Saidi (Tunisia1), A. Boulila (Tunisia) and C. Cafarchia (Italy) 196
- Structural characterization and osteoprotective effects of a novel oligo-glucomannan obtained from the rhizome of *Cibotium barometz* by alkali extraction  
D. Huang, M. Zhang, P. Yi and C. Yan (PR China) 202
- Enhanced production of diosgenin through elicitation in micro-tubers of *Chlorophytum borivillianum* Sant et Fernand  
R. Chauhan, S. Keshavkant and A. Quraishi (India) 234
- Croton argyrophyllus* Kunth and *Croton heliotropiifolius* Kunth: Phytochemical characterization and bioactive properties  
S.S. da Silva Brito, F. Silva (Brazil)R. Malheiro, P. Baptista and J.A. Pereira (Portugal) 308
- Chemotaxonomic variation in secondary metabolites contents and their correlation between environmental factors in *Salvia miltiorrhiza* Bunge from natural habitat of China  
X.-D. Zhang, Y.-G. Yu, D.-F. Yang, Z.-C. Qi, R.-Z. Liu, F.-T. Deng, Z.-X. Cai, Y. Li, Y.-F. Sun and Z.-S. Liang (China) 335
- Variation in the compositions of cannabinoid and terpenoids in *Cannabis sativa* derived from inflorescence position along the stem and extraction methods  
D. Namdar, M. Mazuz, A. Ion and H. Koltai (Israel) 376
- Insight into the biological properties and phytochemical composition of *Ballota macrodonta* Boiss. et Balansa, – an endemic medicinal plant from Turkey  
S. Uysal (Turkey), Z. Aumeeruddy-Elalfi (Mauritius), G. Zengin, A. Aktumsek (Turkey), A. Mocan (Romania), L. Custodio, N.R. Neng, J.M.F. Nogueira (Portugal), A. Ćirić, J. Glamočlija, M. Soković (Serbia) and M.F. Mahomoodally (Mauritius) 422
- Natural rubber and resins**
- Water-induced modulus changes of bio-based uncured nanocomposite film based on natural rubber and bacterial cellulose nanocrystals  
Q. Yin, D. Wang, H. Jia, Q. Ji, L. Wang, G. Li and B. Yin (China) 240
- Non-destructive harvesting of oleo-gum resin in *Commiphora wightii* (Arnott) Bhandari—A critically endangered plant  
L.S. Saini, S.K. Rajput, T.R. Rathore and U.K. Tomar (India) 259
- Foliar spray of growth regulators significantly increases *trans*-1,4-polyisoprene production from *Eucommia ulmoides* Oliver short-rotation coppice  
H. Liu, J. Zhu, H. Ding, L. Wang, Z. Sun, P. Liu, T. Li and H. Du (China) 383
- Fibres, proteins and carbohydrates**
- Scanner based image analysis to characterise the influence of agronomic factors on hemp (*Cannabis sativa* L.) fibre width  
J. Müssig (Germany) and S. Amaducci (Italy) 28

- Chemical composition of African mahogany (*K. ivorensis* A. Chev) extractive and tannin structures of the bark by MALDI-TOF  
A. Bikoro Bi Athomo, S.P. Engozogho Anris (France, Gabon), R. Safou-Tchiama (Gabon) F.J. Santiago-Medina, T. Cabaret, A. Pizzi and B. Charrier (France) 167
- Photocatalytic activity of nanostructured tubular TiO<sub>2</sub> synthesized using kenaf fibers as a sacrificial template  
E. bin Osman (Japan, Malaysia), T. Moriga, K.-i. Murai (Japan), M.W. bin Abd Rashid (Japan, Malaysia), M.E. Abd Manaf (Malaysia) and T. Horikawa (Japan) 210
- Preparation of lignocellulose aerogels from cotton stalks in the ionic liquid-based co-solvent system  
H. Mussana, X. Yang, M. Tessima, F. Han (PR China, China), N. Iqbal (China) and L. Liu (PR China, China) 225
- Efficient method of seed transformation via *Agrobacterium tumefaciens* for obtaining transgenic plants of *Hibiscus cannabinus* L.  
M. Hanana, R. Ayadi, R. Mzid, M.L. Khouja, A.S. Hanachi and L. Hamrouni (Tunisia) 274
- Biorefinery, valorization of byproducts**
- Fermentation of oat and soybean hull hydrolysates into ethanol and xylitol by recombinant industrial strains of *Saccharomyces cerevisiae* under diverse oxygen environments  
P.R.D. Cortivo, L.R. Hickert (Brazil), R. Hector (USA1) and M.A.Z. Ayub (Brazil) 10
- Anthocyanins characterization and antioxidant activities of sugarcane (*Saccharum officinarum* L.) rind extracts  
Z. Zhao, H. Yan, R. Zheng, M.S. Khan, X. Fu, Z. Tao (China) and Z. Zhang (Australia) 38
- Simulation and optimization of barley straw organosolv pretreatment  
I. Salapa, E. Topakas and D. Sidiras (Greece) 80
- A versatile method for obtaining new oxygenated fuel components from biomass  
E. Stepan, C.-E. Enascuta, E.-E. Opreacu, E. Radu, G. Vasilevici, A. Radu, R. Stoica, S. Velea, A. Nicolescu and V. Lavric (Romania) 288
- Comprehensive evaluation of combining hydrothermal pretreatment (autohydrolysis) with enzymatic hydrolysis for efficient release of monosaccharides and ferulic acid from corn bran  
K. Jiang, L. Li, L. Long and S. Ding (China) 348
- Elucidation of structure-inhibition relationship of monosaccharides derived pseudo-lignin in enzymatic hydrolysis  
J. He, C. Huang, C. Lai, C. Huang, X. Li and Q. Yong (China) 368
- Yerba mate waste: A sustainable resource of antioxidant compounds  
B. Gullón, G. Eibes, M.T. Moreira, R. Herrera, J. Labidi and P. Gullón (Spain) 398
- Bioenergy - crops and processing**
- Structural and compositional changes in sugarcane bagasse subjected to hydrothermal and organosolv pretreatments and their impacts on enzymatic hydrolysis  
M. Espirito Santo, C.A. Rezende, O.D. Bernardinelli, N. Pereira Jr., A.A.S. Curvelo, E.R. deAzevedo, F.E.G. Guimarães and I. Polikarpov (Brazil) 64
- Genetic structure identification and assessment of interrelationships between *Brassica* and allied genera using newly developed genic-SSRs of Indian Mustard (*Brassica juncea* L.)  
B.K. Singh, S.B. Choudhary, S. Yadav, E.V. Malhotra, R. Rani, S. Ambawat, Priyamedha, A. Pandey, R. Kumar, S. Kumar, H.K. Sharma, D.K. Singh and P.K. Rai (India) 111
- Co-production of ethanol, xylo-oligosaccharides and magnesium lignosulfonate from wheat straw by a controlled magnesium bisulfite pretreatment (MBSP)  
J. Ren, L. Liu, J. Zhou, X. Li and J. Ouyang (China) 128
- Preparation of ethyl levulinate from wheat straw catalysed by sulfonate ionic liquid  
Q. Guan, T. Lei, Z. Wang, H. Xu, L. Lin, G. Chen, X. Li and Z. Li (PR China) 150
- Efficient hydro-liquefaction of woody biomass over ionic liquid nickel based catalyst  
Q. Li (Canada, China), D. Liu, L. Song, X. Hou (China), C. Wu (Canada) and Z. Yan (China) 157

In-situ corn fiber conversion improves ethanol yield in corn dry-mill process <i>X. Li, S. Chen, H. Huang and M. Jin (China)</i>	217	Functional soybean oil-based polyols as sustainable feedstocks for polyurethane coatings <i>P. Alagi, R. Ghorpade, J.H. Jang (Republic of Korea), C. Patil, H. Jirimali, V. Gite (India) and S.C. Hong (Republic of Korea)</i>	249
C-repeat binding transcription factors from <i>Miscanthus × giganteus</i> and their expression at a low temperature <i>M. Rapacz, B. Jurczyk, T. Krępski and A. Płażek (Poland)</i>	283	A separation and quantification method of levoglucosan in biomass pyrolysis <i>J.-Q. Wang, J.-L. Zheng, J.-T. Wang and Z.-M. Lu (China)</i>	266
Salinity tolerance of germinating alternative oilseeds <i>H.L. Matthees, M.D. Thom, R.W. Gesch and F. Forcella (USA)</i>	358	Mechanically blown wall-projected tannin-based foams <i>F.J. Santiago-Medina, C. Delgado-Sánchez, M.C. Basso, A. Pizzi, V. Fierro and A. Celzard (France)</i>	316
<b>Bio-based Materials from Crops</b>		Antifungal effects of <i>Rhus coriaria</i> L. fruit extracts against tomato anthracnose caused by <i>Colletotrichum acutatum</i> <i>T.S. Rashid (Iraq, Malaysia), H.K. Awla (Iraq) and K. Sijam (Malaysia)</i>	391
Application of Western red cedar ( <i>Thuja plicata</i> ) tree bark as a functional filler in pMDI wood adhesives <i>H. Chen and N. Yan (Canada)</i>	1	Palm-based polyurethane-ionic liquid gel polymer electrolyte for quasi-solid state dye sensitized solar cell <i>M.S. Su'ait, F.N. Jumaah, H.M. Faizzi, S. Mamat, N.A. Ludin, W.A. Farhan, A. Haron, N. Atifah, M.N. Latif, K.H. Badri and A. Ahmad (Malaysia)</i>	406
Enzymatic synthesis of andiroba oil based polyol for the production of flexible polyurethane foams <i>J.A.P. da Silva, N.S.M. Cardozo and C.L. Petzhold (Brazil)</i>	55		
Characterisation of ureaurethane elastomers containing tall oil based polyols <i>K. Mizera (Poland), M. Kirpluks, U. Cabulis (Latvia)M. Leszczyńska, M. Półka and J. Ryszkowska (Poland)</i>	98		
Exploring the link between flexural behaviour of hemp and flax stems and fibre stiffness <i>S. Réquillé, C. Goudenhooff, A. Bourmaud, A. Le Duigou and C. Baley (France)</i>	179		