

CONTENTS

Impacts of hydropeaking and thermopeaking on the downstream habitat in the Dal River, Korea B. Choi and S.-U. Choi	1	Physical habitat simulation for a fish community using the ANFIS method D. Im, S.-U. Choi and B. Choi	73
Using general linear model, Bayesian Networks and Naive Bayes classifier for prediction of <i>Karenia selliformis</i> occurrences and blooms W. Feki-Sahnoun, H. Njah, A. Hamza, N. Barraï, M. Mahfoudi, A. Rebai and M.B. Hassen	12	Open-source based geo-platform to support management of wetlands and biodiversity in Quebec G. Siles, Y. Voirin and G.B. Bénié	84
Revisiting probabilistic neural networks: a comparative study with support vector machines and the microhabitat suitability for the Eastern Iberian chub (<i>Squalius valentinus</i>) R. Muñoz-Mas, S. Fukuda, J. Pórtoles and F. Martínez-Capel	24	Potential causes of habitat degradation and spawning time delay of the Chinese sturgeon (<i>Acipenser sinensis</i>) Y. Shen, P. Wang, C. Wang, Y. Yu and N. Kong	96
The influence of community recommendations on metadata completeness S. Gordon and T. Habermann	38	Integrating remote sensing and demography for more efficient and effective assessment of changing mountain forest distribution P.J. Morley, D.N.M. Donoghue, J.-C. Chen and A.S. Jump	106
Object-oriented satellite image time series analysis using a graph-based representation L. Khiali, D. Ienco and M. Teisseire	52	MaxEnt modeling for predicting suitable habitats and identifying the effects of climate change on a threatened species, <i>Daphne mucronata</i> , in central Iran S.M.-R. Abolmaali, M. Tarkesh and H. Bashari	116
Regional patterns of ecosystem functional diversity in the Argentina Pampas using MODIS time-series B. Lara, M. Gandini, P. Gantes and S.D. Matteucci	65	Salton Sea days of future past: Modeling impacts of alternative water transfer scenarios on fish and bird population dynamics M.E. Kjelland and T.M. Swannack	124

(Contents continued on inside back cover)

A model to simulate the spread and management cost of kudzu (<i>Pueraria montana</i> var. <i>lobata</i>) at landscape scale J.-P. Aurambout and A.G. Endress	146	Wildfire spatial pattern analysis in the Zagros Mountains, Iran: A comparative study of decision tree based classifiers A. Jaafari, E.K. Zenner and B.T. Pham	200
A new fuzzy time series model based on robust clustering for forecasting of air pollution N. Güler Dincer and Ö. Akkuş	157	Modelling potential wildlife-vehicle collisions (WVC) locations using environmental factors and human population density: A case-study from 3 state highways in Central California H. Ha and F. Shilling	212
Logistic regression for clustered data from environmental monitoring programs M. Ekström, P.-A. Esseen, B. Westerlund, A. Grafström, B.G. Jonsson and G. Ståhl	165	Data-driven techniques for modelling the gross primary production of the páramo vegetation using climate data: Application in the Ecuadorian Andean region V. Minaya, G.A. Corzo, D.P. Solomatine and A.E. Mynett	222
Food web structure and ecosystem properties of the largest impounded lake along the eastern route of China's South-to-North Water Diversion Project C. Guo, Y. Chen, W. Li, S. Xie, S. Lek and Z. Li	174	Corrigendum to "Propagating aleatory and epistemic uncertainty in land cover change prediction process" [Ecol. Inform. 37, 24–37] A. Ferchichi, W. Boulila and I.R. Farah	231
Extending geographically and temporally weighted regression to account for both spatiotemporal heterogeneity and seasonal variations in coastal seas Z. Du, S. Wu, F. Zhang, R. Liu and Y. Zhou	185		