

CONTENTS

1–7

Effects of selected phosphate salts on gelling properties and water state of whole egg gel

Junhua Li, Chenying Wang, Mengqi Zhang, Yinghong Zhai, Bei Zhou, Yujie Su*, Yanjun Yang**

Digital and scanning electron micrographs of whole egg gel with 0.0% phosphate (a), 0.3% sodium diphosphate (b), 0.3% trisodium phosphate (c). Different phosphates lead to different gel texture and color characteristics.

8–16

Effect of alginate molecular weight and M/G ratio in beads properties foreseeing the protection of probiotics

Philippe E. Ramos*, Pedro Silva, Marta M. Alario, Lorenzo M. Pastrana, José A. Teixeira, Miguel A. Cerqueira, António A. Vicente

17–29

Macro-micro structure characterization and molecular properties of emulsion-templated polysaccharide oleogels

Zong Meng, Keyu Qi, Ying Guo, Yong Wang, Yuanfa Liu*

30–39

Interactions between octenyl-succinic-anhydride-modified starches and calcium in oil-in-water emulsions

Quanquan Lin, Rong Liang, Fang Zhong*, Aiqian Ye**, Harjinder Singh

40–48

Manipulation of the internal structure of high amylose maize starch by high pressure treatment and its diverse influence on digestion

Xiaoyu Shen, Wenting Shang, Padraig Strappe, Ling Chen, Xiaoxi Li, Zhongkai Zhou*, Chris Blanchard

49–56

Larger particle size of oat bran inhibits degradation and lowers extractability of β -glucan in sourdough bread – Potential implications for cholesterol-lowering properties *in vivo*

Daniel P. Johansson*, Roger Andersson, Marie Alming, Rikard Landberg, Maud Langton

Molecular weight distribution of coarse and fine particle breads - > viscosity curves.

57–65

Interfacial and emulsifying properties of mealworm protein at the oil/water interface

Joanne Gould*, Bettina Wolf

66-74

Kinetics of NaCl induced gelation of soy protein aggregates: Effects of temperature, aggregate size, and protein concentration

Nannan Chen, Christophe Chassenieux, Taco Nicolai*

75-84

The rheological and microstructural properties of pea, milk, mixed pea/milk gels and gelled emulsions designed by thermal, acid, and enzyme treatments

S. Ben-Harb, M. Panouillé*, D. Huc-Mathis, G. Moulin, A. Saint-Eve, F. Irlinger, P. Bonnarme, C. Michon, I. Souchon

85-95

Effect of frying on the pasting and rheological properties of normal maize starch

Long Chen, Yaoqi Tian, Yuxiang Bai, Jinpeng Wang, Aiquan Jiao, Zhengyu Jin*

96-106

Influence of the protein type on the stability of fish oil in water emulsion obtained by glass microfluidic device

Talita A. Comunian, Raheleh Ravanfar, Michael J. Selig, Alireza Abbaspourrad*

107–116

Foaming and surface properties of gliadin nanoparticles: Influence of pH and heating temperature

Dengfeng Peng, Weiping Jin, Cuie Tang, Ying Lu, Wenqiang Wang, Jing Li, Bin Li*

117–125

Is isolating starch from the residue of annatto pigment extraction feasible?

Thamiris Maria Garcia Silveira, Delia Rita Tapia-Blácido*

126–141

Formation, stability and *in vitro* digestibility of nanoemulsions stabilized by high-pressure homogenized lentil proteins isolate

Maja Primožic, Akaysha Duchek, Michael Nickerson, Supratim Ghosh*

142–151

A hydrocolloid based biorefinery approach to the valorisation of mango peel waste

Jhumur Banerjee, Ramkrishna Singh, R. Vijayaraghavan, Douglas MacFarlane, Antonio F. Patti**, Amit Arora*

152–162

Nanoencapsulation of D-limonene within nanocarriers produced by pectin-whey protein complexes

Sanaz Ghasemi, Seid Mahdi Jafari*, Elham Assadpour, Morteza Khomeiri

163–167

Influence of viscosity on the growth of human gut microbiota

Alba Tamargo, Carolina Cueva, M. Dolores Álvarez, Beatriz Herranz, Begoña Bartolomé, M. Victoria Moreno-Arribas, Laura Laguna*

168–175

Wheat gluten-stabilized high internal phase emulsions as mayonnaise replacers

Xiao Liu, Jian Guo, Zhi-Li Wan, Yu-Yang Liu, Qi-Jun Ruan, Xiao-Quan Yang*

176–186

Foaming and air-water interfacial characteristics of solutions containing both gluten hydrolysate and egg white protein

Arno G.B. Wouters*, Ine Rombouts, Ellen Fierens, Kristof Brijs, Christophe Blecker, Jan A. Delcour, Brent S. Murray

187–203

Factors affecting the bioaccessibility of β -carotene in lipid-based microcapsules: Digestive conditions, the composition, structure and physical state of microcapsules

Quanquan Lin, Rong Liang, Peter A. Williams, Fang Zhong*

204–211

Characterization of high density lipoprotein from egg yolk and its ability to form nanocomplexes with chitosan as natural delivery vehicles

Mingyong Zhou, Qiaobin Hu, Taoran Wang, Jingyi Xue, Yangchao Luo*

212–219

Elucidation of lipid structural characteristics of chia oil emulsion gels by Raman spectroscopy and their relationship with technological properties

A.M. Herrero*, C. Ruiz-Capillas, T. Pintado, P. Carmona, F. Jimenez-Colmenero

220–227

Physicochemical properties of maize and sweet potato starches in the presence of cellulose nanocrystals

Shaoning Cui, Man Li, Shuangling Zhang, Jing Liu, Qingjie Sun*, Liu Xiong

228–237

The cryoprotectant effect of xylooligosaccharides on denaturation of peeled shrimp (*Litopenaeus vannamei*) protein during frozen storage

Bin Zhang*, Gui-juan Hao, Hui-juan Cao, He Tang, Yang-yang Zhang, Shang-gui Deng**

238–247

***In vitro* amylase hydrolysis of amylopectins from cereal starches based on molecular structure of amylopectins**

Li Guo

248–256

Physical/thermal properties and heat seal ability of bilayer films based on fish gelatin and poly(lactic acid)

Krisana Nilsuwan, Soottawat Benjakul*, Thummanoon Prodpran

257–269

Structural effects of microalgae additives on the starch gelatinisation process

Marta Martínez-Sanz*, María José Fabra, Laura G. Gómez-Mascaraque, Amparo López-Rubio

270–276

Emulsion films from tamarind kernel xyloglucan and sesame seed oil by different emulsification techniques

Delane C. Rodrigues, Arcelina P. Cunha, Lorena M.A. Silva,
Tigressa H.S. Rodrigues, Maria Izabel Gallão, Henriette M.C. Azeredo*

277–285

Sequential extraction and physicochemical characterization of polysaccharides from chicory (*Cichorium intybus*) root pulp

Xiaoming Guo, Zhiming Wang, Fang Pi, Runquan Pan, Zhengang Zhao,
Shujuan Yu*

286–296

Effect of ultrasonication on physicochemical and foaming properties of squid ovary powder

Avtar Singh, Soottawat Benjakul*, Kongkarn Kijroongrojana

297–306

Functional properties and encapsulation of a proanthocyanidin-rich cinnamon extract (*Cinnamomum zeylanicum*) by complex coacervation using gelatin and different polysaccharides

Volnei Brito de Souza*, Marcelo Thomazini, Mariana A. Echalar Barrientos,
Camila Marina Nalin, Roselayne Ferro-Furtado, Maria Inés Genovese,
Carmen Sílvia Favaro-Trindade

307–321

Thermo-rheology and thermodynamic analysis of binary biopolymer blend: A case study on sage seed gum-xanthan gum blends

Seyed M.A. Razavi*, Ali Alghooneh, Fataneh Behrouzian

322–328

Review on the loading efficacy of dietary tea polyphenols with milk proteins

P. Chanphai, P. Bourassa, C.D. Kanakis, P.A. Tarantilis, M.G. Polissiou, H.A. Tajmir-Riahi*

329–335

Effect of electrostatically charged and neutral polysaccharides on the rheological characteristics of peanut protein isolate after high-pressure homogenization

Bo Jiao, Aimin Shi, Hongzhi Liu, Xiaojing Sheng, Li Liu, Hui Hu, Benu Adhikari, Qiang Wang*

336–346

An optimal window for the fabrication of Edible Polyelectrolyte Complex Nanotubes (EPCNs) from bovine serum albumin (BSA) and sodium alginate

L. Maldonado, J. Kokini*

347–356

Conformational studies and molecular characterization of the polysaccharide kefiran

Stylianos Exarhopoulos, Stylianos N. Raphaelides*, Michael G. Kontominas

357–362

Effects of dextrinization and octenylsuccinylation of high amylose starch on complex formation with ω -3 fatty acids (EPA/DHA)

Eun Young Park, So Mang Choi, Seung-Taik Lim*, Jong-Yea Kim**

363–371

Rheological behavior of emulsion gels stabilized by zein/tannic acid complex particles

Yuan Zou, Xiaoquan Yang, Elke Scholten*

The structure formation and rheological properties of Pickering emulsions stabilized with zein/tannic acid complex particles (ZTPs) over a wide range of particle concentration (1–5%, w/v) and oil volume fraction φ (5–60%).

372–385

On the road to understanding and control of creaminess perception in food colloids

Eric Dickinson

386–396

Structure and rheological characterization of konjac glucomannan octenyl succinate (KGOS)

Geng Zhong, Fan-Bing Meng*, Yun-Cheng Li, Da-Yu Liu, Xiao-Qiang Guo, Lian-Ji Zheng

The HPLC method was established to measure the reaction extent of KGOS (A). KGOS aggregated particles formed irregular spheres or ellipsoids (B). KGOS solution fit to non-Newtonian fluid properties and the Carreau model, and the type and valence of the ions affected the apparent viscosity of KGOS solution. The trends of the dynamic mechanical spectra indicated KGOS solution could be an entanglement system (C).

397–406

Partial replacement of whey proteins by rapeseed proteins in heat-induced gelled systems: Effect of pH

William Nicholas Ainis*, Carsten Ersch, Richard Ipsen

407–420

Bionanocomposite films developed from corn starch and natural and modified nano-clays with or without added blueberry extract

Tomy J. Gutierrez*, Vera A. Alvarez

421–426

The application of agar oligosaccharides in directly acidified milk drinks

Jingkun Zhao, Zhaojun Chen, Renli Zou, Xiaodong Zhang*

427–435

Fabrication of milled cellulose particles-stabilized Pickering emulsions

Xuanxuan Lu, Hongwei Zhang, Yunqi Li, Qingrong Huang*

Pickering emulsions stabilized by milled cellulose particles.

436–444

**Composite whey protein–cellulose nanocrystals at oil-water interface:
Towards delaying lipid digestion**

Anwasha Sarkar*, Hancong Li, Deborah Cray, Sally Boxall

445–453

**Effects of particle size and water content during cooking on the
physicochemical properties and *in vitro* starch digestibility of milled
durum wheat grains**

Peng Guo, Jinglin Yu, Shujun Wang*, Shuo Wang**, Les Copeland

454–459

**Effect of ethanol on the solubilization of hydrophobic molecules by
sodium caseinate**

Yanqi Qu, Federico M. Harte, Ryan J. Elias, John N. Coupland*

460–464

Cellulose-rich oleogels prepared with an emulsion-templated approach

Yang Jiang, Lingli Liu, Bijia Wang, Xiaofeng Sui*, Yi Zhong, Linping Zhang, Zhiping Mao, Hong Xu

465–473

Layer-by-layer coating of chitosan/pectin effectively improves the hydration capacity, water suspendability and tofu gel compatibility of okara powder

Fubin Wei, Fayin Ye, Sheng Li, Lei Wang, Jinfeng Li, Guohua Zhao*

474–481

Physical properties of tofu gel probed by water translational/rotational dynamics

Tsubasa Kawaguchi, Rio Kita, Naoki Shinyashiki, Shin Yagihara*, Minoru Fukuzaki

482–493

Unravelling the structure of serum pectin originating from thermally and mechanically processed carrot-based suspensions

Jihan Santanina J. Santiago, Clare Kyomugasho, Shashikant Maheshwari, Zahra Jamsazzadeh Kermani, Davy Van de Walle, Ann M. Van Loey, Koen Dewettinck, Marc E. Hendrickx*

494–501

Edible blend films of pectin and poly(ethylene glycol): Preparation and physico-chemical evaluation

Sanja Šešlija, Aleksandra Nešić, Jovana Ružić, Melina Kalagasidis Krušić*, Sava Veličković, Roberto Avolio, Gabriella Santagata, Mario Malinconico

502–508

Preparation and characterization of a novel edible film based on *Artemisia sphaerocephala* Krasch. gum: Effects of type and concentration of plasticizers

Tieqiang Liang, Lijuan Wang*

509–523

Factors affecting the entrapment efficiency of β -cyclodextrins and their effects on the formation of inclusion complexes containing essential oils

Argus Cezar da Rocha Neto, Alanny Bahia de Oliveira da Rocha, Marcelo Maraschin, Robson Marcelo Di Piero, Eva Almenar*

524–533

Rheological behavior, conformational changes and interactions of water-soluble myofibrillar protein during heating

Xing Chen, Xinglian Xu*, Dongmei Liu, Guanghong Zhou, Minyi Han, Peng Wang

534–548

Development of a controlled bioconversion process for the recovery of chitosan from blue crab (*Portunus segnis*) exoskeleton

Marwa Hamdi*, Sawssen Hajji, Sawsan Affes, Wafa Taktak, Hana Maâlej, Moncef Nasri, Rim Nasri

549–556

Physical properties and biological fate of OSA-modified-starch-stabilized emulsions containing β -carotene: Effect of calcium and pH

Quanquan Lin, Rong Liang, Fang Zhong*, Aiqian Ye**, Harjinder Singh

557–565

Structural, rheological and functional properties of modified soluble dietary fiber from tomato peels

Na Li, Ziqian Feng, Yuge Niu*, Liangli Yu (Lucy)

566–576

A detailed investigation of whey protein isolate solutions and gels reveals a number of novel characteristics

Stephen Homer*, Leif Lundin, Dave E. Dunstan

577–587

Fabrication and characterization of carboxymethyl chitosan and tea polyphenols coating on zein nanoparticles to encapsulate β -carotene by anti-solvent precipitation method

Mei Wang, Yuying Fu*, Guowen Chen, Yugang Shi, Xiaomeng Li, Hao Zhang, Yali Shen

Construct the delivery systems of encapsulating β -carotene by using anti-solvent precipitation technology. Carboxymethyl chitosan as stabilizer and tea polyphenol as cross linker coating the zein nanoparticles.

588–597

Physical stability and antioxidant activity of citrus flavonoids in arabic gum-stabilized microcapsules: Modulation of whey protein concentrate

Yan Hu, Yan Li*, Wenlin Zhang, Guangning Kou, Zhiqin Zhou**

598–606

Dissolution of bovine serum albumin hydrogels in alkali

Ruben Mercadé-Prieto*, Maud Coignaud, Yuxin Jin, Romain Jeantet, Xiao Dong Chen

607–616

Emulsification performance and interfacial properties of enzymically hydrolyzed peanut protein isolate pretreated by extrusion cooking

Lin Chen*, Jianshe Chen, Lin Yu, Kegang Wu, Mouming Zhao**

617–628

Fabrication of zein and rhamnolipid complex nanoparticles to enhance the stability and *in vitro* release of curcumin

Lei Dai, Ruirui Li, Yang Wei, Cuixia Sun, Like Mao, Yanxiang Gao*

629–635

Understanding the role of hydrocolloids viscosity and hydration in developing gluten-free bread. A study with hydroxypropylmethylcellulose

Federico Morreale, Raquel Garzon, Cristina M. Rosell*

636–645

Gelation behaviors of denaturated pea albumin and globulin fractions during transglutaminase treatment

Attaf Djoullah, Florence Husson, Rémi Saurel*

646–658

***Eriobotrya japonica* seed as a new source of starch: Assessment of phenolic compounds, antioxidant activity, thermal, rheological and morphological properties**

Rafaela Cristina Turola Barbi, Gerson Lopes Teixeira, Polyanna Silveira Hornung, Suelen Ávila, Rosemary Hoffmann-Ribani*

659–668

The effect of *in vitro* gastrointestinal conditions on the structure and conformation of oat β -glucan

Konstantinos Korompokis, Lars Nilsson, Claudia Zielke*

669–676

Large amplitude oscillatory shear behavior and tribological properties of gum extracted from *Alyssum homolocarpum* seed

Mohammad Anvari, Mehdi Tabarsa, Helen S. Joyner (Melito)*

677–688

Shelf-life extension of refrigerated rainbow trout fillets using total Farsi gum-based coatings containing clove and thyme essential oils emulsions

Parastoo Dehghani, Seyed Mohammad Hashem Hosseini*,
Mohammad-Taghi Golmakani, Marjan Majdinasab, Sara Esteghlal

689–698

Casein gel particles as novel soft Pickering stabilizers: The emulsifying property and packing behaviour at the oilwater interface

Pengjie Wang, Chong Chen, Huiyuan Guo, Hao Zhang, Zibiao Yang,
Fazheng Ren*

699–710

Development and characterization of chitosan/gelatin electrosprayed microparticles as food grade delivery vehicles for anthocyanin extracts

Elif Atay, Maria Jose Fabra, Marta Martínez-Sanz,
Laura G. Gomez-Mascaraque, Aylin Altan, Amparo Lopez-Rubio*

711–719

Isolation and characterization of galactomannans from *Prosopis affinis* as potential gum substitutes

Pilar Vilaró, Zohra Bennadji, Eliana Budelli, Guillermo Moyna*,
Luis Panizzolo**, Fernando Ferreira

720–725

***In vitro* digestion and physicochemical characteristics of corn starch mixed with amino acid modified by heatmoisture treatment**

Ying Ji*, Jicheng Yu**

726–735

Composite pullulan-whey protein nanofibers made by electrospinning: Impact of process parameters on fiber morphology and physical properties

Christina Drosou*, Magdalini Krokida, Costas G. Biliaderis

736–745

Formation of biopolymer complexes composed of pea protein and mesquite gum – Impact of quercetin addition on their physical and chemical stability

Juan C. Cuevas-Bernardino, Francisco M.A. Leyva-Gutierrez,
E. Jaime Vernon-Carter, Consuelo Lobato-Calleros,
Angélica Román-Guerrero, Gabriel Davidov- Pardo*

746–753

Effect of gellan incorporation on gel properties of bigeye snapper surimi

Tanyamon Petcharat, Soottawat Benjakul*

754–763

Oat protein-shellac beads: Superior protection and delivery carriers for sensitive bioactive compounds

Chen Yang, Yixiang Wang, Lei Lu, Larry Unsworth, Le Luo Guan,
Lingyun Chen*

764–771

The gelation properties of tara gum blended with κ -carrageenan or xanthan

Yanbei Wu, Wei Ding, Qiang He*

772-776

***In situ* study of skim milk structure changes under high hydrostatic pressure using synchrotron SAXS**

Zhi Yang, Qinfen Gu, Weam Banjar, Na Li, Yacine Hemar*

In situ synchrotron SAXS patterns of trim milk under different pressure conditions. The background is a picture of the diamond anvil cell (DAC) used in this study.

777-786

Molecular and structural changes in gelatin evidenced by Raman microspectroscopy

Anne Duconseille, Cédric Gaillard, Véronique Santé-Lhoutellier, Thierry Astruc*

787-795

Manufacturing a prebiotic whey beverage exploring the influence of degree of inulin polymerization

Jonas T. Guimarães, Eric Keven Silva*, Ana Letícia Rodrigues Costa, Rosiane L. Cunha, Monica Q. Freitas, M. Angela A. Meireles, Adriano G. Cruz

796-802

Utilization of foam structured hydroxypropyl methylcellulose for oleogels and their application as a solid fat replacer in muffins

Im Kyung Oh, Suyong Lee*

803–816

Double emulsion followed by complex coacervation as a promising method for protection of black raspberry anthocyanins

Rezvan Shaddel*, Javad Hesari**, Sodeif Azadmard-Damirchi,
Hamed Hamishehkar, Bahram Fathi-Achachlouei, Qingrong Huang

817–824

Effect of drying method and hydrothermal treatment of pregelatinized Hylon VII starch on resistant starch content

E. Agama-Acevedo*, G. Pacheco-Vargas, L.A. Bello-Pérez, J. Alvarez-Ramirez

825–833

Effect of a dual modification by hydroxypropylation and acid hydrolysis on the structure and rheological properties of potato starch

Lingjin Li, Yan Hong*, Zhengbiao Gu, Li Cheng, Zhaofeng Li, Caiming Li

834–842

Elaboration of curcumin-loaded rice bran albumin nanoparticles formulation with increased *in vitro* bioactivity and *in vivo* bioavailability

Chun Liu, Xiaoquan Yang, Wei Wu, Zhao Long, Huaxi Xiao, Feijun Luo,
Yingbin Shen, Qinlu Lin*

843–852

Complexation with phenolic acids affect rheological properties and digestibility of potato starch and maize amylopectin

Min Li, Chris Pernell, Mario G. Ferruzzi*

853–862

Digestibility and physicochemical properties of starch-galactomannan complexes by heat-moisture treatment

Yun Chen, Xiaoya Xiong, Qunyu Gao*

863–869

Protein nanovehicles produced from egg white. Part 2: Effect of protein concentration and spray drying on particle size and linoleic acid binding capacity

Osvaldo E. Sponton, Adrian A. Perez, Javier V. Ramel, Liliana G. Santiago*

870–878

pH-, ion- and temperature-dependent emulsion gels: Fabricated by addition of whey protein to gliadin-nanoparticle coated lipid droplets

Yuqing Zhu, Xing Chen, David Julian McClements, Liqiang Zou, Wei Liu*

879–886

Structural and functional effects of manipulating the degree of methylesterification in a model homogalacturonan with a pseudo-random fungal pectin methylesterase followed by a processive methylesterase

Yang Kim*, Randall G. Cameron, Martin A.K. Williams, Gary A. Luzio

887–893

Characteristics of gelling and water holding properties of hen egg white/yolk gel with NaCl addition

Junhua Li, Xin Li, Chenying Wang, Mengqi Zhang, Yali Xu, Bei Zhou, Yujie Su*, Yanjun Yang**

894–901

Characteristics of some physically modified starches using mild heating and freeze-thawing

Chen Zhang, Jung-Ah Han**, Seung-Taik Lim*

902–910

Elaboration and characterization of O/W cinnamon (*Cinnamomum zeylanicum*) and black pepper (*Piper nigrum*) emulsions

Maribel Jiménez, Jazmín A. Domínguez, Luz A. Pascual-Pineda, Ebner Azuara, C.I. Beristain*

911–920

Linear dextrin as curcumin delivery system: Effect of degree of polymerization on the functional stability of curcumin

Binghua Sun, Yaoqi Tian, Long Chen, Zhengyu Jin*

921–930

Pullulan-based nanocomposite films for functional food packaging: Exploiting lysozyme nanofibers as antibacterial and antioxidant reinforcing additives

Nuno H.C.S. Silva, Carla Vilela, Adelaide Almeida, Isabel M. Marrucho, Carmen S.R. Freire*

931–936

Release kinetics of Tilapia scale collagen I peptides during tryptic hydrolysis

Junde Chen*, Long Li, Ruizao Yi, Ran Gao, Jianlin He

937–944

Dynamic rheology, microstructure and texture properties of model porcine meat batter as affected by different cold-set binding systems

Arash Sadeghi-Mehr, Piret Raudsepp, Dagmar Adeline Brüggemann*, Ralf Lautenschlaeger, Stephan Drusch

945–951

Research on rapid gelatinization of rabbit skin collagen as effect of acid treatment

Mingsi Ma, Liang Ma, Wei Yu, Xiaojie Zhang, Yuntao Shen, Yuhao Zhang*

952–963

Effects of polysaccharide charge pattern on the microstructures of β -lactoglobulin-pectin complex coacervates, studied by SAXS and SANS

Amy Y. Xu*, Laurence D. Melton, Timothy M. Ryan, Jitendra P. Mata, Agata Rekas, Martin A.K. Williams, Duncan J. McGillivray

964–975

Effects of various cross-linking agents on the physicochemical properties of starch/PHA composite films produced by extrusion blowing

Shenglin Sun, Pengfei Liu*, Na Ji, Hanxue Hou**, Haizhou Dong

976–985

Enhancement of physicochemical properties of whey protein-stabilized nanoemulsions by interfacial cross-linking using cinnamaldehyde

Enmin Chen, Lianqi Cao, David Julian McClements, Shilin Liu, Bin Li, Yan Li*

Covalently interfacial layer between cinnamonaldehyde and whey protein isolate (WPI) enhanced the physical stability of WPI-stabilized emulsions against environmental stress, especially salt ions.

986-994

**Enzymatic catalyzed corn fiber gum-bovine serum albumin conjugates:
Their interfacial adsorption behaviors in oil-in-water emulsions**

Yan Liu, Madhav P. Yadav, Lijun Yin*