

Review article

Recent developments in shelf-life extension of fresh-cut fruits and vegetables by application of different edible coatings:

A review

B. Yousuf, O.S. Qadri and A.K. Srivastava

198

Research papers

Malaysian stingless bee and Tualang honeys: A comparative characterization of total antioxidant capacity and phenolic profile using liquid chromatography-mass spectrometry

Y. Ranneh, F. Ali, M. Zarei, A.M. Akim, H.A. Hamid and H. Khazaai

1

Dry-inoculation method for thermal inactivation studies in wheat flour using freeze-dried *Enterococcus faecium* NRRL B-2354

J. Xu, S. Liu, J. Song, J. Tang, M.-J. Zhu, P. Gray and R. Villa-Rojas

10

Isoprenoids composition and colour to differentiate virgin olive oils from a specific mill

P. Mapelli-Brahm, D. Hernanz-Vila, C.M. Stinco, F.J. Heredia and A.J. Meléndez-Martínez

18

Occurrence, populations, diversity, and growth potential of spore-forming bacteria in “requeijão cremoso”

R.B.A. Oliveira, L.S. Lopes, R.C. Baptista, A.A.I.A. Chinha, J.B. Portela, J.S. Nascimento, L.E.O. Costa, A.G. Cruz and

A.S. Sant’Ana

24

Evaluation of acrylamide reduction potential of l-asparaginase from *Fusarium culmorum* (ASP-87) in starchy products

A.K. Meghavarnam and S. Janakiraman

32

Ethyl butanoate is synthesised both by alcoholysis and esterification by dairy lactobacilli and propionibacteria

M.C.A. Mukdsi, M.-B. Maillard, R.B. Medina and A. Thierry

38

Application of bacterial collagenolytic proteases for the extraction of type I collagen from the skin of bigeye tuna (*Thunnus obesus*)

R. Ahmed, A.T. Getachew, Y.-J. Cho and B.-S. Chun

44

The effect of semolina replacement with protein powder from fish (*Pseudophycis bachus*) on the physicochemical characteristics of pasta

A. Desai, M.A. Brennan and C.S. Brennan

52

Production of fructo-oligosaccharides by *Aspergillus ibericus* and their chemical characterization

C. Nobre, E.G.A. Filho, F.A.N. Fernandes, E.S. Brito, S. Rodrigues, J.A. Teixeira and L.R. Rodrigues

58

Teas and herbal infusions as sources of melatonin and other bioactive non-nutrient components

T. Herrera, Y. Aguilera, M. Rebollo-Hernanz, E. Bravo, V. Benítez, N. Martínez-Sáez, S.M. Arribas, M.D. del Castillo and

M.A. Martín-Cabrejas

65

The identification of three mammalian gelatins by liquid chromatography-high resolution mass spectrometry

X.-M. Sha, L.-J. Zhang, Z.-C. Tu, L.-Z. Zhang, Z.-Z. Hu, Z. Li, X. Li, T. Huang, H. Wang, L. Zhang and H. Xiao

74

Bacteriocinogenic *Enterococcus faecium* inhibits the virulence property of *Listeria monocytogenes*

K. Ye, X. Zhang, Y. Huang, J. Liu, M. Liu and G. Zhou

87

Saponin composition complexities in hypocotyls and cotyledons of nine soybean varieties <i>W.T. Chitisankul, Y. Takada, Y. Takahashi, A. Ito, M. Itabashi, W. Varanyanond, A. Kikuchi, M. Ishimoto and C. Tsukamoto</i>	93
Combined effect of NaCl and low temperature on antilisterial bacteriocin production of <i>Lactobacillus plantarum</i> ST202Ch <i>T. Engelhardt, K. Szakmár, G. Kiskó, C. Mohácsi-Farkas and O. Reichart</i>	104
Comparative study of ciabatta crust crispness through acoustic and mechanical methods: Effects of wheat malt and protease on dough rheology and crust crispness retention during storage <i>D. Zadeike, R. Jukonyte, G. Juodeikiene, E. Bartkiene and Z. Valatkeviciene</i>	110
Guar gum and ginseng extract coatings maintain the quality of sweet cherry <i>F. Dong and X. Wang</i>	117
Comparison of the acidification activities of commercial starter cultures in camel and bovine milk <i>T. Berhe, R. Ipsen, E. Seifu, M.Y. Kurtu, M. Eshetu and E.B. Hansen</i>	123
Inulin, hi-maize, and trehalose as thermal protectants for increasing viability of <i>Lactobacillus acidophilus</i> encapsulated by spray drying <i>G.L. Nunes, M. de Araújo Eschepare, A.J. Cichoski, L.Q. Zepka, E.J. Lopes, J.S. Barin, É.M. de Moraes Flores, C. de Bona da Silva and C.R. de Menezes</i>	128
Activity of thyme and tea tree essential oils against selected foodborne pathogens in biofilms on abiotic surfaces <i>M. Sadekuzzaman, M.F.R. Mizan, H.-S. Kim, S. Yang and S.-D. Ha</i>	134
Quality characteristics of fat-reduced emulsion-type pork sausage by partial substitution of sodium chloride with calcium chloride, potassium chloride and magnesium chloride <i>G.-D. Kim, S.J. Hur, T.S. Park and S.-K. Jin</i>	140
Control microbial growth on fresh chicken meat using pinosylvin inclusion complexes based packaging absorbent pads <i>F. Silva, F.C. Domingues and C. Nerín</i>	148
Impact of fermentation and extrusion processing on physicochemical, sensory and bioactive properties of rice-black gram mixed flour <i>P. Rani, A. Kumar, S.R. Purohit and P.S. Rao</i>	155
Impact of <i>in-vitro</i> gastro-pancreatic digestion on polyphenols and cinnamaldehyde bioaccessibility and antioxidant activity in stirred cinnamon-fortified yogurt <i>A. Helal and D. Tagliazucchi</i>	164
Physicochemical and nutritional characterization of coconut (<i>Cocos nucifera</i> L.) haustorium based extrudates <i>M. Arivalagan, M.R. Manikantan, A.M. Yasmeeen, S. Sreejith, D. Balasubramanian, K.B. Hebbar and S.R. Kanade</i>	171
Physicochemical factors affecting the growth and mycotoxin production of <i>Penicillium</i> strains in a synthetic cheese medium <i>R. Casquete, M.J. Benito, M. de Guía Córdoba, S. Ruiz-Moyano, A.I. Galván and A. Martín</i>	179
Antibacterial effects of <i>Lactococcus lactis</i> isolated from Lighvan cheese regarding the recognition of Nisin, Lacticin and Lactococcin structural genes <i>M.A. Attar, M. Yavarmanesh, A. Mortazavi, M.R.E. Dovom and M.B.H. Najafi</i>	186
Evaluation of xylan as carbon source for <i>Weissella</i> spp., a predominant strain in pozol fermentation <i>M. López-Hernández, M.E. Rodríguez-Alegría, A. López-Munguía and C. Wacher</i>	192
Effects of a natural antioxidant, polyphenol-rich rosemary (<i>Rosmarinus officinalis</i> L.) extract, on lipid stability of plant-derived omega-3 fatty-acid rich oil <i>Y.-Z. Wang, S.-G. Fu, S.-Y. Wang, D.-J. Yang, Y.-H.S. Wu and Y.-C. Chen</i>	210
Antioxidative, nutritional and sensory properties of muffins with buckwheat flakes and amaranth flour blend partially substituting for wheat flour <i>A. Antoniewska, J. Rutkowska, M.M. Pineda and A. Adamska</i>	217
Sensory profiling and preference mapping of Australian puffed desi chickpeas <i>S. Paul Mukhopadhyay, A.J. Saliba, B.T. Carr, C.L. Blanchard, J.A. Wood and P.D. Prenzler</i>	229
Flour from sprouted wheat as a new ingredient in bread-making <i>A. Marti, G. Cardone, M.A. Pagani and M.C. Casiraghi</i>	237
Optimization of the gelatinization conditions to improve the expansion and crispiness of fish crackers using RSM <i>R. Ramesh, R.J. Shakila, B. Sivaraman, P. Ganesan and P. Velayutham</i>	248
Effect of micellar κ-casein dissociation on the formation of soluble protein complexes and acid gel properties <i>Md.S. Mahomud, N. Katsuno and T. Nishizu</i>	255

Beta-glucosidase and esterase activity from <i>Oenococcus oeni</i>: Screening and evaluation during malolactic fermentation in harsh conditions	
<i>G. Fia, V. Millarini, L. Granchi, G. Bucalossi, S. Guerrini, B. Zanoni and I. Rosi</i>	262
Development of <i>Gracilaria vermiculophylla</i> extract films containing zinc oxide nanoparticles and their application in smoked salmon packaging	
<i>S.-K. Baek and K.B. Song</i>	269
Application of different drying techniques to fresh-cut salad waste to obtain food ingredients rich in antioxidants and with high solvent loading capacity	
<i>S. Plazzotta, S. Calligaris and L. Manzocco</i>	276
Ultrasound increases the aqueous extraction of phenolic compounds with high antioxidant activity from olive pomace	
<i>C.D. Goldsmith, Q.V. Vuong, C.E. Stathopoulos, P.D. Roach and C.J. Scarlett</i>	284
High-pressure induced thermo-viscoelasticity and dynamic rheology of gum Arabic and chitosan aqueous dispersions	
<i>H. Vatankhah, A.R. Taherian and H.S. Ramaswamy</i>	291
Almond by-products: Extraction and characterization of phenolic compounds and evaluation of their potential use in composite dough with wheat flour	
<i>A. Pasqualone, B. Laddomada, A. Spina, A. Todaro, C. Guzmàn, C. Summo, G. Mita and V. Giannone</i>	299
Antifungal activity of lactic acid bacteria and their application for <i>Fusarium</i> mycotoxin reduction in malting wheat grains	
<i>G. Juodeikiene, E. Bartkiene, D. Cernauskas, D. Cizeikiene, D. Zadeike, V. Lele and V. Bartkevics</i>	307
Physico-chemical properties, phytochemicals and DPPH radical scavenging activity of supercritical fluid extruded lentils	
<i>Y. Lv, R.P. Glahn, R.L. Hebb and S.S.H. Rizvi</i>	315
Effect of sourdough fermentation and baking process severity on bioactive fiber compounds in immature and ripe wheat flour bread	
<i>D.T. Saa, R. Di Silvestro, L. Nissen, G. Dinelli and A. Gianotti</i>	322
Comparison of quality attributes of refined and whole wheat extruded pasta	
<i>M.B. Vignola, M.C. Bustos and G.T. Pérez</i>	329
Contribution of spontaneously-fermented sourdoughs with pear and navel orange for the bread-making	
<i>Y. Yu, L. Wang, H. Qian, H. Zhang and X. Qi</i>	336
Antioxidant activity developed at the different stages of Maillard reaction with milk proteins	
<i>D.A.C. Yáñez, M. Gagnetten, G.E. Leiva and L.S. Malec</i>	344
Influence of pH on foaming and rheological properties of aerated high sugar system with egg white protein and hydroxypropylmethylcellulose	
<i>M.S. Sadahira, M.I. Rodrigues, M. Akhtar, B.S. Murray and F.M. Netto</i>	350
Effects of some herbal extracts on oxidative stability of corn oil under accelerated oxidation conditions in comparison with some commonly used antioxidants	
<i>A. Baştürk, M.M. Ceylan, M. Çavuş, G. Boran and I. Javidipour</i>	358
Freezing as pretreatment in instant controlled pressure drop (DIC) texturing of dried carrot chips: Impact of freezing temperature	
<i>J. Peng, J. Yi, J. Bi, Q. Chen, X. Wu, M. Zhou and J. Liu</i>	365
Case study using commercial dairy sheep flocks: Comparison of the fat nutritional quality of milk produced in mountain and valley farms	
<i>L. Bravo-Lamas, N. Aldai, J.K.G. Kramer and L.J.R. Barron</i>	374
Utilization of a partially-deoiled chia flour to improve the nutritional and antioxidant properties of wheat pasta	
<i>C. Aranibar, N.B. Pigni, M. Martínez, A. Aguirre, P. Ribotta, D. Wunderlin and R. Borneo</i>	381
Comparison of extrusion and co-extrusion encapsulation techniques to protect <i>Lactobacillus acidophilus</i> LA3 in simulated gastrointestinal fluids	
<i>M.P. Silva, F.L. Tulini, E. Martins, M. Penning, C.S. Fávoro-Trindade and D. Poncelet</i>	392
Effect of starter cultures on fermentation of naturally and alkali-treated cv. Conservolea green olives	
<i>C. Chranioti, P. Kotzekidou and D. Gerasopoulos</i>	403
Application of enterocin AS-48 as biopreservative in eggs and egg fractions: Synergism through lysozyme	
<i>S. Ananou, S. Rivera, M.I. Madrid, M. Maqueda, M. Martínez-Bueno and E. Valdivia</i>	409
Microbiological hazards and potential of spontaneously fermented game meat sausages: A focus on lactic acid bacteria diversity	
<i>A.Z. Maksimovic, M. Zunabovic-Pichler, I. Kos, S. Mayrhofer, N. Hulak, K.J. Domig and M.M. Fuka</i>	418

Antimicrobial biodegradable food packaging impregnated with Bacteriocin 7293 for control of pathogenic bacteria in pangasius fish fillets <i>W. Woraprayote, L. Pumpuang, A. Tosukhowong, T. Zendo, K. Sonomoto, S. Benjakul and W. Visessanguan</i>	427
Influence of casing material on the formation of efflorescences on dry fermented sausages <i>F.H. Walz, M. Gibis, M. Lein, K. Herrmann, J. Hinrichs and J. Weiss</i>	434
Entrapment of <i>Lactobacillus casei</i> ATCC393 in the viscus matrix of <i>Pistacia terebinthus</i> resin for functional myzithra cheese manufacture <i>V. Schoina, A. Terpou, L. Bosnea, M. Kanellaki and P.S. Nigam</i>	441
Combined influence of lactic acid bacteria starter and final pH on the induction of malolactic fermentation and quality of cherry wines <i>S.Y. Sun, Z.X. Chen and C.W. Jin</i>	449
Mobilization of phenolic antioxidants from grape, apple and pitahaya residues via solid state fungal fermentation and carbohydrase treatment <i>C. Zambrano, A. Kotogán, O. Bencsik, T. Papp, C. Vágvölgyi, K.C. Mondal, J. Krisch and M. Takó</i>	457
Impact of <i>Chlorella vulgaris</i> on the rheology of wheat flour dough and bread texture <i>C. Graça, P. Fradinho, I. Sousa and A. Raymundo</i>	466
Analysis of thermochromic label elements and colour transitions using sensory acceptability and eye tracking techniques <i>D.D. Torrico, S. Fuentes, C.G. Viejo, H. Ashman, P.A. Gurr and F.R. Dunshea</i>	475
Optimization of additives and their combination to improve the quality of refrigerated dough <i>H. Tao, Y. Xiao, F. Wu and X. Xu</i>	482
Impact of pomegranate peel nanoparticles on quality attributes of meatballs during refrigerated storage <i>M.K. Morsy, E. Mekawi and R. Elsabagh</i>	489
Starch digestibility and properties of fresh pasta made with semolina-based liquid sourdough <i>S. Fois, P.P. Piu, M. Sanna, T. Roggio and P. Catzeddu</i>	496
Symbiotic microencapsulation to enhance <i>Lactobacillus acidophilus</i> survival <i>K.C.G. Silva, E.C. Cezarino, M. Michelon and A.C.K. Sato</i>	503
Trehalose as a cryoprotectant in freeze-dried wheat sourdough production <i>R.F. Stefanello, A.A.R. Machado, C.P. Cavalheiro, M.L.B. Santos, E.H. Nabeshima, M.V. Copetti and L.L.M. Fries</i>	510
Edible coating based on modified corn starch/tomato powder: Effect on the quality of dough bread <i>A.M.M.T. Galvão, R.A. Zambelli, A.W.O. Araújo and M.S.R. Bastos</i>	518
Preparation and characterization of a chitosan film with grape seed extract-carvacrol microcapsules and its effect on the shelf-life of refrigerated Salmon (<i>Salmo salar</i>) <i>V.L.C.D. Alves, B.P.M. Rico, R.M.S. Cruz, A.A. Vicente, I. Khmelinskii and M.C. Vieira</i>	525
Degradation kinetics of phenolic content and antioxidant activity of hardy kiwifruit (<i>Actinidia arguta</i>) puree at different storage temperatures <i>A.-N. Kim, H.-J. Kim, J. Chun, H.J. Heo, W.L. Kerr and S.-G. Choi</i>	535
Optimization of fermentation conditions and comparison of flavor compounds for three fermented greengage wines <i>T. Tian, H. Yang, F. Yang, B. Li, J. Sun, D. Wu and J. Lu</i>	542
Functional effects of xanthan gum on quality attributes and microstructure of extruded sorghum-wheat composite dough and bread <i>M. Jafari, A. Koocheki and E. Milani</i>	551
The effect of dry aging on instrumental, chemical and microbiological parameters of organic beef loin muscle <i>R. Hulánková, J. Kameník, A. Saláková, D. Závodský and G. Borilova</i>	559
Bactericidal effect of ultraviolet-C treatments applied to honey <i>A.X. Roig-Sagués, R. Gervilla, S. Pixner, T. Terán-Peñañiel and M.M. Hernández-Herrero</i>	566
Effect of <i>Lactobacillus plantarum</i> on olive and olive oil quality during fermentation process <i>M. Hamid abadi Sherahi, F. Shahidi, F.T. Yazdi and S.M.B. Hashemi</i>	572
Chia bilayer emulsions with modified sunflower lecithins and chitosan as delivery systems of omega-3 fatty acids <i>L.M. Julio, C.N. Copado, B.W.K. Diehl, V.Y. Ixtaina and M.C. Tomás</i>	581
The effect of different frequencies of ultrasound on the activity of horseradish peroxidase <i>K. Tsikrika, B.-S. Chu, D.H. Bremner and M.A. Lemos</i>	591
Formation and characterization of zein-caseinate-pectin complex nanoparticles for encapsulation of eugenol <i>M. Veneranda, Q. Hu, T. Wang, Y. Luo, K. Castro and J.M. Madariaga</i>	596

Antifungal effects of clove oil microcapsule on meat products <i>Y.-F. Wang, J.-X. Jia, Y.-Q. Tian, X. Shu, X.-J. Ren, Y. Guan and Z.-Y. Yan</i>	604
Textural, physical and sensory impacts of the use of green banana puree to replace fat in reduced sugar pound cakes <i>N.C.O. de Souza, L. de Lacerda de Oliveira, E.R. de Alencar, G.P. Moreira, E. dos Santos Leandro, V.C. Ginani and R.P. Zandonadi</i>	617
Inactivation with UV-radiation and internalization assessment of coliforms and <i>Escherichia coli</i> in aquaponically grown lettuce <i>M.J. Moriarty, K. Semmens, G.K. Bissonnette and J. Jaczynski</i>	624
Identification of carotenoid isomers in crude and bleached palm oils by mass spectrometry <i>J.A.A. Ribeiro, E.S. Almeida, B.A.D. Neto, P.V. Abdelnur and S. Monteiro</i>	631
Functional characterization and biotechnological potential of exopolysaccharide produced by <i>Lactobacillus rhamnosus</i> strains isolated from human breast milk <i>M.S. Riaz Rajoka, M. Jin, Z. Haobin, Q. Li, D. Shao, C. Jiang, Q. Huang, H. Yang, J. Shi and N. Hussain</i>	638
Impacts of processing conditions on digestive recovery of polyphenolic compounds and stability of the antioxidant activity of green tea infusion during <i>in vitro</i> gastrointestinal digestion <i>N. Donlao and Y. Ogawa</i>	648
Probiotic capability in yeasts: Set-up of a screening method <i>M. Arévalo-Villena, P. Fernandez-Pacheco, N. Castillo, A. Bevilacqua and A. Briones Pérez</i>	657
Mesquite (<i>Prosopis alba</i>) flour as a novel ingredient for obtaining a “panettone-like” bread. Applicability of part-baking technology <i>F. Bigne, M.C. Puppo and C. Ferrero</i>	666
Functional properties and sensory value of snack bars added with common bean flour as a source of bioactive compounds <i>A.K. Ramírez-Jiménez, M. Gaytán-Martínez, E. Morales-Sánchez and G. Loarca-Piña</i>	674
Optimization of ultrasound-assisted extraction of natural antioxidants from <i>Piper betle</i> using response surface methodology <i>A. Ali, X.Y. Lim, C.H. Chong, S.H. Mah and B.L. Chua</i>	681
Technological potential of <i>Bifidobacterium aesculapii</i> strains for fermented soymilk production <i>F. Patrignani, M. Modesto, S. Michelini, M.C. Sansosti, D.I. Serrazanetti, L. Qvirist, L. Siroli, L. Camprini, P. Mattarelli and R. Lanciotti</i>	689
Tef protein: Solubility characterization, <i>in-vitro</i> digestibility and its suitability as a gluten free ingredient <i>H. Shumoy, S. Pattyn and K. Raes</i>	697
Bioactive and technological functionality of a lipid extract from shrimp (<i>L. vannamei</i>) cephalothorax <i>M.C. Gómez-Guillén, P. Montero, M.E. López-Caballero, G.C. Baccan and J. Gómez-Estaca</i>	704
Effect of cooking and packaging conditions on quality of semi-dried green asparagus during cold storage <i>L. Sergio, V. Cantore, L. Spremulli, L. Pinto, F. Baruzzi, D. Di Venere and F. Boari</i>	712
Modification of starch using low pressure radio frequency air plasma <i>S. Banura, R. Thirumdas, A. Kaur, R.R. Deshmukh and U.S. Annapure</i>	719
Relating sensory analysis with SPME-GC-MS data for Spanish-style green table olive aroma profiling <i>A. López-López, A.H. Sánchez, A. Cortés-Delgado, A. de Castro and A. Montaña</i>	725
Activities of macerating enzymes are useful for selection of soy sauce koji <i>A. Kaewkrod, N. Niamsiri, T. Likitwattanasade and S. Lertsiri</i>	735
Optimization of water in olive oil nano-emulsions composition with bioactive compounds by response surface methodology <i>M. Katsouli, V. Polychniatou and C. Tzia</i>	740
The effect of essential oil and extract from sage (<i>Salvia officinalis</i> L.) herbal dust (food industry by-product) on the oxidative and microbiological stability of fresh pork sausages <i>B. Šojić, B. Pavlić, Z. Zeković, V. Tomović, P. Ikonić, S. Kocić-Tanackov and N. Džinić</i>	749
Prevention of iron-polyphenol complex formation by chelation in black tea <i>E.J.T. McGee and L.L. Diosady</i>	756
The effects of alcohol fermentation on the extraction of antioxidant compounds and flavonoids of pomelo peel <i>X. Tian, Y. Liu, X. Feng, A.A. Khaskheli, Y. Xiang and W. Huang</i>	763

Short communications

Centrifugal fractionation of mealworm larvae (<i>Tenebrio molitor</i>, L.) for protein recovery and concentration <i>B. Purschke, Y.D.M. Sanchez and H. Jäger</i>	224
The effect of different agitations and temperature maintainings on viscoelastic properties of full-fat processed cheese spreads <i>M. Černíková, R.N. Salek, D. Kozáčková and F. Buňka</i>	244
Isolation of folate-producing <i>Weissella</i> spp. from Thai fermented fish (Plaa Som Fug) <i>J. Deatraksa, S. Sunthornthummas, A. Rangsiruji, S. Sarawaneeyaruk, N. Suwannasai and O. Pringsulaka</i>	388
Effect of chickpea protein concentrate on the loaf quality of composite soy-wheat bread <i>L. Serventi, E. Vittadini and Y. Vodovotz</i>	400
Peroxidase inactivation kinetics is affected by the addition of calcium chloride in fruit beverages <i>M.T.K. Kubo, M.L. Rojas, S. Curet, L. Boillereaux and P.E.D. Augusto</i>	610