

## CONTENTS

### Preface

- 1 'Frontline research in mitigating greenhouse gas emissions from paddy fields'  
*Kazuyuki Yagi*

### Environment

- 2 Site-specific feasibility of alternate wetting and drying as a greenhouse gas mitigation option in irrigated rice fields in Southeast Asia: a synthesis  
*Agnes Tirol-Padre, Kazunori Minamikawa, Takeshi Tokida, Reiner Wassmann and Kazuyuki Yagi*
- 14 Impacts of alternate wetting and drying on greenhouse gas emission from paddy field in Central Vietnam  
*Dang Hoa Tran, Trong Nghia Hoang, Takeshi Tokida, Agnes Tirol-Padre and Kazunori Minamikawa*
- 23 Alternate wetting and drying reduces methane emission from a rice paddy in Central Java, Indonesia without yield loss  
*Prihasto Setyanto, Ali Pramono, Terry Ayu Adriany, Helena Lina Susilawati, Takeshi Tokida, Agnes T. Padre and Kazunori Minamikawa*
- 31 Evaluating the effects of alternate wetting and drying (AWD) on methane and nitrous oxide emissions from a paddy field in Thailand  
*Amnat Chidthaisong, Nittaya Cha-un, Benjamas Rossopa, Chitnucha Buddaboon, Choosak Kunuthai, Patikom Sriphirom, Sirintornthep Towprayoon, Takeshi Tokida, Agnes T. Padre and Kazunori Minamikawa*
- 39 Effects of alternate wetting and drying technique on greenhouse gas emissions from irrigated rice paddy in Central Luzon, Philippines  
*Evangeline B. Sibayan, Kristine Samoy-Pascual, Filomena S. Grospe, Mark Everson D. Casil, Takeshi Tokida, Agnes T. Padre and Kazunori Minamikawa*
- 47 Methane emission from rice cultivation in different agro-ecological zones of the Mekong river delta: seasonal patterns and emission factors for baseline water management  
*Thi Bach Thuong Vo, Reiner Wassmann, Agnes Tirol-Padre, Van Phuong Cao, Ben MacDonald, Maria Victoria O. Espaldon and Bjoern Ole Sander*
- 59 Intercontinental comparison of greenhouse gas emissions from irrigated rice fields under feasible water management practices: Brazil and Japan  
*Estefânia Silva Camargo, Gabriel Munhoz Pedroso, Kazunori Minamikawa, Yutaka Shiratori and Cimélio Bayer*

- 68 Azolla cover significantly decreased CH<sub>4</sub> but not N<sub>2</sub>O emissions from flooding rice paddy to atmosphere  
*Samuel Munyaka Kimani, Weiguo Cheng, Takamori Kanno, Toan Nguyen-Sy, Ryoko Abe, Aung Zaw Oo, Keitaro Tawarayaya and Shigeto Sudo*
- 77 Forage rice varieties Fukuhibiki and Tachisuzuka emit larger CH<sub>4</sub> than edible rice Haenuki  
*Weiguo Cheng, Samuel Munyaka Kimani, Takamori Kanno, Shuirong Tang, Aung Zaw Oo, Keitaro Tawarayaya, Shigeto Sudo, Yuka Sasaki and Norio Yoshida*
- 84 Effect of oxidizing and reducing agents in soil on methane production in Southeast Asian paddies  
*Kazuyuki Inubushi, Hiroki Saito, Hironori Arai, Kimio Ito, Koichi Endoh and Miwa M. Yashima*

### Regular papers

#### Soil chemistry and soil mineralogy

- 90 Mechanisms for high potassium selectivity of soils dominated by halloysite from northern California, USA  
*Yumika Takahashi, Randy A. Dahlgren, Hitoshi Kanno, Masami Nanzyo and Tadashi Takahashi*

#### Plant nutrition

- 100 Impacts of autophagy on nitrogen use efficiency in plants  
*Hiroyuki Ishida and Amane Makino*
- 106 Mechanism underlying rapid responses to boron deprivation in Arabidopsis roots  
*Masaru Kobayashi, Maako Miyamoto, Toru Match, Sakihito Kitajima, Shigeru Hanano, I Nyoman Sumerta, Takafumi Narise, Hideyuki Suzuki, Nozomu Sakurai and Daisuke Shibata*

#### Soil fertility

- 116 Evaluation of nonexchangeable potassium content of agricultural soils in Japan by the boiling HNO<sub>3</sub> extraction method in comparison with exchangeable potassium  
*Yuka Kitagawa, Junta Yanai and Atsushi Nakao*

#### Environment

- 123 Improvement of nitrate-leaching control technology using an anion exchange compound on agriculture 1: synthesis of a Mg-Fe system layered double hydroxide and its anion exchange characteristics  
*Masanori Ito*