

# INDUSTRIAL CROPS AND PRODUCTS

VOLUME 115

May 2018

## Contents

### Fats and oils

Diversifying cropping systems with aromatic crops for better productivity and profitability in subtropical north Indian plains

*K. Khan and R.K. Verma (India)*

Chemical characterization and free radical scavenging capacity of oils obtained from *Torreya grandis* Fort. ex. Lindl. and *Torreya grandis* Fort. var. *Merrillii*: A comparative study using chemometrics

*L.-K. Shi, J.-H. Mao, L. Zheng, C.-W. Zhao, Q.-Z. Jin and X.-G. Wang (China)*

Optimization of microwave-assisted extraction of oil from tiger nut (*Cyperus esculentus* L.) and its quality evaluation

*B. Hu, K. Zhou, Y. Liu, A. Liu, Q. Zhang, G. Han, S. Liu, Y. Yang, Y. Zhu and D. Zhu (China)*

### Non-food bioactive products

Can the stalks of *Papaver somniferum* L. be an alternative source of bioactive components?

*B. Kirkan, M.S. Ozer, C. Sarikurkcu, M. Copuroglu, M. Cengiz and B. Tepe (Turkey)*

Condensed tannin from *Dioscorea cirrhosa* tuber as an eco-friendly and durable flame retardant for silk textile

*T.-T. Yang, J.-P. Guan, R.-C. Tang and G. Chen (China)*

104 Application of mixture design for optimum antioxidant activity of mixtures of essential oils from *Ocimum basilicum* L., *Origanum majorana* L. and *Rosmarinus officinalis* L.

*T. Baj (Poland), A. Baryluk (Canada) and E. Sieniawska (Poland)*

250 Phytochemical analysis, antioxidant, antibacterial and cytotoxic activity of different plant organs of *Eryngium serbicum* L.

*M.D. Vukic, N.L. Vukovic, G.T. Djelic, A. Obradovic (Serbia), M.M. Kacaniova (Slovakia), S. Markovic, S. Popović and D. Baskić (Serbia)*

290 Novel high value elemicin-rich germplasm of lemon grass (*Cymbopogon khasianus* (Hack) Stapf (ex Bor) from North East India

*M. Lal, S. Dutta, S. Munda and S.K. Pandey (India)*

16

52

88

98

High value-added application of turpentine as a potential renewable source for the synthesis of heterocyclic Schiff base derivatives of <i>cis</i> -1,8- <i>p</i> -menthane-diamine serving as botanical herbicides <i>S. Zhu, S. Xu, X. Yi, J. Wang, Z. Zhao and J. Jiang (China)</i>		Genetic diversity and population structure of ramie ( <i>Boehmeria nivea</i> L.) <i>J.-L. Ni, A.-G. Zhu, X.-F. Wang, Y. Xu, Z.-M. Sun, J.-H. Chen and M.-B. Luan (China)</i>	340
Chemical compositions of essential oil and antioxidant activity of dragonhead ( <i>Dracocephalum moldavica</i> ) in sole crop and dragonhead- soybean ( <i>Glycine max</i> ) intercropping system under organic manure and chemical fertilizers <i>S. Fallah, M. Rostaei, Z. Lorigooini and A.A. Surki (Iran)</i>	111	<b>Biorefinery, valorization of byproducts</b>	
Bioherbicidal activity of <i>Sinapis alba</i> seed meal extracts <i>M.J. Morra, I.E. Popova and R.A. Boydston (USA)</i>		Fractionation of oil palm fronds (OPF) hemicellulose using dilute nitric acid for fermentative production of xylitol <i>S.F.A. Manaf, J. Md Jahim, S. Harun and A.A.I. Luthfi (Malaysia)</i>	6
Methyl jasmonate as a control factor of the <i>synthase squalene</i> gene promoter and ginsenoside production in American ginseng hairy root cultured in shake flasks and a nutrient sprinkle bioreactor <i>E. Kochan, E. Balcerczak, A. Lipert, G. Szymańska and P. Szymczyk (Poland)</i>	158	Subcritical water hydrolysis of sugar beet pulp towards production of monosaccharide fraction <i>N. Maravić, Z. Šereš, S. Vidović, A. Mišan, I. Milovanović (Serbia), R. Radosavljević (Serbia, Austria) and B. Pavlić (Serbia)</i>	32
Phosphorus enriched organic fertilizer, an effective P source for improving yield and bioactive principle of Senna ( <i>Cassia angustifolia</i> Vhal.) <i>B.B. Basak and N.A. Gajbhiye (India)</i>	174	Techno-economic feasibility analysis of blue and purple corn processing for anthocyanin extraction and ethanol production using modified dry grind process <i>P. Somavat, D. Kumar and V. Singh (United States)</i>	78
Ultrasound-assisted extraction of phenolic compounds from Macela ( <i>Achyrocline satureioides</i> ) extracts <i>C. Goltz, S. Ávila, J.B. Barbieri, L. Igarashi-Mafra and M.R. Mafra (Brazil)</i>	182	Structural changes of bamboo-derived lignin in an integrated process of autohydrolysis and formic acid inducing rapid delignification <i>Y. Zhang (China, Finland), M. Qin (China), W. Xu (Finland), Y. Fu, Z. Wang, Z. Li (China), S. Willför, C. Xu (Finland) and Q. Hou (China)</i>	194
Enhanced extraction of phenolic compounds using choline chloride based deep eutectic solvents from <i>Juglans regia</i> L. <i>V. Vieira (Portugal), M.A. Prieto (Portugal, Spain), L. Barros, J.A.P. Coutinho, I.C.F.R. Ferreira and O. Ferreira (Portugal)</i>	208	Sugarcane straw lignin obtained by sulfur dioxide-alcohol-water (SAW) fractionation: Effect of solvent <i>A.M. Sharazi, A.R.P. van Heiningen (USA), I. Sumerskii and M. Bacher (Austria)</i>	235
Chemical characterization and biological activity of <i>Onosma gigantea</i> extracts <i>C. Sarikurkcu, B. Kirkan, M.S. Ozer, O. Ceylan, N. Atilgan, M. Cengiz and B. Tepe (Turkey)</i>	261	The reactivity of lignin carbohydrate complex (LCC) during manufacture of dissolving sulfite pulp from softwood <i>R. Deshpande, N. Giummarella, G. Henriksson, U. Germgård, L. Sundvall, H. Grundberg and M. Lawoko (Sweden)</i>	315
<b>Fibres, proteins and carbohydrates</b>		<b>Bioenergy - crops and processing</b>	
The effects of photoperiod and nutrition on duckweed ( <i>Landoltia punctata</i> ) growth and starch accumulation <i>Y. Liu, X. Wang, Y. Fang, M. Huang, X. Chen, Y. Zhang and H. Zhao (China)</i>	243	Acid, alkali and peroxide pretreatments increase the cellulose accessibility and glucose yield of banana pseudostem <i>F.L. Shimizu, P.Q. Monteiro, P.H.C. Ghiraldi, R.B. Melati, F.C. Pagnocca, W.d. Souza, C. Sant'Anna and M. Brienzo (Brazil)</i>	62

Green fluorescent protein as a visual selection marker for oil palm transformation <i>G.K.A. Parveez and N.A. Majid (Malaysia)</i>	134	Optimization of activated carbon detoxification of dilute ammonia pretreated energy cane bagasse enzymatic hydrolysate by response surface methodology <i>F. Deng, D.-Y. Cheong and G.M. Aita (United States)</i>	166
The influence of root-cutting radius on tuber yield and fuel characteristics of <i>Helianthus tuberosus</i> L. in a semi-arid area <i>K. Gao, T.X. Zhu, T. Xun, W. Lin and G. Yang (China)</i>	202	Crude protein yield and theoretical extractable true protein of potential biorefinery feedstocks <i>Z. Solati, K. Manevski, U. Jørgensen, R. Labouriau, S. Shahbazi and P.E. Lærke (Denmark)</i>	214
<b>Bio-based Materials from Crops</b>		Metallic nanoparticles roughened <i>Calotropis gigantea</i> fiber enables efficient absorption of oils and organic solvents <i>E. Cao, W. Xiao, W. Duan, N. Wang, A. Wang and Y. Zheng (China)</i>	272
Direct mechanical production of wood nanofibers from raw wood microparticles with no chemical treatment <i>H. Yousefi, V. Azari and A. Khazaeian (Iran)</i>	26	Effects of average molar weight, crystallinity, and hemicelluloses content on the enzymatic hydrolysis of sisal pulp, filter paper, and microcrystalline cellulose <i>J.J. Kaschuk and E. Frollini (Brazil)</i>	280
Linseed oil as a natural modifier of rigid polyurethane foams <i>S. Członka (Poland), M.F. Bertino, J. Kośny (USA), A. Strąkowska, M. Masłowski and K. Strzelec (Poland)</i>	40	Influence of cellulose nanocrystal on strength and properties of low density polyethylene and thermoplastic starch composites <i>N. Gray, Y. Hamzeh (Iran), A. Kaboorani (Canada) and A. Abdulkhani (Iran)</i>	298
Flexible polyurethane foams synthesized with palm oil-based bio-polyols obtained with the use of different oxirane ring opener <i>A. Prociak, E. Malewska, M. Kurańska, S. Bąk and P. Budny (Poland)</i>	69	Effect of formulation and process on the extrudability of starch-based foam cushions <i>A. Georges, C. Lacoste and E. Damien (France)</i>	306
Synthesis and characterization of a potential bio-based dielectric fluid from neem oil seed <i>S. Umar, A.A. Abdelmalik and U. Sadiq (Nigeria)</i>	117	Extraction and isolation methods for lignin separation from sugarcane bagasse: A review <i>S.A. Arni (Saudi Arabia)</i>	330
Surface modification via atmospheric cold plasma (ACP): Improved functional properties and characterization of zein film <i>S. Dong, P. Guo, Y. Chen, G.-y. Chen, H. Ji (China), Y. Ran (USA), S.-h. Li and Y. Chen (China)</i>	124		
Tetracycline removal with activated carbons produced by hydrothermal carbonisation of <i>Agave americana</i> fibres and mimosa tannin <i>T. Selmi (Tunisia), A. Sanchez-Sanchez, P. Gadonneix (France), J. Jagiello (United States), M. Seffen, H. Sammouda (Tunisia), A. Celzard and V. Fierro (France)</i>	146		