

# Crop Protection

## Contents

Volume 110

August 2018

- Efficacy of fenhexamid treatments against *Botrytis cinerea* in grapevine as affected by time of application and meteorological conditions  
*D. Molitor, M. Schultz, B. Friedrich, O. Viret, L. Hoffmann and M. Beyer* 1
- The effect of crop rotation and fungicide seed treatment on take-all in winter cereals in Lithuania  
*J. Ramanauskienė, R. Semaškienė, A. Jonavičienė and A. Ronis* 14
- Integrating gene deployment and crop management for improved rice resistance to Asian planthoppers  
*F.G. Horgan* 21
- Economic feasibility of an augmentative biological control industry in Niger  
*M.J. Guerçi, G.W. Norton, M.N. Ba, I. Baoua, J. Alwang, L. Amadou, O. Moumouni, L. Karimoune and R. Muniappan* 34
- Resistance and susceptibility to powdery mildew, root-knot nematode, and western flower thrips in two types of winter cress (Brassicaceae)  
*F.R. Badenes-Pérez and J.A. López-Pérez* 41
- Identification of *Nedotepa curta* Dmitriev as a potential vector of the Côte d'Ivoire lethal yellowing phytoplasma in coconut palms sole or in mixed infection with a 'Candidatus Phytoplasma asteris'-related strain  
*K.E. Kwadjo, N.D.I. Beugré, C.H. Dietrich, A.T. Thierry Kodjo, H. Atta Diallo, N. Yankey, S. Dery, M. Wilson, J.L. Konan Konan, N. Contaldo, S. Paltrinieri, A. Bertaccini and Y. Arocha Rosete* 48
- Is a biofix necessary for predicting the flight phenology of *Lobesia botrana* in Douro Demarcated Region vineyards?  
*C. Carlos, F. Gonçalves, I. Oliveira and L. Torres* 57
- Inter-seasonal and altitudinal inoculum dynamics for wheat stripe rust and powdery mildew epidemics in Gangu, Northwestern China  
*Y. Gu, Y. Li, C. Wang, B. Chu, Q. Liu, Y. Luo and Z. Ma* 65
- The occurrence and distribution of viruses infecting Lanzhou lily in northwest, China  
*Y. Zhang, Y. Wang, Z. Xie, G. Yang, Z. Guo and L. Wang* 73
- Identification of resistance to Sugarcane streak mosaic virus (SCSMV) and Sorghum mosaic virus (SrMV) in new elite sugarcane varieties/clones in China  
*W.-F. Li, H.-L. Shan, R.-Y. Zhang, X.-Y. Wang, K. Yang, Z.-M. Luo, J. Yin, X.-Y. Cang, J. Li and Y.-K. Huang* 77
- Baseline sensitivity and toxic actions of boscalid against *Sclerotinia sclerotiorum*  
*S. Hu, J. Zhang, Y. Zhang, S. He and F. Zhu* 83
- Evaluation of tomato inbred lines for resistance to the tomato yellow leaf curl disease complex in Oman  
*A.A. Al-Shihi, P. Hanson, A.M. Al-Sadi, R.A. Al-Yahyai, R.W. Briddon, M. Deadman and M.S. Shahid* 91
- Transmission of the umbra-like Papaya virus Q in Ecuador and its association with meleira-related viruses from Brazil  
*J.F. Cornejo-Franco, R.A. Alvarez-Quinto and D.F. Quito-Avila* 99

Fungicide sensitivity profiles of <i>Puccinia hemerocallidis</i> to pyraclostrobin, flutolanil, and thiophanate-methyl <i>R.S. Emmitt, K.L. Stevenson, A.D. Martinez-Espinoza and J.W. Buck</i>	103	Inoculation of oil palm seedlings in Malaysia with white-rot hymenomycetes: Assessment of pathogenicity and vegetative growth <i>Y. Naidu, Y. Siddiqui, M.Y. Rafii, H.M. Saud and A.S. Idris</i>	146
Occurrence of powdery mildew caused by <i>Golovinomyces orontii</i> on <i>Lactuca sativa</i> var. <i>ramosa</i> (lettuce) in China <i>P. Qiu, V. Nguyen, G. Guan, Y. Li, S. Takamatsu and S. Liu</i>	108	Natal host and learning as factors in host preference by <i>Spalangia cameroni</i> Perkins (Hymenoptera: Pteromalidae) <i>J. Tormos, F. Beitia, J.D. Asís and L. de Pedro</i>	155
A comparison of dicamba absorption, translocation and metabolism in <i>Chenopodium album</i> populations resistant and susceptible to dicamba <i>H. Ghanizadeh, K.C. Harrington and T.K. James</i>	112	Preharvest application of beneficial fungi as a strategy to prevent postharvest mycotoxin contamination: A review <i>S. Sarrocco and G. Vannacci</i>	160
Pesticide use in cereal production in Moghan Plain, Iran: Risk knowledge and farmers' attitudes <i>A. Bondori, A. Bagheri, M. Sookhtanlou, M.S. Allahyari and C.A. Damalas</i>	117	A case for comprehensive analyses demonstrated by evaluating the yield benefits of neonicotinoid seed treatment in maize ( <i>Zea mays</i> L.) <i>A.I. Del Pozo-Valdivia, D.D. Reisig, C. Arellano and R.W. Heiniger</i>	171
Terpene based biopesticides as potential alternatives to synthetic insecticides for control of aphid pests on protected ornamentals <i>G.H. Smith, J.M. Roberts and T.W. Pope</i>	125	Fusarium ear rot and fumonisins in maize kernels when comparing a <i>Bt</i> hybrid with its non- <i>Bt</i> isohybrid and under conventional insecticide control of <i>Busseola fusca</i> infestations <i>E. Ncube, B.C. Flett, J. Van den Berg, A. Erasmus and A. Viljoen</i>	183
Efficacy of dimethyl disulfide and metam sodium combinations for the control of nutsedge species <i>M. Stevens and J. Freeman</i>	131	The improvement of propionic acid safety and use during the preservation of stored grains <i>R. Rutenberg, S. Bernstein, E. Fallik, N. Paster and E. Poverenov</i>	191
Formulation of botanicals for the control of plant-pathogens: A review <i>D.F. Borges, E.A. Lopes, A.R. Fialho Moraes, M.S. Soares, L.E. Visôto, C.R. Oliveira and V.M. Moreira Valente</i>	135	The host status of Brassicaceae to <i>Meloidogyne</i> and their effects as cover and biofumigant crops on root-knot nematode populations associated with potato and tomato under South African field conditions <i>M. Daneel, E. Engelbrecht, H. Fourie and P. Ahuja</i>	198
Flights of Noctuidae and Crambidae of economic importance in Southeast Missouri – 2015, 2016 <i>M.M. Jones and J.L. Duckworth</i>	141		

Selection of an essential oil from <i>Corymbia</i> and <i>Eucalyptus</i> plants against <i>Ascia monuste</i> and its selectivity to two non-target organisms <i>A.V. Ribeiro, E. de Sá Farias, A.A. Santos, C.A. Filomeno, I.B. dos Santos, L.C.A. Barbosa and M.C. Picanço</i>	207	Identification and characterization of a phytoplasma associated with black locust yellow disease in two provinces of Iran <i>M. Karimzade, M. Siampour, M. Zakiaghl and M. Mehrvar</i>	261
Effect of the sowing date and cultivar reaction on the gray mold progress on castor bean cultivars <i>V. Lourenço Jr., R.K. Takaki, M.V. Nunes, L.C. Borsato, A.W. Moita, J.S.S. Foloni and D. Oliveira</i>	214	Effects of emamectin benzoate and cypermethrin on the demography of <i>Trichogramma brassicae</i> Bezdenko <i>E. Parsaeyan, S.A. Safavi, M. Saber and N. Poorjavad</i>	269
Development of improved disease management for powdery mildew on mango trees in Israel <i>M. Reuveni, L. Gur and A. Farber</i>	221	Effects of <i>Trichoderma asperellum</i> on nutrient uptake and Fusarium wilt of tomato <i>Y.-T. Li, S.-G. Hwang, Y.-M. Huang and C.-H. Huang</i>	275
Inheritance and fitness costs of Cry1A.105 resistance in two strains of <i>Spodoptera frugiperda</i> (J.E. Smith) <i>Y. Niu, G.P. Head, P.A. Price and F. Huang</i>	229	Baseline susceptibility and cross-resistance of cycloxaprid, a novel cis-nitromethylene neonicotinoid insecticide, in <i>Bemisia tabaci</i> MED from China <i>R. Wang, Y. Fang, C. Mu, C. Qu, F. Li, Z. Wang and C. Luo</i>	283
When herbicides don't really matter: Weed species composition of oil pumpkin ( <i>Cucurbita pepo</i> L.) fields in Hungary <i>G. Pinke, P. Karácsony, B. Czúcz and Z. Botta-Dukát</i>	236	Differential distribution of phytoplasma during phyllody progression in sesame ( <i>Sesamum indicum</i> L.) under field conditions - An important consideration for effective sampling of diseased tissue <i>V. Singh, S. Kumar and S. Lakhanpaul</i>	288
Role of allelopathic crop mulches and reduced doses of tank-mixed herbicides in managing herbicide-resistant <i>Phalaris minor</i> in wheat <i>T. Abbas, M.A. Nadeem, A. Tanveer, H.H. Ali and N. Farooq</i>	245	LIFETIME ACHIEVEMENT AWARD IN PLANT RESISTANCE TO INSECTS	295
Managing pests after 15 years of Bt cotton: Farmers' practices, performance and opinions in northern China <i>G. Wang and M. Fok</i>	251		