

# CONTENTS

Volume 93, July 2018

## Review article

### Extraction of bioactives from fruit and vegetables:

State of the art and perspectives

*C.M.G.C. Renard*

390

## Research papers

### Effects of partial substitution of NaCl on gel properties of fish myofibrillar protein during heating treatment mediated by microbial transglutaminase

*J. Feng, A. Cao, L. Cai, L. Gong, J. Wang, Y. Liu, Y. Zhang and J. Li*

1

### Development of vortex-assisted ionic liquid-dispersive microextraction methodology for vanillin monitoring in food products using ultraviolet-visible spectrophotometry

*N. Altunay*

9

### Separation, characterization and inhibition on $\alpha$ -glucosidase, $\alpha$ -amylase and glycation of a polysaccharide from blackcurrant fruits

*Y. Xu, Y. Guo, Y. Gao, X. Niu, L. Wang, X. Li, H. Chen, Z. Yu and Y. Yang*

16

### Physicochemical and nutritional characterization of sweet snacks formulated with *Prosopis alba* flour

*L. Sciammaro, C. Ferrero and C. Puppo*

24

### Effect of salts combined with high hydrostatic pressure on structure and gelation properties of sweet potato protein

*Z.-K. Zhao, T.-H. Mu, M. Zhang and A. Richel*

36

### Physicochemical property, fatty acid composition, and antioxidant activity of ostrich oils using different rendering methods

*J. Ponphaiboon, S. Limmatvapirat, A. Chaidedgumjorn and C. Limmatvapirat*

45

### Tailoring yield stress and viscosity of concentrated microgel suspensions by means of adding immiscible liquids

*O. Fysun, S. Nöbel, A.J. Loewen and J. Hinrichs*

51

### Chemical composition and anti-microbial activities of the essential oil of *Adansonia digitata* stem-bark and leaf on post-harvest control of tomato spoilage

*R.M. Kayode, C.U. Azubuike, S.A. Laba, A.O. Dauda, M.A. Balogun and S.A. Ajala*

58

### Effect of germination with sodium selenite on the isoflavones and cellular antioxidant activity of soybean (*Glycine max*)

*M.A. Lazo-Vélez, D. Guardado-Félix, J. Avilés-González, I. Romo-López and S.O. Serna-Saldívar*

64

### Production of medium-chain structured lipids using dual acidic ionic liquids supported on $\text{Fe}_3\text{O}_4/\text{SiO}_2$ composites as magnetically recyclable catalysts

*W. Xie and C. Zhang*

71

### Optimization of supercritical carbon dioxide extraction of lutein and chlorophyll from spinach by-products using response surface methodology

*M. Derrien, M. Aghabararnejad, A. Gosselin, Y. Desjardins, P. Angers and Y. Boumghar*

79

### Novel angiotensin I-converting enzyme inhibitory peptides from soybean protein isolates fermented by *Pediococcus pentosaceus* SDL1409

*E.B.-M. Daliri, B.H. Lee, M.H. Park, J.-H. Kim and D.-H. Oh*

88

### Survival of probiotics in soyoghurt plus mulberry (*c.v.* Chiang Mai 60) leaf extract during refrigerated storage and their ability to tolerate gastrointestinal transit

*V. Kemsawasd and P. Chaikham*

94

### Microstructure elements affect the mass transfer in foods: The case of convective drying and rehydration of pumpkin

*M.L. Rojas and P.E.D. Augusto*

102

### Combined treatment of cinnamon bark oil emulsion washing and ultraviolet-C irradiation improves microbial safety of fresh-cut red chard

*J.-B. Park, J.-H. Kang and K.B. Song*

109

### Technological properties of sour cassava starches: Effect of fermentation and drying processes

*A. Díaz, C. Dini, S.Z. Viña and M.A. García*

116

<b>Rheological surface properties of commercial citrus pectins at different pH and concentration</b> <i>N. Baldino, O. Mileti, F.R. Lupi and D. Gabriele</i>	124	<b>Optimization of spray drying microencapsulation of olive pomace polyphenols using Response Surface Methodology and Artificial Neural Network</b> <i>B. Aliakbarian, F.C. Sampaio, J.T. de Faria, C.G. Pitangui, F. Lovaglio, A.A. Casazza, A. Converti and P. Perego</i>	220
<b>Restriction-modification systems and phage resistance of enterococci from ewe milk</b> <i>A. Kopčáková, K. Dubíková, M. Šulák, P. Javorský, V. Kmeť, A. Lauková and P. Pristaš</i>	131	<b>Inactivation of <i>Pectobacterium carotovorum</i> subsp. <i>carotovorum</i> on Chinese cabbage (<i>Brassica rapa</i> L. subsp. <i>pekinensis</i>) by wash treatments with phenolic compounds</b> <i>M. Kang, S.-J. Kim, J.Y. Lee, S.-R. Yoon, S.H. Kim and J.-H. Ha</i>	229
<b>Synbiotic encapsulation of probiotic <i>Latobacillus plantarum</i> by alginate -arabinoxylan composite microspheres</b> <i>Y. Wu and G. Zhang</i>	135	<b>Determination of trichothecenes in chicken liver using gas chromatography coupled with triple-quadrupole mass spectrometry</b> <i>A.F. Mahmoud, L. Escrivá, Y. Rodríguez-Carrasco, J.C. Moltó and H. Berrada</i>	237
<b>Sugar beet molasses purification by bentonite addition: Analysis of quality enhancement and treatment conditions</b> <i>M. Djordjević, Z. Šereš, T. Došenović, D. Šoronja-Simović, N. Maravić, D. Kukić, I. Nikolić and M. Djordjević</i>	142	<b>Flow properties of caseinomacropptide aqueous solutions: Effect of particle size distribution, concentration, pH and temperature</b> <i>K.G. Loria, J.C. Aragón, S.M. Torregiani, A.M.R. Pilosof and M.E. Fariás</i>	243
<b>Application of a potentiometric electronic tongue for assessing phenolic and volatile profiles of Arbequina extra virgin olive oils</b> <i>T.H. Borges, A.M. Peres, L.G. Dias, I. Seiquer and J.A. Pereira</i>	150	<b>Identification and biotechnological characterization of lactic acid bacteria isolated from chickpea sourdough in northwestern Argentina</b> <i>G.D. Sáez, L. Saavedra, E.M. Hebert and G. Zárate</i>	249
<b>Photobiological (LED light)-mediated fermentation of blueberry (<i>Vaccinium corymbosum</i> L.) fruit with probiotic bacteria to yield bioactive compounds</b> <i>S.-Y. Jeong, P. Velmurugan, J.-M. Lim, B.-T. Oh and D.-Y. Jeong</i>	158	<b>Characterization of S-layer proteins of potential probiotic starter culture <i>Lactobacillus brevis</i> SF9B isolated from sauerkraut</b> <i>M. Banić, K. Uroić, A. Leboš Pavunc, J. Novak, K. Zorić, K. Durgo, H. Petković, P. Jannik, S. Kazazić, S. Kazazić, S. Radović, S. Scalabrin, U. Hynönen, J. Šušković and B. Kos</i>	257
<b>Effects of different temperature and humidity on bioactive flavonoids and antioxidant activity in Pericarpium Citri Reticulata (<i>Citrus reticulata</i> ‘Chachi’)</b> <i>M. Fu, K. An, Y. Xu, Y. Chen, J. Wu, Y. Yu, B. Zou, G. Xiao and H. Ti</i>	167	<b>Inhibitory activity towards human <math>\alpha</math>-amylase in cereal foods</b> <i>P. Gélinas, C. McKinnon and F. Gagnon</i>	268
<b>Volatile and fixed composition of sulphite-free white wines obtained after fermentation in the presence of chitosan</b> <i>A. Castro-Marín, A.G. Buglia, C. Riponi and F. Chinnici</i>	174	<b>Effects of hot air-assisted radio frequency roasting on quality and antioxidant activity of cashew nut kernels</b> <i>M. Liao, Y. Zhao, C. Gong, H. Zhang and S. Jiao</i>	274
<b>Formulation of a 7,2',4'-trihydroxyflavanone oil-in-water microemulsion using aqua coconut oil: Characterization, stability, and antibrowning effects on fresh apple juice</b> <i>J. Tao, Z.-P. Zheng, F. Guo and J. Chen</i>	181	<b>Variations in physical-chemical properties of tomato suspensions from industrial processing</b> <i>B. Wu, B.K. Patel, X. Fei, O. Jones, O.H. Campanella and B.L. Reuhs</i>	281
<b>Crystallization kinetics of palm oil of different geographic origins and blends thereof by the application of the Avrami model</b> <i>S.-S. Hubbes, W. Danzl and P. Foerst</i>	189	<b>Sodium reduction and flavor enhancers addition: is there an impact on the availability of minerals from probiotic Prato cheese?</b> <i>H.L.A. Silva, C.F. Balthazar, R.S. Rocha, J. Moraes, E.A. Esmerino, M.C. Silva, R.S.L. Raices, T.C. Pimentel, M.Q. Freitas and A.G. Cruz</i>	287
<b>Texture changes and protein hydrolysis in different cheeses under simulated gastric environment</b> <i>D.H. Tran Do and F. Kong</i>	197	<b>Efficacy of using oregano essential oil and carvacrol to remove young and mature <i>Staphylococcus aureus</i> biofilms on food-contact surfaces of stainless steel</b> <i>J.B.d.S. Rodrigues, N.T.d. Souza, J.O.A. Scarano, J.M.d. Sousa, M.C. Lira, R.C.B.Q.d. Figueiredo, E.L. de Souza and M. Magnani</i>	293
<b>Effects of extrusion on structural and physicochemical properties of soluble dietary fiber from nodes of lotus root</b> <i>H. Chen, C. Zhao, J. Li, S. Hussain, S. Yan and Q. Wang</i>	204		
<b>The influence of natural oils of blackcurrant, black cumin seed, thyme and wheat germ on dough and bread technological and microbiological quality</b> <i>E. Debonne, I. De Leyn, J. Verwaeren, S. Moens, F. Devlieghere, M. Eeckhout and F. Van Bockstaele</i>	212		

Antimicrobial activity and physicochemical characterization of a potato starch-based film containing acetic and methanolic extracts of <i>Hibiscus sabdariffa</i> for use in sausage A.M. Cruz-Gálvez, J. Castro-Rosas, M.L. Rodríguez-Marín, A. Cadena-Ramírez, A. Tellez-Jurado, X. Tovar-Jiménez, E.A. Chavez-Urbiola, A. Abreu-Corona and C.A. Gómez-Aldapa	300	Effect of high pressure processing on rancidity of brown rice during storage H. Wang, S. Zhu, H.S. Ramaswamy, F. Hu and Y. Yu	405
Synthesis of structured lipids enriched with medium-chain fatty acids via solvent-free acidolysis of microbial oil catalyzed by <i>Rhizomucor miehei</i> lipase S.M. Abed, W. Wei, A.H. Ali, S.A. Korma, A.H. Mousa, H.M. Hassan, Q. Jin and X. Wang	306	Impact of gaseous ozone coupled to passive refrigeration system to maximize shelf-life and quality of four different fresh fish products M. Aponte, A. Anastasio, R. Marrone, R. Mercogliano, M.F. Peruzu and N. Murru	412
Application of continuous-type pulsed ohmic heating system for inactivation of foodborne pathogens in buffered peptone water and tomato juice S.-S. Kim, S.-H. Park and D.-H. Kang	316	Comparative exoproteome analyses of <i>Lactobacillus</i> spp. reveals species- and strain-specific proteins involved in their extracellular interaction and probiotic potential B.B. Bagon, V.D.V. Valeriano, J.K. Oh, E.A.B. Pajarillo, C.-S. Cho and D.-K. Kang	420
Phenolic composition and antimicrobial activity of Algerian olive products and by-products W. Yakhlef, R. Arhab, C. Romero, M. Brenes, A. de Castro and E. Medina	323	Effect of oxidized phenolic compounds on cross-linking and properties of biodegradable active packaging film composed of turmeric and gelatin I. Choi, S.E. Lee, Y. Chang, M. Lacroix and J. Han	427
Compression molded LLDPE films loaded with bimetallic (Ag-Cu) nanoparticles and cinnamon essential oil for chicken meat packaging applications J. Ahmed, M. Mulla, Y.A. Arfat, A. Bher, H. Jacob and R. Auras	329	Storage stability of minced beef supplemented with chickpea legumin at 4 °C as a potential substitute for nisin A. Osman, H.A. Goda and M. Sitohy	434
Soy milk with okara flour fermented by <i>Lactobacillus acidophilus</i> : Simplex-centroid mixture design applied in the elaboration of probiotic creamy sauce and storage stability M.L. de Moraes Filho, M. Busanello, S.H. Prudencio and S. Garcia	339	Alginate-based encapsulation of extracts from beta Vulgaris cv. beet greens: Stability and controlled release under simulated gastrointestinal conditions N. Gorbunova, A. Bannikova, A. Evteev, I. Evdokimov and S. Kasapis	442
Physical and functional properties of carrots differently cooked within the same hardness-range S.-W. Lee, B.-K. Kim and J.-A. Han	346	Steam-ultrasound combined treatment: A promising technology to significantly control mozzarella cheese quality V. Lacivita, A. Conte, H.S. Musavian, N.H. Krebs, V.A. Zambrini and M.A. Del Nobile	450
Influence of temperature in the extraction of nut oils by means of screw pressing A. Rabadán, J.E. Pardo, R. Gómez and M. Álvarez-Ortí	354	Kinetics of peroxidase inactivation, color and temperature changes during pumpkin ( <i>Cucurbita moschata</i> ) blanching using infrared heating S.N. Jamali, M. Kashaninejad, A.A. Amirabadi, M. Aalami and M. Khomeiri	456
Study on effect of salting process on egg yolk plasma using AF4 combined with ATR-FTIR and DSC J. Wang, Q. Shen, W. Zhang, P. Guo, Y. Li, Z. Mao, X. Zhang, S. Shen and H. Dou	362	Prediction of functional properties of registered chickpea samples using FT-IR spectroscopy and chemometrics P. Kadiroğlu, L.Y. Aydemir and F.G. Akcakaya	463
Synthesis and evaluation of <i>n</i> -octenyl succinylated guar gum as an anti-staling agent in bread N.N. Shah, A. Raut, S.L. Yedage, B.M. Bhanage and R.S. Singhal	368	Antioxidant and antimicrobial effects of edible coating based on chitosan and bamboo vinegar in ready to cook pork chops H. Zhang, P. He, H. Kang and X. Li	470
Traditional dairy products can supply beneficial microorganisms able to survive in the gastrointestinal tract C. Amadoro, F. Rossi, M.L. Pallotta, M. Gasperi and G. Colavita	376	Inactivation of <i>Escherichia coli</i> O157:H7 and <i>Staphylococcus aureus</i> in red pepper powder using a combination of radio frequency thermal and indirect dielectric barrier discharge plasma non-thermal treatments E.J. Choi, H.S. Yang, H.W. Park and H.H. Chun	477
<i>In vitro</i> digestion properties of native isolated starches from Mexican blue maize ( <i>Zea mays</i> L.) landrace P.M. Uriarte-Aceves, J. Milán-Carrillo, E.O. Cuevas-Rodríguez, R. Gutierrez-Dorado, C. Reyes-Moreno and E.M. Milán-Noris	384	Effect of pressure-soaking treatments on texture and retrogradation properties of black rice L. Meng, W. Zhang, Z. Wu, A. Hui, H. Gao, P. Chen and Y. He	485
Survival of encapsulated <i>Lactobacillus plantarum</i> during isothermal heating and bread baking L. Zhang, X.D. Chen, R.M. Boom and M.A.I. Schutyser	396	Impact of partial and total replacement of milk by water-soluble soybean extract on fermentation and growth parameters of kefir microorganisms A.P. Norberto, R.P. Marmontini, P.H. Carvalho, F.B. Campagnollo, H.H. Takeda, T.M. Alberte, R.S. Rocha, A.G. Cruz, V.O. Alvarenga and A.S. Sant'Ana	491

Production of a minimally processed jelly candy for children using honey instead of sugar <i>C. Mutlu, S.A. Tontul and M. Erba</i>	499	Assessment of ferrocyanide intake from food-grade salt in the Korean population <i>H.S. Lim, J.Y. Hwang, E. Choi, G. Lee, S.S. Yun and M. Kim</i>	620
Physicochemical and sensory properties of yogurt as affected by the incorporation of jumbo squid ( <i>Dosidicus gigas</i> ) powder <i>J.S. Córdova-Ramos, U. Gonzales-Barron and L.M. Cerrón-Mallqui</i>	506	A new mixed bread formula with improved physicochemical properties by using hull-less barley flour at the presence of guar gum and ascorbic acid <i>Z. Sheikholeslami, M. Karimi, H.R. Komeili and M. Mahfouzi</i>	628
Selectivity of ultrasound-assisted aqueous extraction of valuable compounds from flesh and peel of apple tissues <i>L. Wang, N. Boussetta, N. Lebovka and E. Vorobiev</i>	511	Detection in raw cow's milk of coliform bacteria - reservoir of antibiotic resistance <i>J. Godziszewska, E. Pogorzelska-Nowicka, M. Brodowska, G. Jagura-Burdzy and A. Wierzbicka</i>	634
Gene expression analysis to predict aflatoxins B <sub>1</sub> and G <sub>1</sub> contamination in some plant origin foods <i>V. Bernáldez, J.J. Córdoba, J. Delgado, E. Bermúdez and A. Rodríguez</i>	517	Zwitterionic hydrophilic interaction liquid chromatography coupled to mass spectrometry for analysis of beetroot juice and antioxidant interactions between its bioactive compounds <i>A. Sentkowska and K. Pyrzyńska</i>	641
Characterization of <i>Jatropha curcas</i> honeys originating from the southern highlands of Madagascar <i>M. Fröschle, H. Horn and O. Spring</i>	525	<i>Lactobacillus plantarum</i> LUHS135 and <i>paracasei</i> LUHS244 as functional starter cultures for the food fermentation industry: Characterisation, mycotoxin-reducing properties, optimisation of biomass growth and sustainable encapsulation by using dairy by-products <i>E. Bartkiene, P. Zavistanaviciute, V. Lele, M. Ruzauskas, V. Bartkevics, J. Bernatoniene, P. Gallo, G.C. Tenore and A. Santini</i>	649
Investigating the effect of lipase from <i>Candida rugosa</i> on the production of EPA and DHA concentrates from <i>Kilka</i> fish ( <i>Clupeonella cultiventris caspia</i> ) <i>H. Hosseini, M. Ghorbani, S.M. Jafari and A.S. Mahoonak</i>	534	Chemical composition and antibacterial activity of <i>Eugenia brejoensis</i> essential oil nanoemulsions against <i>Pseudomonas fluorescens</i> <i>J.F. Mendes, H.H.A. Martins, C.G. Otoni, N.A. Santana, R.C.S. Silva, A.G. Da Silva, M.V. Silva, M.T.S. Correia, G. Machado, A.C.M. Pinheiro, R.H. Piccoli and J.E. Oliveira</i>	659
Simultaneous enumeration of <i>Campylobacter jejuni</i> and <i>Salmonella enterica</i> genome equivalents by melting curve analysis following duplex real time PCR in the presence of SYBR Green <i>C. Agrimonti, A.M. Sanangelantoni and N. Marmiroli</i>	542	Aqueous micellar two-phase system as an alternative method to selectively remove soy antinutritional factors <i>C.N. Haidar, E. Coscueta, E. Cordisco, B.B. Nerli and L.P. Malpiedi</i>	665
Bioassay-guided isolation of triterpene from brown alga <i>Padina boergesenii</i> possess anti-inflammatory and anti-angiogenic potential with kinetic inhibition of $\beta$ -carotene linoleate system <i>K. Rajamani, T. Balasubramanian and S.S. Thirugnanasambandan</i>	549	The influence of agave fructans on thermal properties of low-fat, and low-fat and sugar ice cream <i>A. Pintor-Jardines, J.L. Arjona-Román, A. Totosaus-Sánchez, P. Severiano-Pérez, L.R. González-González and H.B. Escalona-Buendia</i>	679
Synergistic effect of sodium dodecyl sulfate and salts on the gelation properties of acid-hydrolyzed-hydroxypropylated potato starch <i>L. Li, Y. Hong, Z. Gu, L. Cheng, Z. Li and C. Li</i>	556	Short communications	
Faba bean protein flour obtained by densification: A sustainable method to develop protein concentrates with food applications <i>M. Felix, A. Lopez-Osorio, A. Romero and A. Guerrero</i>	563	Effectiveness of different myoglobin states to minimize high pressure induced discoloration in raw ground beef <i>J. Gupta, C.G. Bower, G.A. Cavender and G.A. Sullivan</i>	32
Optimization of antioxidant activity, textural and sensory characteristics of gluten-free cookies made from whole indian quinoa flour <i>K.N. Jan, P.S. Panesar and S. Singh</i>	573	Viability of free and encapsulated <i>Lactobacillus acidophilus</i> incorporated to cassava starch edible films and its application to Manaba fresh white cheese <i>S. Santacruz and M. Castro</i>	570
Berry press residues as a valuable source of polyphenolics: Extraction optimisation and analysis <i>L. Klavins, J. Kviesis, I. Nakurte and M. Klavins</i>	583	Anthocyanin composition and potential bioactivity of karonda ( <i>Carissa carandas</i> L.) fruit: An Indian source of biocolorant <i>R. Sarkar, A. Kundu, K. Banerjee and S. Saha</i>	673
Physical properties of puffed yellow pea snacks produced by nitrogen gas assisted extrusion cooking <i>F. Koksel and M.T. Masatcioglu</i>	592	Corrigendum to Molecular distillation of olive pomace oil Multiobjective optimization for tocopherol and squalene [LWT - Food Science and Technology 91 (2018) 198–202] <i>O. Ketenoglu, K.S. Ozkan, A. Yorulmaz and A. Tekin</i>	686
Effect of heat treatment intensity on the survival, activation and subsequent outgrowth of <i>Byssochlamys nivea</i> ascospores <i>S. Samapundo, A. Vroman, M. Eeckhout and F. Devlieghere</i>	599	Corrigendum to Instrumental quality attributes of single washed surimi gels of tilapia: Effect of different washing media. [LWT - Food Science and Technology 86 (2017) 385-392] <i>B. Priyadarshini, K.A.M. Xavier, B.B. Nayak, K. Dhanapal and A.K. Balange</i>	687
Impact of iodized table salt on the sensory characteristics of bread, sausage and pickle <i>M. Greis, L. Seppä, E.-R. Venäläinen, A. Lyytikäinen and H. Tuorila</i>	606		
Investigation of the potential use of <i>Lactobacillus gasseri</i> originated from human breast milk as food additive <i>A. Gunyakti and M. Asan-Ozusaglam</i>	613		