

LWT—Food Science and Technology

CONTENTS

Volume 96, October 2018

Review articles

Enhancing vitamin B₁₂ in lupin tempeh by *in situ* fortification

J.C.M. Wolkers – Rooijackers, M.F. Endika and E.J. Smid 513

Research papers

Corn snack with high fiber content: Effects of different fiber types on the product quality

Y.J. Han, T.T. Tra Tran and V.V. Man Le 1

Antistaling effects of hydrocolloids and modified starch on bread during cold storage

N. Kang, C.K. Reddy, E.Y. Park, H.-D. Choi and S.-T. Lim 13

Comparative assessment of phytochemical profile, antioxidant capacity and anti-proliferative activity in different varieties of brown rice (*Oryza sativa* L.)

Y. Gao, X. Guo, Y. Liu, M. Zhang, R. Zhang, A.M. Abbasi, L. You, T. Li and R.H. Liu 19

How extraction method affects the physicochemical and functional properties of chia proteins

M.S. Coelho and M.d.l.M. Salas-Mellado 26

The use of microfluidization for the production of xanthan and citrus fiber-based gluten-free corn breads

O.K. Ozturk and B. Mert 34

Rapid profiling of volatile compounds in green teas using Micro-Chamber/Thermal Extractor combined with thermal desorption coupled to gas chromatography-mass spectrometry followed by multivariate statistical analysis

Y. Yang, M. Zhang, H. Yin, Y. Deng, Y. Jiang, H. Yuan, C. Dong, J. Li, J. Hua and J. Wang 42

The mathematical prediction model for the oxidative stability of vegetable oils by the main fatty acids composition and thermogravimetric analysis

J. Li, J. Liu, X. Sun and Y. Liu 51

Optimization of palm oil in water nano-emulsion with curcumin using microfluidizer and response surface methodology

R. Raviadaran, D. Chandran, L.H. Shin and S. Manickam 58

Quantification and visualization of α -tocopherol in oil-in-water emulsion based delivery systems by Raman microspectroscopy

K. Wang, D.-W. Sun, Q. Wei and H. Pu 66

Improving functional properties of “Piel de Sapo” melon juice by addition of a *Lippia citriodora* natural extract and probiotic-type lactic acid bacteria

J. Rúa, I. López-Rodríguez, J. Sanz, M.C. García-Fernández, M.P. del Valle and M.R. García-Armesto 75

Fingerprint targeted compounds in authenticity of sugarcane honey - An approach based on chromatographic and statistical data

P. Silva, C.L. Silva, R. Perestrelo, F.M. Nunes and J.S. Câmara 82

Enhanced cross-category models for predicting the total polyphenols, caffeine and free amino acids contents in Chinese tea using NIR spectroscopy

J. Wang, Y. Wang, J. Cheng, J. Wang, X. Sun, S. Sun and Z. Zhang 90

Potential of polymer stabilized nano-liposomes to enhance antimicrobial activity of nisin Z against foodborne pathogens

T. Niaz, S. Shabbir, T. Noor, A. Rahman, H. Bokhari and M. Imran 98

Inactivation of foodborne pathogens influenced by dielectric properties, relevant to sugar contents, in chili sauce by 915 MHz microwaves

W.-J. Kim, S.-H. Park and D.-H. Kang 111

The description of oil absorption behavior of potato chips during the frying

Y. Zhang, T. Zhang, D. Fan, J. Li and L. Fan 119

Effect of long-term storage on viability and acceptability of lyophilized and spray-dried synbiotic microcapsules in dry functional food formulations

S. Moumita, B. Das, U. Hasan and R. Jayabalan 127

The effects of different thermal treatments on amino acid contents and chemometric-based identification of overheated honey

H. Zhao, N. Cheng, Y. Zhang, Z. Sun, W. Zhou, Y. Wang and W. Cao 133

A novel process for peanut tofu gel: Its texture, microstructure and protein behavioral changes affected by processing conditions <i>Y. Guo, H. Hu, Q. Wang and H. Liu</i>	140	Culture-dependent and -independent analysis of bacterial community structure in Jiangshui, a traditional Chinese fermented vegetable food <i>Z. Jun, W. Shuaishuai, Z. Lihua, M. Qilong, L. Xi, N. Mengyang, Z. Tong and Z. Hongli</i>	244
Astaxanthin from <i>Phaffia rhodozyma</i>: Microencapsulation with carboxymethyl cellulose sodium and microcrystalline cellulose and effects of microencapsulated astaxanthin on yogurt properties <i>Z.-Z. Feng, M.-Y. Li, Y.-T. Wang and M.-J. Zhu</i>	152	Bacterial diversity in traditional sourdough from different regions in China <i>X. Liu, M. Zhou, C. Jiabin, Y. Luo, F. Ye, S. Jiao, X. Hu, J. Zhang and X. Lü</i>	251
Isolation and identification of phenolic compounds in Chinese purple yam and evaluation of antioxidant activity <i>J. Zhang, H. Tian, P. Zhan, F. Du, A. Zong and T. Xu</i>	161	Use of succinyl chitosan as fat replacer on cake formulations <i>R.V. Rios, R. Garzón, S.C.S. Lannes and C.M. Rosell</i>	260
Using brewer's spent grain to formulate culture media for the production of bacteriocins using Patagonian strains <i>A. Paz, S. da Silva Sabo, M. Vallejo, E. Marguet, R. Pinheiro de Souza Oliveira and J.M. Domínguez</i>	166	Formation of capsaicin loaded nanoemulsions with high pressure homogenization and ultrasonication <i>E. Akbas, B. Soyler and M.H. Oztop</i>	266
Synergistic effect of low power ultrasonication on antimicrobial activity of cecropin P1 against <i>E. coli</i> in food systems <i>M. Fitriyanti and G. Narsimhan</i>	175	Development and application of biopolymer coatings to specialty green coffee beans: Influence on water content, color and sensory quality <i>L.F. Ferreira, G.F. de Abreu, A.M.T. Lago, L.P. Figueiredo, F.M. Borém, M.A. Martins, S.V. Borges and M.V. Dias</i>	274
Application of osmotic pressure in modification of <i>Amaranthus viridis</i> starch <i>T.O. Fasuan and C.T. Akanbi</i>	182	Structure-fracture relationships in chocolate systems <i>H. Zhao, B. Li and B.J. James</i>	281
Antioxidative effect of phenolic acids octyl esters on rapeseed oil stability <i>A. Szydłowska-Czerniak, D. Rabiej, J. Kyselka, M. Dragoun and V. Filip</i>	193	An ancient winemaking technology: Exploring the volatile composition of amphora wines <i>N. Martins, R. Garcia, D. Mendes, A.M. Costa Freitas, M.G. da Silva and M.J. Cabrita</i>	288
Effect of adding potato maltodextrins on baking properties of triticale flour and quality of bread <i>K. Pycia, G. Jaworska, J. Telega, I. Sudot and P. Kuźniar</i>	199	Effects of high pressure processing on the physical properties of fish ham prepared with farmed meagre (<i>Argyrosomus regius</i>) with reduced use of microbial transglutaminase <i>A.T. Ribeiro, M. Elias, B. Teixeira, C. Pires, R. Duarte, J.A. Saraiva and R. Mendes</i>	296
Enhancing wheat muffin aroma through addition of germinated and fermented Australian sweet lupin (<i>Lupinus angustifolius</i> L.) and soybean (<i>Glycine max</i> L.) flour <i>K.T. Kaczmarek, M.V. Chandra-Hioe, D. Frank and J. Arcot</i>	205	UV-A activated TiO₂ embedded biodegradable polymer film for antimicrobial food packaging application <i>J. Xie and Y.-C. Hung</i>	307
Effect of jaboticaba (<i>Myrciaria jaboticaba</i> (Vell) O. Berg) and jamelão (<i>Syzygium cumini</i> (L.) Skeels) peel powders as colorants on color-flavor congruence and acceptability of yogurts <i>D.D.G.C. Freitas-Sá, R.C. de Souza, M.C.P. de Araujo, R.G. Borguini, L.d.S. de Mattos, S. Pacheco and R.L.d.O. Godoy</i>	215	Gamma-glutamylolation of the white particulates of sufu and simultaneous synthesis of multiple acceptor amino acids-containing γ-glutamyl peptides: Favorable catalytic actions of glutaminase <i>J. Yang, D. Sun-Waterhouse, C. Cui, H. Zhao and K. Dong</i>	315
Efficacy of starter culture application using immersion technique on the characteristics of cooked-curd cheeses: Kashar cheese sample <i>O.F. Celik, S. Kurt, B. Tufenk and Z. Tarakci</i>	222	Formulation and storage effects on pomegranate smoothie phenolic composition, antioxidant capacity and color <i>M. Cano-Lamadrid, F. Hernández, P. Nowicka, A.A. Carbonell-Barrachina and A. Wojdyło</i>	322
Oxidation kinetics of sardine oil in the presence of commercial immobilized lipases commonly used as biocatalyst <i>Á.G. Solaesa, M.T. Sanz, R. Melgosa and S. Beltrán</i>	228	Potential application of monoglyceride structured emulsions as delivery systems of probiotic bacteria in reduced saturated fat ice cream <i>S. Calligaris, M. Marino, M. Maifreni and N. Innocente</i>	329
Impact of a thermisation treatment on oxytetracycline spiked ovine milk: Fate of the molecule and technological implications <i>R. Cabizza, N. Rubattu, S. Salis, M. Pes, R. Comunian, A. Paba, E. Daga, M. Addis, M.C. Testa and P.P. Urgeghe</i>	236	Inhibitory effect of chlorine dioxide (ClO₂) fumigation on growth and patulin production and its mechanism in <i>Penicillium expansum</i> <i>X.-m. Zhang and M.-r. Fu</i>	335
		Bacterial ecology and rheological parameters of multigrain gluten-free sourdoughs <i>J.O. Adepehin, V.N. Enujiugha, A.A. Badejo, G.M. Young, D.A. Odeny and F. Wu</i>	344

Influence of frozen storage on quality of multigrain dough, par baked and ready to eat <i>thalipeeth</i> with additives <i>S. Gaikwad and S.S. Arya</i>	350	Impact of acidification and protein fortification on rheological and thermal properties of wheat, corn, potato and tapioca starch-based gluten-free bread doughs <i>M. Villanueva, S. Pérez-Quirce, C. Collar and F. Ronda</i>	446
Microstructure and bioaccessibility of different carotenoid species as affected by hot air drying: Study on carrot, sweet potato, yellow bell pepper and broccoli <i>Z. Zhang, Q. Wei, M. Nie, N. Jiang, C. Liu, C. Liu, D. Li and L. Xu</i>	357	Biobased alginate/castor oil edible films for active food packaging <i>M.S. Abdel Aziz, H.E. Salama and M.W. Sabaa</i>	455
Evaluation of the antioxidant, anti-inflammatory and antimicrobial effects of catuaba, galangal, roseroot, maca root, guarana and polyfloral honey in sausages during storage <i>A. Póttorak, M. Marcinkowska-Lesiak, K. Lendzion, M. Moczowska, A. Onopiuk, I. Wojtasik-Kalinowska and A. Wierzbicka</i>	364	Quickly verifying the antioxidant contribution of the individual composition in natural antioxidants by HPLC-free radical scavenging detection <i>L. Wang, Y. Luo, Y. Wu, F. Xia and Z. Wu</i>	461
The effect of <i>Plantago</i> seeds and husk on wheat dough and bread functional properties <i>E. Pejcz, R. Spychaj, A. Wojciechowicz-Budzisz and Z. Gil</i>	371	An exploratory study for the technological classification of egg white powders based on infrared spectroscopy <i>S. Grassi, R. Vitale and C. Alamprese</i>	469
Microfluidization and atomization pressure during microencapsulation process: Microstructure, hygroscopicity, dissolution and flow properties <i>S.C. Pereyra-Castro, L. Alamilla-Beltrán, F. Villalobos-Castillejos, J. Porras-Saavedra, V. Pérez-Pérez, G.F. Gutiérrez-López and A.R. Jiménez-Aparicio</i>	378	Influence of cooking methods on protein modification and <i>in vitro</i> digestibility of hairtail (<i>Thichiurus lepturus</i>) filets <i>W.P. Semedo Tavares, S. Dong, Y. Yang, M. Zeng and Y. Zhao</i>	476
<i>Curcuma longa</i> L.- and <i>Piper nigrum</i>-based hydrolysate, with high dextrose content, shows antioxidant and antimicrobial properties <i>M.A.d. Queiroz Cancian, F.G.d. Almeida, M.M. Terhaag, A.G.d. Oliveira, T.d.S. Rocha and W.A. Spinosa</i>	386	Incorporation of spice essential oils into poly-lactic acid film matrix with the aim of extending microbiological and sensorial shelf life of ground beef <i>F. Talebi, A. Misaghi, A. Khanjari, A. Kamkar, H. Gandomi and M. Rezaeigolestani</i>	482
Antibacterial activity and a membrane damage mechanism of plasma-activated water against <i>Pseudomonas deceptionensis</i> CM2 <i>Q. Xiang, C. Kang, L. Niu, D. Zhao, K. Li and Y. Bai</i>	395	Novel application of CO₂-assisted high pressure processing in cucumber juice and apple juice <i>L. Zhao, X. Qin, W. Han, X. Wu, Y. Wang, X. Hu, J. Ling and X. Liao</i>	491
Simultaneous application of ultrasounds and firming agents to improve the quality properties of osmotic + freeze-dried foods <i>V. Prosapio and I. Norton</i>	402	Physical properties and sensory analysis of galacto-oligosaccharide glassy confections <i>A.M. Lans, J.C. Frelka, S. Paluri and Y. Vodovotz</i>	499
Optimization of Roba1 extrusion conditions and bean extrudate properties using response surface methodology and multi-response desirability function <i>H. Natabirwa, D. Nakimbugwe, M. Lung'aho and J.H. Muyonga</i>	411	Changes in proteolysis during the dry-cured processing of refrigerated and frozen loin <i>A. Abellán, E. Salazar, J. Vázquez, J.M. Cayuela and L. Tejada</i>	507
Encapsulation of vitamin C in a rebaudioside-sweetened model beverage using water in oil in water double emulsions <i>N. Kheynoor, S.M.H. Hosseini, G.-H. Yousefi, H. Hashemi Gahrue and G.-R. Mesbahi</i>	419	Impact of <i>in situ</i> formed exopolysaccharides on dough performance and quality of Chinese steamed bread <i>X. Tang, R. Liu, W. Huang, B. Zhang, Y. Wu, J. Zhuang, J.O. Omedi, F. Wang and J. Zheng</i>	519
Growth delay analysis of high-salt injured <i>Escherichia coli</i> O157:H7 in fermented soybean paste by real-time PCR and comparison of this method with other estimation methods <i>Y. Hosotani, F. Noviyanti, S. Koseki, Y. Inatsu and S. Kawasaki</i>	426	Comments on symbiotic microencapsulation to enhance <i>Lactobacillus acidophilus</i> survival <i>F. AnsariH. Pourjafar</i>	526
Tapioca starch-pullulan interaction during gelation and retrogradation <i>L. Sheng, P. Li, H. Wu, Y. Liu, K. Han, M. Gouda, Q. Tong, M. Ma and Y. Jin</i>	432	Quinoa germ and starch separation by wet milling, performance and characterization of the fractions <i>J.R. Mufari, P.P. Miranda-Villa and E.L. Calandri</i>	527
Initial stages of minimal processing of red beets result in significant loss of bioactive compounds <i>A.P. Preczenhak, M.A. Tessmer, N.D. Berno, A.P. de Abreu Vieira and R.A. Kluge</i>	439	Effect of gamma irradiation on the physicochemical properties and nutrient contents of peanut <i>K. Liu, Y. Liu and F. Chen</i>	535
		Production of a recombinant carrot antifreeze protein by <i>Pichia pastoris</i> GS115 and its cryoprotective effects on frozen dough properties and bread quality <i>M. Liu, Y. Liang, H. Zhang, G. Wu, L. Wang, H. Qian and X. Qi</i>	543
		Developing model food systems with rice based products for microwave assisted thermal sterilization <i>T. Auksornsri, E.R. Bornhorst, J. Tang, Z. Tang and S. Songsermpong</i>	551
		Effect of deodorization method on the chemical and nutritional properties of fish oil during refining <i>G. Song, M. Zhang, X. Peng, X. Yu, Z. Dai and Q. Shen</i>	560

Development and characterization of maltodextrin microparticles to encapsulate heme and non-heme iron <i>O. Churio and C. Valenzuela</i>	568	Nutritional characteristics of Croatian whey cheese (Bračka skuta) produced in different stages of lactation <i>A. Rako, M. Tudor Kalit, S. Kalit, B. Soldo and I. Ljubenkov</i>	657
Effect of white kidney bean extracts on estimated glycemic index of different kinds of porridge <i>Y. Ma, Y. Rang, R. Yang and W. Zhao</i>	576	Effects of sodium hypochlorite and peroxyacetic acid on the inactivation of murine norovirus-1 in Chinese cabbage and green onion <i>M.-I. Jeong, S.Y. Park and S.-D. Ha</i>	663
Development of a hagfish skin gelatin film containing cinnamon bark essential oil <i>H. Kim, S.-E. Beak and K.B. Song</i>	583	Fabrication of chitosan nanofibers containing tea tree oil liposomes against <i>Salmonella</i> spp. in chicken <i>H. Cui, M. Bai, C. Li, R. Liu and L. Lin</i>	671
Dual extrusion 3D printing of mashed potatoes/strawberry juice gel <i>Z. Liu, M. Zhang and C.-h. Yang</i>	589	Protein recovered from meat co-products and processing streams as pork meat replacers in Irish breakfast sausages formulations <i>C. Álvarez, L. Drummond and A.M. Mullen</i>	679
<i>Schinus molle</i> L. essential oil-loaded chitosan nanoparticles: Preparation, characterization, antifungal and anti-aflatoxigenic properties <i>A.K. López-Meneses, M. Plascencia-Jatomea, J. Lizardi-Mendoza, D. Fernández-Quiroz, F. Rodríguez-Félix, R.R. Mourinho-Pérez and M.O. Cortez-Rocha</i>	597	Investigation on “spontaneous fermentation” and the productivity of microbial exopolysaccharides by <i>Lactobacillus plantarum</i> and <i>Pediococcus pentosaceus</i> isolated from wheat bran sourdough <i>A. Abedfar, M. Hosseinezhad, A. Sadeghi, M. Raeisi and J. Feizy</i>	686
Impact of soybean protein isolate-chitosan edible coating on the softening of apricot fruit during storage <i>L. Zhang, F. Chen, S. Lai, H. Wang and H. Yang</i>	604	Unpurified <i>Gelidium</i> -extracted carbohydrate-rich fractions improve probiotic protection during storage <i>A. Alehosseini, E.-M. Gomez del Pulgar, L.G. Gómez-Mascaraque, M. Martínez-Sanz, M.J. Fabra, Y. Sanz, M. Sarabi-Jamab, B. Ghorani and A. Lopez-Rubio</i>	694
Effect of multi-flash drying and microwave vacuum drying on the microstructure and texture of pumpkin slices <i>R.L. Monteiro, J.V. Link, G. Tribuzi, B.A.M. Carciofi and J.B. Laurindo</i>	612	Physico-mechanical and structural characteristics of starch/polyvinyl alcohol/nano-titania photocatalytic antimicrobial composite films <i>D. Lin, Y. Huang, Y. Liu, T. Luo, B. Xing, Y. Yang, Z. Yang, Z. Wu, H. Chen, Q. Zhang and W. Qin</i>	704
Effect of process variables on the drying of guava pulp by cast-tape drying <i>A.C. Cichella Frabetti, A. Durigon and J.B. Laurindo</i>	620	Short communications	
<i>In vitro</i> fermentation of six kinds of edible mushrooms and its effects on fecal microbiota composition <i>R. Zhao, W. Yang, F. Pei, L. Zhao and Q. Hu</i>	627	Determination of ten sulfonamides in honey using tetrahydrofuran Salting Out Liquid Liquid Extraction and monolithic silica column <i>L. Kadziński, R. Banasiuk and B. Banecki</i>	7
Computer simulation and experimental molecular distillation of olive pomace oil deodorizer distillate – A comparative study <i>O. Ketenoglu and A. Tekin</i>	636	Fermentation process of apple juice investigated by NMR spectroscopy <i>E. Cusano, B. Simonato and R. Consonni</i>	147
Viability of <i>Lactobacillus acidophilus</i> NRRL B-4495 encapsulated with high maize starch, maltodextrin, and gum arabic <i>V. Reyes, A. Chotiko, A. Chouljenko and S. Sathivel</i>	642	Erratum to “Assessment of rheological and microstructural changes of soluble fiber from chia seeds during an <i>in vitro</i> micro-digestion” [LWT 95 (2018) 58–64] <i>H. Lazaro, L. Puente, M.C. Zúñiga and L.A. Muñoz</i>	713
Comparison of properties of raw pulse flours with those of jet-cooked, drum-dried flours <i>F.C. Felker, J.A. Kenar, J.A. Byars, M. Singh and S.X. Liu</i>	648		