

Contents

Volume 112

October 2018

- Antiviral activity of prickly pear (*Opuntia ficus-indica* (L.) Miller) extract: Opuntin B, a second antiviral protein
R. Rasoulpour, A. Afsharifar and K. Izadpanah 1
- Damage assessment of *Helicoverpa armigera* (Lepidoptera: Noctuidae) in soybean reproductive stages
R.F. Stacke, J.A. Arnemann, J. Rogers, R.S. Stacke, T.T. Strahl, C.R. Perini, M.F. Dossin, H. Pozebon, L. de Arruda Cavallin and J.V.C. Guedes 10
- Managing aflatoxin in smallholder groundnut production in Southern Africa: Paired comparison of the windrow and Mandela cock techniques
L. Matumba, L. Singano, B. Tran, M. Mukanga, B. Makwenda, W. Kumwenda, S. Mgwira, S. Phiri, F. Mataya, T. Mthunzi, S. Alfred, T. Madzivhandila, J. Mugabe, B. Bennett and T. Chancellor 18
- Determining in-field dispersal of the redbanded stink bug (Hemiptera: Pentatomidae) in soybean fields using a protein based mark-capture method
A. Bastola and J.A. Davis 24
- Essential oil of *Lippia sidoides* and its major compound thymol: Toxicity and walking response of populations of *Sitophilus zeamais* (Coleoptera: Curculionidae)
A.P. Oliveira, A.A. Santos, A.S. Santana, A.P.S. Lima, C.R. Melo, E.D.R. Santana, T.S. Sampaio, A.F. Blank, A.P.A. Araújo, P.F. Cristaldo and L. Bacci 33
- Combining ability and nature of gene action in maize (*Zea mays* L) inbred lines for resistance to gray leaf spot disease (*Cercospora zea maydis*) in Ethiopia
Z. Bekeko, C. Fininsa, D. Wegary, T. Hussien, S. Hussien and B. Asalf 39
- Long-tailed vole (*Microtus longicaudus*) population outbreaks and refugia after clearcutting of coniferous forests: The search for fluctuations and hotspots
T.P. Sullivan and D.S. Sullivan 49
- Characterization of *Ralstonia* strains infecting tomato plants in South Africa
V.M. Shutt, G. Shin, J.E. van der Waals, T. Goszczynska and T.A. Coutinho 56
- Valuing the absence of feral swine in the United States: A partial equilibrium approach
J.J. Holderieath, D.L. Pendell, J.C. Hadrich, A. Anderson, C. Sloomaker, E. Harper and S.A. Shwiff 63
- Selection, cross-resistance, and resistance risk assessment to deltamethrin in laboratory selected *Phenacoccus solenopsis* (Homoptera: Pseudococcidae)
M.B.S. Afzal, S.A. Shad, M. Ejaz and M. Ijaz 67
- Resistance to *Aphis glycines* among wild soybean accessions in laboratory experiments
L.S. Hesler and K.J. Tilmon 74

Toxicity of acaricides to and the behavioural response of <i>Steneotarsonemus concavuscutum</i> (Acari: Tarsonemidae) <i>G.V. França, V.B. Monteiro, D.B. Lima and M.G.C. Gondim Jr</i>	83	A first approach to pest management strategies using trap crops in organic carrot fields <i>B. Cotes, B. Rämert and U. Nilsson</i>	141
Inheritance mode and realized heritability of resistance to imidacloprid in <i>Oxycarenum hyalinipennis</i> Costa (Hemiptera: Lygaeidae) <i>M. Ijaz and S.A. Shad</i>	90	Influence of droplet size and azoxystrobin insensitivity on frogeye leaf spot management in soybean <i>S. Butler, H. Kelly, T. Mueller, G. Kruger, A. Cochran and T. Raper</i>	149
Perception vs practice: Farmer attitudes towards and uptake of IPM in Scottish spring barley <i>S. Stetkiewicz, A. Bruce, F.J. Burnett, R.A. Ennos and C.F.E. Topp</i>	96	Developed and validated inoculation and disease assessment methods for Goss's bacterial wilt and leaf blight disease of corn <i>A. Soliman, R.H. Gulden, J.T. Tambong, P. Bajracharya, L.R. Adam, R. Xu, M. Cott and F. Daayf</i>	159
Weed density and diversity in a long-term cover crop experiment background <i>M. Alonso-Ayuso, J.L. Gabriel, I. García-González, J.P. Del Monte and M. Quemada</i>	103	A survey of bacterial blight (<i>Xanthomonas oryzae</i> pv. <i>oryzae</i>) resistance in rice germplasm from eastern and northeastern India using molecular markers <i>A. Banerjee, S. Roy, M.K. Bag, S. Bhagat, M.K. Kar, N.P. Mandal, A.K. Mukherjee and D. Maiti</i>	168
Identification and characterization of abamectin resistance in <i>Tetranychus urticae</i> Koch populations from greenhouses in Turkey <i>N.S. Çağatay, P. Menault, M. Riga, J. Vontas and R. Ay</i>	112	Reducing damping-off problems in eggplant (<i>Solanum melongena</i> L.): A participatory testing of nursery management in Bangladesh <i>N. Nahar, Md.R. Islam, M.M. Uddin, P. de Jong, P.C. Struik and T.-J. Stomph</i>	177
Effect of spray droplet size on herbicide efficacy on four winter annual grasses <i>J.C. Ferguson, R.G. Chechetto, S.W. Adkins, A.J. Hewitt, B.S. Chauhan, G.R. Kruger and C.C. O'Donnell</i>	118	Fruit fly management research: A systematic review of monitoring and control tactics in the world <i>N.P. Dias, M.J. Zotti, P. Montoya, I.R. Carvalho and D.E. Nava</i>	187
Irradiation for phytosanitary treatment of the Queensland fruit fly <i>Bactrocera tryoni</i> Froggatt benefits international trade <i>F.E.M. Haynes and B.C. Dominiak</i>	125	Establishment of a static nozzle atomization model for forest barrier treatment <i>F. Kang, Y. Wang, S. Li, Y. Jia, W. Li, R. Zhang and Y. Zheng</i>	201
Soil disinfestation with dimethyl disulfide (DMDS) to control <i>Meloidogyne</i> and <i>Fusarium oxysporum</i> f. sp. <i>radicis-lycopersici</i> in a tomato greenhouse <i>M.A. Gómez-Tenorio, J.C. Tello, M.J. Zanón and M. de Cara</i>	133	Evaluation of fungicides for the management of pearl millet [<i>Pennisetum glaucum</i> (L.)] blast caused by <i>Magnaporthe grisea</i> <i>R. Sharma, V.L. Gate and S. Madhavan</i>	209

Assessment of zinc phosphide bait shyness and tools for reducing flavor aversions <i>K.E. Horak, N.M. Hofmann and B.A. Kimball</i>	214	Coccinellidae, Syrphidae and <i>Aphidoletes</i> are key mortality factors for <i>Myzus persicae</i> in tropical regions: A case study on cabbage crops <i>E.G. Fidelis, D. das Graças do Carmo, A.A. Santos, E. de Sá Farias, R.S. da Silva and M.C. Picanço</i>	288
Recording within-cotton distribution of plant bug injury using plant mapping computer-based tools <i>D.J. Anderson, M.J. Brewer, R.D. Bowling and J.A. Landivar</i>	220	Distribution, population dynamics and damage potential of barley stem gall midge, <i>Mayetiola hordei</i> (Diptera: Cecidomyiidae) on cultivated barley in two semi-arid areas of North Tunisia <i>A. Cherif and J.M. Ben Jemâa</i>	295
Evaluation of deltamethrin-impregnated nets as a protective barrier against Western flower thrips, <i>Frankliniella occidentalis</i> (Thysanoptera: Thripidae) under laboratory and greenhouse conditions <i>S.P. Arthurs, P.C. Krauter, K. Gilder and K.M. Heinz</i>	227	Cyantraniliprole can replace malathion in baits for <i>Ceratitis capitata</i> (Diptera: Tephritidae) <i>T.G. Grout, P.R. Stephen and J.-L. Rison</i>	304
Interactions of host-plant resistance and foliar insecticides for soybean aphid management <i>A.A. Hanson and R.L. Koch</i>	232	Effects of host plant resistance and fungicide application on phoma stem canker, growth parameters and yield of winter oilseed rape <i>N. Zamani-Noor and J. Knüfer</i>	313
Preference of Japanese field voles (<i>Microtus montebelli</i>) for apple rootstock genotypes: Correlations with bark characteristics <i>T. Shimada and S. Moriya</i>	239	Import, disposal, and health impacts of pesticides in the East Africa Rift (EAR) zone: A review on management and policy analysis <i>K.M. Loha, M. Lamoree, J.M. Weiss and J. de Boer</i>	322
Development of a protocol to phenotype sweet cherry (<i>Prunus avium</i> L.) for resistance to bacterial canker <i>J.U. Mgbechi-Ezeri, K.B. Johnson, L.D. Porter and N.C. Oraguzie</i>	246	Postharvest fungicide treatments and cold storage control citrus black spot infections <i>W. Schreuder, W. du Plooy, A. Erasmus, C. Savage, E. Basson, C. Lennox and P.H. Fourie</i>	332
Prevalence and amount of feral swine damage to three row crops at planting <i>R.M. Engeman, J. Terry, L.R. Stephens and K.S. Gruver</i>	252	Fungicide application at anthesis of wheat provides effective control of leaf spotting diseases in western Canada <i>D.E. MacLean, J.M. Lobo, K. Coles, M.W. Harding, W.E. May, G. Peng, T.K. Turkington and H.R. Kutcher</i>	343
Non-target-site glyphosate resistance in <i>Echinochloa colona</i> from Western Australia <i>S.S. Goh, Q. Yu, H. Han, M.M. Vila-Aiub, R. Busi and S.B. Powles</i>	257	Effectiveness of alternative herbicides on three <i>Conyza</i> species from Europe with and without glyphosate resistance <i>B.K. Tahmasebi, M.T. Alebrahim, R.A. Roldán-Gómez, H.M.d. Silveira, L.B.d. Carvalho, R. Alcántara-de la Cruz and R. De Prado</i>	350
A new <i>Colletotrichum</i> species causing anthracnose of chilli in the Philippines and its pathogenicity to chilli cultivar Django <i>F.M. Dela Cueva, J.S. Mendoza and M.A. Balendres</i>	264	Ex-post economic analysis of push-pull technology in Eastern Uganda <i>R.T. Chepchirchir, I. Macharia, A.W. Murage, C.A.O. Midega and Z.R. Khan</i>	356
Integrated management of wet root rot, yellow mosaic, and leaf crinkle diseases of urdbean by seed treatment and foliar spray of insecticide, fungicide, and biocontrol agent <i>S.C. Dubey, B. Singh and A. Tripathi</i>	269	Integrated control of avocado white root rot combining low concentrations of fluazinam and <i>Trichoderma</i> spp. <i>D. Ruano-Rosa, I. Arjona-Girona and C.J. López-Herrera</i>	363
Different levels of resistance to cyprodinil and iprodione and lack of fludioxonil resistance in <i>Botrytis cinerea</i> isolates collected from pistachio, grape, and pomegranate fields in California <i>H.F. Avenot, J. Quattrini, R. Puckett and T.J. Michailides</i>	274	Newsletter	371
Reaction of commercial clones of cashew to powdery mildew in northeastern Brazil <i>O.R.O. Pinto, J.E. Cardoso, A.H.N. Maia, C.M. Pinto, J.S. Lima, F.M.P. Viana and M.V.V. Martins</i>	282		