

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

The impact of different urban dynamics on green space availability: A multiple scenario modeling approach for the region of Munich, Germany C. Xu, D. Haase and S. Pauleit (Germany)	1	Quantifying the relative impacts of climate and human activities on vegetation changes at the regional scale R. Liu, L. Xiao, Z. Liu and J. Dai (China)	91
Direct toxicity of the water-soluble fractions of a crude and a diesel-motor oil on the survival of free-living nematodes L. Monteiro (Belgium, Germany), W. Traunspurger (Germany), K. Roeleveld, F. Lynen and T. Moens (Belgium)	13	Evaluation of the toxicity of the sediments from an agroecosystem to two native species, <i>Hyalella curvispina</i> (CRUSTACEA: AMPHIPODA) and <i>Boana pulchella</i> (AMPHIBIA: ANURA), as potential environmental indicators J.A. Sansiñena, L. Peluso, C. Salgado Costa, P.M. Demetrio, T.M. Mac Loughlin, D.J.G. Marino, L. Alcalde and G.S. Natale (Argentina)	100
The impacts of climate change and human activities on alpine vegetation and permafrost in the Qinghai-Tibet Engineering Corridor L. Luo, W. Ma, Y. Zhuang, Y. Zhang, S. Yi, J. Xu, Y. Long, D. Ma and Z. Zhang (China)	24	Spatial and temporal changes of human disturbances and their effects on landscape patterns in the Jiangsu coastal zone, China Y. Zhou, L. Ning and X. Bai (PR China)	111
Differential effects on life history traits and body size of two anuran species inhabiting an environment related to fluorite mine M.A. Otero, F.E. Pollo, P.R. Grenat, N.E. Salas and A.L. Martino (Argentina)	36	On real-time risk evaluation of accident in water quality control zone X.-y. You and C.-x. Zhang (China)	123
Topography and grazing effects on storage of soil organic carbon and nitrogen in the northern China grasslands X. Zhang, M. Liu, X. Zhao, Y. Li, W. Zhao, A. Li (China), S. Chen (USA), S. Chen, X. Han and J. Huang (China)	45	Evaluating organic carbon fractions, temperature sensitivity and artificial neural network modeling of CO ₂ efflux in soils: Impact of land use change in subtropical India (Meghalaya) R. Thangavel, M. Kanchikerimath (India), A. Sudharsanam (Australia), A. Ayyanadar, R. Karunanithi, N.A. Deshmukh and N.S. Vanao (India)	129
Spatiotemporal variation in vegetation coverage and its response to climatic factors in the Red River Basin, China Z. Gu, X. Duan, Y. Shi, Y. Li and X. Pan (China)	54	Soil microbiological attributes indicate recovery of an iron mining area and of the biological quality of adjacent phytophysionomies A. Oliveira Silva, A.M. da Costa, A.F. dos Santos Teixeira, A.A. Guimarães, J.V. dos Santos and F.M. de Souza Moreira (Brazil)	142
Functional and phylogenetic diversity assessment of microbial communities at Gulf of Kachchh, India: An ecological footprint H.B. Gosai, B.K. Sachaniya, H.Z. Panseriya and B.P. Dave (India)	65	An indicator to quantify the effects of hydrodynamic disturbances caused by coastal reclamation on aquatic organisms Y. Xu (China), Y. Cai (China, Canada), T. Sun, X. Yin and Q. Tan (China)	152
Ecological indications of copepods to oxygen-deficient near-shore waters R. Jyothibabu, L. Jagadeesan, C. Karnan, N. Arunpandi, R.S. Pandiyarajan and K.K. Balachandran (India)	76		

Two contrasting seasonal patterns in microbial nitrogen immobilization from temperate ecosystems X. Zhang, H. Zeng and W. Wang (China)	164	The effects of China's Ecological Control Line policy on ecosystem services: The case of Wuhan City Q. Luo (China, USA), X. Zhang (Hong Kong), Z. Li, M. Yang and Y. Lin (China)	292
Spatial congruence and divergence between ecosystem services and biodiversity in a tropical forested landscape M. Alamgir, S.M. Turton, M.J. Campbell, C.J. Macgregor and P.L. Pert (Australia)	173	Incorporating estimates of capture probability and river network covariance in novel habitat – abundance models: Assessing the effects of conservation stocking on catchment-scale production of juvenile Atlantic salmon (<i>Salmo salar</i>) from a long-term electrofishing dataset R.S. Glover, R.J. Fryer, C. Soulsby, P.J. Bacon and I.A. Malcolm (United Kingdom)	302
The potential of naturally occurring fallow weeds to scavenge nitrogen in rice cropping systems M. Huang, S. Shan, F. Cao, J. Chen and Y. Zou (China)	183	Development of ecological classification criteria for the Biological Quality Element phytoplankton for Adriatic and Tyrrhenian coastal waters by means of chlorophyll <i>a</i> (2000/60/EC WFD) F. Giovanardi (Italy), J. Francé, P. Mozetič (Slovenia) and R. Precali (Croatia)	316
Modeling spatial and temporal dynamics of plant species richness across tidal creeks in a temperate salt marsh D. Kim (South Korea)	188	Prior specification in Bayesian occupancy modelling improves analysis of species occurrence data C.L. Outhwaite, R.E. Chandler, G.D. Powney, B. Collen, R.D. Gregory and N.J.B. Isaac (UK)	333
Indicator value of trees for soil reaction in cool-humid forests O.T. Bouman (Canada)	196	Using fluid dynamic concepts to estimate species movement rates in terrestrial landscapes T.J. Jones, K. Watts and R.C. Whytock (UK)	344
Willingness to pay for protected areas: A case of Etna Park M. Platania and M. Rizzo (Italy)	201	An integrated biomarker response study explains more than the sum of the parts: Oxidative stress in the fish <i>Australoheros facetus</i> exposed to imidacloprid F.G. Iturburu, L. Bertrand, J.R. Mendieta, M.V. Amé and M.L. Menone (Argentina)	351
Sensitivity of macroinvertebrate indicator taxa to metal gradients in mining areas in Northern Spain N. Costas, I. Pardo, L. Méndez-Fernández, M. Martínez-Madrid and P. Rodríguez (Spain)	207	Principles of cross congruence do not apply in naturally disturbed dune slack habitats: Implications for conservation monitoring A. Delaney and J.C. Stout (Ireland)	358
Using dietary quality scores to assess sustainability of food products and human diets: A systematic review E. Hallström, J. Davis, A. Woodhouse and U. Sonesson (Sweden)	219	Flow pulses and fine sediments degrade stream macroinvertebrate communities in King County, Washington, USA D. Marshalonis and C. Larson (USA)	365
Identification of potential aquaculture sites in solar saltscapes via the Analytic Hierarchy Process Z. Teixeira, C. Marques (Portugal), J.S. Mota (Brazil) and A.C. Garcia (Portugal)	231	Hard to predict: Synchrony in epiphytic biomass in a floodplain is independent of spatial proximity, environmental distance, and environmental synchrony J.E. Zanon, L. Rodrigues and L.M. Bini (Brazil)	379
Applying fractal analysis to stem distribution maps D. Seidel, P. Annighöfer, M. Ehbrecht, C. Ammer and P. Schall (Germany)	243	Modelling species habitat suitability from presence-only data using kernel density estimation G. Zhang (USA), A.-X. Zhu (USA, China), S.K. Windels (USA) and C.-Z. Qin (China)	387
Resilience to fire and climate seasonality drive the temporal dynamics of ant-plant interactions in a fire-prone ecosystem F.V. Costa (Brazil), N. Blüthgen (Germany), A.B. Viana-Junior, T.J. Guerra, L. Di Spirito and F.S. Neves (Brazil)	247	Kuznets curve in municipal solid waste production: An empirical analysis based on municipal-level panel data from the Lombardy region (Italy) S. Ercolano, G.L. Lucio Gaeta (Italy), S. Ghinoi (Finland) and F. Silvestri (Italy)	397
Plant coverage is a potential ecological indicator for species diversity and aboveground biomass in semi-steppe rangelands A. Sanaei (Iran), A. Ali (China), M.A.Z. Chahouki and M. Jafari (Iran)	256	Functional attributes of Chironomidae for detecting anthropogenic impacts on reservoirs: A biomonitoring approach W.I.A. Gomes, D.d.S. Jovem-Azevêdo, F.F. Paiva, S.V. Milesi and J. Molozzi (Brazil)	404
Effects of treated sample weight and DNA marker length on sediment eDNA based detection of a benthic invertebrate N. Wei, F. Nakajima and T. Tobino (Japan)	267	Farmers' livelihood adaptation to environmental change in an arid region: A case study of the Minqin Oasis, northwestern China J. Chen, S. Yin (China), H. Gebhardt (Germany) and X. Yang (China)	411
Evaluation of <i>Ceratophyllum demersum</i> as the accumulative bioindicator for trace metals L. Polechońska, A. Klink, M. Dambiec and A. Rudecki (Poland)	274		
Urban sustainability indicators: Challenges and opportunities P. Verma and A.S. Raghubanshi (India)	282		

A perception based estimation of the ecological impacts of livelihood activities: The case of rural Ghana G. Baffoe and H. Matsuda (Japan)	424	Identification of indicators for evaluating and monitoring the effects of Chinese fir monoculture plantations on soil quality H. Zhijun, S. Selvalakshmi (China), D. Vasu (India), Q. Liu, H. Cheng, F. Guo and X. Ma (China)	547
Criteria and indicators for promoting cultivation and conservation of Medicinal and Aromatic Plants in Western Himalaya, India V.S. Negi, P. Kewlani, R. Pathak, D. Bhatt, I.D. Bhatt, R.S. Rawal, R.C. Sundriyal and S.K. Nandi (India)	434	Effects of plant functional diversity induced by grazing and soil properties on above- and belowground biomass in a semiarid grassland X. Zuo, J. Zhang, P. Lv, S. Wang, Y. Yang, X. Yue, X. Zhou, Y. Li, M. Chen, J. Lian, H. Qu, L. Liu and X. Ma (China)	555
Monitoring heavy metal concentrations in turbid rivers: Can fixed frequency sampling regimes accurately determine criteria exceedance frequencies, distribution statistics and temporal trends? J.G. Kerr, J.P. Zettel, C.N. McClain and M.K. Kruk (Canada)	447	Effects of sampling density on interpolation accuracy for farmland soil organic matter concentration in a large region of complex topography J. Long (China), Y. Liu (USA), S. Xing, L. Qiu, Q. Huang, B. Zhou, J. Shen and L. Zhang (China)	562
Factor analysis for aerosol optical depth and its prediction from the perspective of land-use change W. Zhang (China), Q. He (Hong Kong), H. Wang (China), K. Cao (Singapore) and S. He (China)	458	Changes of soil properties regulate the soil organic carbon loss with grassland degradation on the Qinghai-Tibet Plateau F. Peng (China, Japan), X. Xue (China, USA), Q. You, C. Huang, S. Dong, J. Liao, H. Duan (China), A. Tsunekawa (Japan) and T. Wang (China)	572
Multicriteria decision analysis framework for hydrological decision support using environmental flow components D. Butchart-Kuhlmann, S. Kralisch, M. Fleischer, M. Meinhardt and A. Brenning (Germany)	470	Linking GRNN and neighborhood selection algorithm to assess land suitability in low-slope hilly areas Q. Liu, Y. Liu, J. Peng, T. Zhang (China), Y. Li (USA) and Y. Hu (China)	581
Emergy-based sustainability assessment of a loblolly pine (<i>Pinus taeda</i>) production system in southern Brazil R.K. de Oliveira, A.R. Higa, L.D. Silva, I.C. Silva and M. da Penha Moreira Gonçalves (Brazil)	481	Environmental Kuznets curve for PM _{2.5} emissions in Beijing, China: What role can natural gas consumption play? K. Dong (China, USA), R. Sun, C. Dong, H. Li, X. Zeng and G. Ni (China)	591
Indicators of arable soils fatigue – Bacterial families and genera: A metagenomic approach A. Wolińska, A. Kuźniar, U. Zielenkiewicz, A. Banach and M. Błaszczuk (Poland)	490	Effects of winter snowpack and nitrogen addition on the soil microbial community in a temperate forest in northeastern China G. Yan, Y. Xing, J. Wang, Z. Zhang, L. Xu, S. Han, J. Zhang, G. Dai and Q. Wang (China)	602
Riparian forest corridors: A prioritization analysis to the Landscape Sample Units of the Brazilian National Forest Inventory M.A.D. Rosot, J.C. Maran, N.B.d. Luz, M.C. Garrastazú, Y.M.M.d. Oliveira, L. Franciscan (Brazil), N. Clerici (Colombia), P. Vogt (Italy) and J.V.d. Freitas (Brazil)	501	Drivers of vulnerability to wetlands in Punarbhaba river basin of India-Bangladesh S. Pal and S. Talukdar (India)	612
Spatial variation of green space equity and its relation with urban dynamics: A case study in the region of Munich C. Xu, D. Haase (Germany), D.O. Pribadi (Indonesia) and S. Pauleit (Germany)	512	Spatial heterogeneity of preferences for improvements in river basin ecosystem services and its validity for benefit transfer I. Khan, M. Zhao, S. Ullah Khan, L. Yao, A. Ullah and T. Xu (China)	627
Forest cover is more important than farmland heterogeneity and livestock intensification for the retention of dung beetle phylogenetic diversity F. Alvarado (Brazil, Mexico), E.R. Andrade, B.A. Santos (Brazil), G. Prescott (Singapore), G. Souza (Brazil) and F. Escobar (Mexico)	524	Diatom tolerance metrics to identify total phosphorus as candidate cause of aquatic life impairment in Connecticut, USA freshwater streams M.E. Becker, T.J. Becker and C.J. Bellucci (USA)	638
Marine biological value along the Portuguese continental shelf; insights into current conservation and management tools I. Gomes (Portugal, Belgium), S. Pérez-Jorge (Portugal), L. Peteiro (Spain), J. Andrade, J. Bueno-Pardo, V. Quintino, A.M. Rodrigues, M. Azevedo (Portugal), A. Vanreusel (Belgium), H. Queiroga (Portugal) and K. Deneudt (Belgium)	533	Can China achieve its carbon emission peaking? A scenario analysis based on STIRPAT and system dynamics model D. Liu and B. Xiao (China)	647
		Linkages between ecosystem services and human wellbeing: A Nexus Webs approach Z. Leviston, I. Walker, M. Green and J. Price (Australia)	658
		Ferns as potential ecological indicators of edge effects in two types of Mexican forests V.L. Silva (Brazil, Mexico), K. Mehlreter (Mexico) and J.L. Schmitt (Brazil)	669

Characterization of twelve autophagy-related genes from yellow catfish <i>Pelteobagrus fulvidraco</i> and their transcriptional responses to waterborne zinc exposure C.-C. Wei, Z. Luo, Y.-F. Song, Y.-X. Pan and M.-Q. Zhuo (China)		Vegetation changes in the Three-River Headwaters Region of the Tibetan Plateau of China X. Shen (China, Australia), R. An, L. Feng (China), N. Ye, L. Zhu (Australia) and M. Li (China)	804
Spatiotemporal simulation and comprehensive evaluation of atmospheric coal-related PAHs emission reduction in China L. Liang, X. Ru, J. Wei, Z. Lin, C. Wei, Y. Qian (PR China) and F. Li (Japan)	677	Variations in free amino acid concentrations in mosses and different parts of <i>Cinnamomum camphora</i> along an urban-to-rural gradient Y. Xu, H. Xiao, H. Guan, Y. Wang, C. Long and J. Zhao (China)	813
Development of a classification scheme for evaluating water quality in marine environment receiving treated municipal effluent by an integrated biomarker approach in <i>Meretrix meretrix</i> R. Wan, F. Meng, E. Su, W. Fu and Q. Wang (PR China)	687	Count population viability analysis finds that interacting local and regional threats affect the viability of a rare plant H.L. Bernardo, P. Vitt, R. Goad, S. Masi (United States) and T.M. Knight (Germany)	822
How can cities support sustainability: A bibliometric analysis of urban metabolism X. Cui (China)	697	Environmental impact of cattle grazing on a karst aquifer in the southern Apennines (Italy): Quantification through the grey water footprint V. Allocca (Italy), E. Marzano (Italy, Germany), M. Tramontano and F. Celico (Italy)	830
Spatial differentiation of indicators presenting selected barriers in the productivity of agricultural areas: A regional approach to setting land consolidation priorities J. Janus and J. Tazsakowski (Poland)	704	Using habitat selection index for reserve planning and management for snub-nosed golden monkeys at landscape scale P. Wang, M. Teng, W. He, C. Tang, J. Yang and Z. Yan (China)	838
Prediction of ecological effects of potential population and impervious surface increases using a remote sensing based ecological index (RSEI) H. Xu, M. Wang, T. Shi (China), H. Guan (Australia), C. Fang and Z. Lin (China)	718	Impacts of temporal revisit designs on the power to detect trend with a linear mixed model: An application to long-term monitoring of Sierra Nevada lakes L.A.H. Starcevich, K.M. Irvine and A.M. Heard (United States)	847
Identifying the critical riparian buffer zone with the strongest linkage between landscape characteristics and surface water quality K. Li (PR China), G. Chi (USA), L. Wang, Y. Xie, X. Wang and Z. Fan (PR China)	730	The exposition to urban habitat is not enough to cause developmental instability in the common wall lizards (<i>Podarcis muralis</i>) R. Sacchi, M.S. Polo, A.J. Coladonato, M. Mangiacotti, S. Scali and M.A.L. Zuffi (Italy)	856
Improving active biomonitoring in aquatic environments: The optimal number and position of moss bags S. Debén, J.A. Fernández, A. Carballeira (Spain), G. Kosior (Poland) and J.R. Aboal (Spain)	741	Modelling outperforms typologies for establishing reference conditions of boreal lake and stream invertebrate assemblages R.K. Johnson and S. Hallstan (Sweden)	864
Fish-trematode systems as indicators of anthropogenic disturbance: Effects of urbanization on a small stream V. Taglioretti, M.A. Rossin and J.T. Timi (Argentina)	753	Sustainable ecotourism indicators with fuzzy Delphi method – A Philippine perspective L. Ocampo, J.A. Ebisa, J. Ombe and M. Geen Escoto (Philippines)	874
Accumulation of arsenic, mercury and heavy metals in lacustrine sediment in relation to eutrophication: Impacts of sources and climate change H. Zhang, S. Huo (China), K.M. Yeager (United States), B. Xi, J. Zhang, Z. He, C. Ma and F. Wu (China)	759	Validating the use of MODIS time series for salinity assessment over agricultural soils in California, USA K. Whitney, E. Scudiero (USA), H.M. El-Askary (USA, Egypt), T.H. Skaggs, M. Allali and D.L. Corwin (USA)	889
Health comparative comprehensive assessment of watersheds with different climates Z. Hazbavi (Iran), S.D. Keesstra (The Netherlands), J.P. Nunes (Portugal), J.E.M. Baartman (The Netherlands), M. Gholamalifard and S.H. Sadeghi (Iran)	771	Tree rings as ecological indicator of geomorphic activity in geoheritage studies I. Bollati, B. Crosa Lenz, A. Golzio and A. Masseroli (Italy)	899
Examining component-based city health by implementing a fuzzy evaluation approach S. Wu, D. Li, X. Wang and S. Li (China)	781	Evaluation on dynamic change and interrelations of ecosystem services in a typical mountain-oasis-desert region H. Wei, Z. Xu (PR China), H. Liu (China), J. Ren, W. Fan, N. Lu and X. Dong (PR China)	917
	791		

- Changes in land-use and ecosystem services in the Guangzhou-Foshan Metropolitan Area, China from 1990 to 2010: Implications for sustainability under rapid urbanization
Y. Ye (China, Australia), B.A. Bryan (Australia), J. Zhang (China), J.D. Connor (Australia), L. Chen, Z. Qin and M. He (China)
- An assessment of run-of-river hydroelectric dams on mountain stream ecosystems using the American dipper as an avian indicator
V.M. Silverthorn, C.A. Bishop, J.E. Elliott and C.A. Morrissey (Canada)
- A neural network and landscape metrics to propose a flexible urban growth boundary: A case study
S. Chakraborti, D.N. Das, B. Mondal (India), H. Shafizadeh-Moghadam (Iran) and Y. Feng (China)
- Environmental quality status of the Portuguese coast regarding TBT pollution – Recommendations for considering imposex monitoring within the scope of the Marine Strategy Framework Directive
F. Laranjeiro (Portugal), P. Sánchez-Marín (Spain), I.B. Oliveira, S. Galante-Oliveira and C. Barroso (Portugal)
- Spatial emergy analysis of agricultural landscape change: Does fragmentation matter?
Y.-C. Lee and S.-L. Huang (Taiwan)
- Assessing the distribution of forest ecosystem services in a highly populated Mediterranean region
J.V. Roces-Díaz (Spain, United Kingdom), J. Vayreda, M. Banqué-Casanovas, M. Cusó, M. Anton, J.A. Bonet, L. Brotons, M. De Cáceres, S. Herrando, J. Martínez de Aragón, S. de-Miguel and J. Martínez-Vilalta (Spain)
- Distribution characteristics, resource utilization and popularizing demonstration of crop straw in southwest China: A comprehensive evaluation
B. Wang, X. Shen, S. Chen, Y. Bai, G. Yang, J. Zhu, J. Shu and Z. Xue (PR China)
- Water clarity measures as indicators of recreational benefits provided by U.S. lakes: Swimming and aesthetics
T.R. Angradi, P.L. Ringold and K. Hall (USA)
- A new multimetric macroinvertebrate index for the ecological assessment of Mediterranean lakes
C. Ntislidou, M. Lazaridou, V. Tsiadoussi and D.C. Bobori (Greece)
- Social sustainability assessment of groundwater resources: A case study of Hanoi, Vietnam
N.T. Bui, A. Kawamura, H. Amaguchi (Japan), D.D. Bui (Viet Nam), N.T. Truong (China) and K. Nakagawa (Japan)
- Environmental impacts of food consumption by companion dogs and cats in Japan
B. Su and P. Martens (The Netherlands)
- Benthic invertebrate taxonomic and trait associations with land use in an intensively managed watershed: Implications for indicator identification
E.M. Krynak and A.G. Yates (Canada)
- Influence of temperature rise on the recovery capacity of *Mytilus galloprovincialis* exposed to mercury pollution
F. Coppola, B. Henriques, A.M.V.M. Soares, E. Figueira, E. Pereira and R. Freitas (Portugal)
- 930 Soundscapes as a surrogate measure of vegetation condition for biodiversity values: A pilot study
M.-L. Ng, N. Butler and N. Woods (Australia)
- 942 EIA: An algorithm for the statistical evaluation of an environmental impact assessment
C. Guisande (Spain), A.J. Rueda-Quecho, F.A. Rangel-Silva and J.M. Ríos-Vasquez (Colombia)
- 952 A prognostic phenology model for alpine meadows on the Qinghai-Tibetan Plateau
Q. Sun, B. Li, Y. Yuan, Y. Jiang, T. Zhang, X. Gao, J. Ge, F. Li and Z. Zhang (China)
- 1089 Keystone species complexes in kelp forest ecosystems along the northern Chilean coast (SE Pacific): Improving multispecies management strategies
B.B. Hermosillo-Núñez, M. Ortiz (Chile) and F.A. Rodríguez-Zaragoza (Mexico)
- 966 Monitoring and quantification of stormwater runoff from mixed land use and land cover catchment in response to land development
Ma.C.A. Paule-Mercado, I. Salim, B.-Y. Lee (Republic of Korea), S. Memon, R.U. Sajjad (Pakistan), C. Sukhbaatar (Mongolia) and C.-H. Lee (Republic of Korea)
- 1112 New services and roles of biodiversity in modern agroecosystems: A review
H. Kazemi (Iran), H. Klug (Austria) and B. Kamkar (Iran)
- 986 Population age structure as an indicator for assessing the quality of breeding areas of Common quail (*Coturnix coturnix*)
J. Nadal, C. Ponz (Spain) and A. Margalida (Spain, Switzerland)
- 998 Genuine Progress Indicator for California: 2010–2014
C. Brown and E. Lazarus (United States)
- 1005 Can sponge morphologies act as environmental proxies to biophysical factors in the Great Barrier Reef, Australia?
A. Mary George, J. Brodie, J. Daniell (Australia), A. Capper (Australia, United Kingdom) and M. Jonker (Australia)
- 1020 Examining the coordination between urbanization and eco-environment using coupling and spatial analyses: A case study in China
N. Liu, C. Liu, Y. Xia and B. Da (PR China)
- 1034 A comprehensive assessment of ecosystem services: Integrating supply, demand and interest in the Urdaibai Biosphere Reserve
N. Castillo-Eguskitza (Spain), B. Martín-López (Germany) and M. Onaindia (Spain)
- 1043 Integrative assessment of silver nanoparticles toxicity in *Prochilodus lineatus* fish
A. Ale, A.S. Rossi, C. Bacchetta, S. Gervasio, F.R. de la Torre and J. Cazenave (Argentina)
- 1176 1190

- Multiple indicators yield diverging results on grazing degradation and climate controls across Tibetan pastures
Y. Wang, L.W. Lehnert, M. Holzapfel, R. Schultz, G. Heberling, E. Görzen, H. Meyer, E. Seeber, S. Pinkert, M. Ritz (Germany), Y. Fu (China), H. Ansorge, J. Bendix, B. Seifert, G. Miehe (Germany), R.-J. Long, Y.-P. Yang (China) and K. Wesche (Germany)
- Proposing a composite environmental index to account for the actual state and changes in environmental dimensions, as a critique to EPI
A. Oțoiu and G. Grădinaru (Romania)
- A molecular analysis to assess codling moth *Cydia pomonella* L. (Lepidoptera: Tortricidae) predation by orchard birds
A.M. Mangan, A.J. Piaggio, M.W. Hopken, S.J. Werner and L. Pejchar (United States)
- How do geographical factors affect energy-related carbon emissions? A Chinese panel analysis
Y. Jiang, H. Bai, X. Feng, W. Luo, Y. Huang and H. Xu (PR China)
- Enhanced forest interior estimations utilizing lidar-assisted 3D forest cover map
G. Shao, B.V. Iannone III and S. Fei (USA)
- A set of organized indicators to conciliate scientific knowledge, offset policies requirements and operational constraints in the context of biodiversity offsets
L. Bezombes, S. Gaucherand, T. Spiegelberger, V. Gouraud and C. Kerbiriou (France) 1244
- Design and application of a Sustainable Urban Surface Rating System (SURSIST)
1199 D. Jato-Espino, E. Yiwo, J. Rodriguez-Hernandez and J.C. Canteras-Jordana (Spain) 1253
- Coupling structural and functional thresholds for vegetation changes on a Mongolian shrubland
1209 T. Sasaki, A. Koyama and T. Okuro (Japan) 1264
- Soil Biological Quality Index based on earthworms (QBS-e). A new way to use earthworms as bioindicators in agroecosystems
S. Fusaro, F. Gavinelli, F. Lazzarini and M.G. Paoletti (Italy) 1276
- Impacts of tropical forest cover on water quality in agricultural watersheds in southeastern Brazil
1222 K.d. Mello, R.A. Valente (Brazil), T.O. Randhir (USA) and C.A. Vettorazzi (Brazil) 1293
- Linkage effect of virtual water trade in China's industrial products—based on generalized hypothetical extraction method
1226 G. Deng, L. Wang and X. Xu (PR China) 1302