

<b>Díaz Villanueva, V., Navarro, M. B. &amp; Modenutti, B.:</b> Differences in bacterial community-level physiological profiles between deep and shallow North-Patagonian Andean lakes. ....	91–102
<b>Mieczan, T. &amp; Pawlik-Skowrońska, B.:</b> Effects of <i>Arcella vulgaris</i> on microbial loop components of peat pools (an experimental approach) .....	103–113
<b>Renner Lampert, V., Dala-Corte, R. B., Schultz Artioli, L. G. &amp; Bernhardt Fialho, C.:</b> Do riffle and pool fish assemblages respond differently to longitudinal position along a subtropical stream network? .....	115–128
<b>Rota, E., Benelli, S., Erséus, C., Soors, J. &amp; Bartoli, M.:</b> New data and hypotheses on the invasiveness, habitat selection, and ecological role of the limicolous earthworm <i>Sparganophilus tamesis</i> Benham, 1892 .....	129–136
<b>Takács, P., Ferincz, Á., Staszny, Á. &amp; Vitál, Z.:</b> Effect of bodyside-specific data processing on the results of fish morphometric studies .....	137–144
<b>Kevic, M., Ortlepp, J., Mürle, U. &amp; Robinson, C. T.:</b> Effects of experimental floods in two rivers with contrasting valley morphologies. ....	145–160
<b>MacNeil, C.:</b> Invasion of a freshwater amphipod potentially influences assemblage composition of resident macroinvertebrates in a small British Island; evidence from a long term (1949–2015) ‘stasis’ situation in contiguous reaches of the same river and from Island-wide river surveys .....	161–171
<b>Sowa, A., Krodkiewska, M. &amp; Halabowski, D.:</b> Shaping of the aquatic oligochaete assemblages in inland saline anthropogenic habitats: a case study of coal mine settling ponds in southern Poland. ....	173–179