

## Original Articles

- Effects of 1-MCP and Pre-harvest Fruit Bagging Treatments on Cold Storability of the Red-fleshed Apple ‘Kurenainoyume’**  
 .....K. Matsumoto, T. Fujita and S. Sato 443
- Effects of Low Temperature, Shading, Defoliation, and Crop Load on the Flesh Coloration of the Type 2 Red-fleshed Apple ‘Kurenainoyume’**  
 .....K. Matsumoto, T. Fujita, S. Sato and T. Moriguchi 452
- Sunlight Differentially Affects the Fruit Skin, Flesh, and Core Coloration of the Type 2 Red-fleshed Apple ‘Kurenainoyume’: Optimization of Fruit Bagging Treatment**  
 .....K. Matsumoto, T. Kobayashi, T. Kougo, T. Fujita, S. Sato and T. Moriguchi 462
- Blue LED Irradiation Induces Scoparone Production in Wounded Satsuma Mandarin ‘Aoshima Unshu’ and Reduces Fruit Decay during Long-term Storage**  
 .....I. Yamaga and S. Nakamura 474
- Interspecific Hybridization Using Miyama Matatabi (*Actinidia kolomikta*), a Japanese Indigenous Wild Kiwifruit Relative**  
 .....I. Asakura and Y. Hoshino 481
- A Generalized Linear Model to Predict the Growth of Potted Seedlings of Satsuma Mandarin (*Citrus unshiu* Marcow.) under Different Initial Plant Conditions, Environmental Conditions, and Pot Size**  
 .....T. Yano, A. Morisaki, S. Ito and M. Kitano 490
- Nondestructive Detection of Split-pit Peach Fruit on Trees with an Acoustic Vibration Method**  
 .....T. Kawai, F. Matsumori, H. Akimoto, N. Sakurai, K. Hirano, R. Nakano and F. Fukuda 499
- Increasing the Yield of Broccoli (*Brassica oleracea* L. var. *italica*) Cultivar ‘Yumehibiki’ during the Off-crop Season by Limiting the Number of Lateral Branches**  
 .....M. Takahashi, Y. Nakano and H. Sasaki 508
- Effects of Supplementary Artificial Light on Growth of the Tomato (*Solanum lycopersicum*) in a Chinese Solar Greenhouse**  
 .....W. Yan, Y. Zhang, Y. Zhang, R. Cheng, Y. Zhang, Q. Yang and T. Li 516
- Diverse Ty1- *copia* Retrotransposons Found in Waterlilies of the Genus *Nymphaea***  
 .....R. Tuntipaiboontana, C. Kuleung and V. Hongtrakul 524
- Selection of Hydrangea (*Hydrangea* spp.) Cultivars with High Potential for Unseasonable Flower Bud Production in Japan**  
 .....Y. Kitamura, T. Hattori, K. Mogami, T. Fudano and M. Uehara 532
- Nutrient Concentration in Vegetative Organs of the Orchid *Laelia anceps* subsp. *anceps* Based on Mineral Fertilization and Biofertilization**  
 .....O. Tejeda-Sartorius, L. I. Trejo-Téllez, M. Á. A. Téllez-Velasco and F. C. Gómez-Merino 541
- Sclerified Parenchyma Differentiation in Hydrangea Veins is Essential for Robust Decorative Sepals (*Hydrangea* spp.)**  
 .....Y. Kitamura, T. Watanabe, Y. Kato, W. W. Teoh, K. Kataoka, Y. Yamaguchi, T. Haruta, H. Nishioka and K. Kametani 549
- Author Instructions** ..... 557