

# CONTENTS

<p>Dynamics of grassland carbon sequestration and its coupling relation with hydrothermal factor of Inner Mongolia W. Zhou, H. Yang, L. Zhou, Y. Chen, L. Huang and W. Ju (China)</p>	1	<p>Use of local ecological knowledge as phenology indicator in native food species in the semiarid region of Northeast Brazil L.Z. Campos, A.L.B. Nascimento, U.P. Albuquerque and E.L. Araújo (Brazil)</p>	75
<p>Carbon footprint of dryland winter wheat under film mulching during summer-fallow season and sowing method on the Loess Plateau J.-F. Xue, Y.-Q. Yuan, H.-L. Zhang, A.-X. Ren, W. Lin, M. Sun, Z.-Q. Gao and D.-S. Sun (China)</p>	12	<p>Evaluating the specificity of ecosystem indicators to fishing in a changing environment: A model comparison study for the southern Benguela ecosystem K. Ortega-Cisneros, L. Shannon, K. Cochrane (South Africa), E.A. Fulton (Australia) and Y.-J. Shin (South Africa, France)</p>	85
<p>Multiple biogeochemical indicators of environmental quality in tropical estuaries reveal contrasting conservation opportunities H.L. Hadlich (Brazil), N. Venturini (Uruguay), C.C. Martins, V. Hatje, P. Tinelli, L.E.d.O. Gomes and A.F. Bernardino (Brazil)</p>	21	<p>Potential impact of climate change on the distribution of six invasive alien plants in Nepal U.B. Shrestha (Australia), K.P. Sharma, A. Devkota, M. Siwakoti and B.B. Shrestha (Nepal)</p>	99
<p>Living apart together: Niche partitioning among Alboran Sea cetaceans J. Giménez, A. Cañadas, F. Ramírez, I. Afán, S. García-Tiscar, C. Fernández-Maldonado, J.J. Castillo and R. de Stephanis (Spain)</p>	32	<p>Assessing the adaptability of alien (<i>Larix kaempferi</i>) and native (<i>Pinus armandii</i>) tree species at the Baiyunshan Mountain, central China K. Peng, J. Peng, J. Huo and L. Yang (China)</p>	108
<p>Use and usefulness of open source spatial databases for the assessment and management of European coastal and marine ecosystem services C. Caro (Portugal, Peru), R. Pinto (Portugal, Canada) and J.C. Marques (Portugal)</p>	41	<p>Understanding treescape changes as the basis of urban forest planning in fringe areas L. Chen, L. Wang, G. Li, F. Ma and Z. Zhang (PR China)</p>	117
<p>Riparian buffers mitigate impacts of oil palm plantations on aquatic macroinvertebrate community structure in tropical streams of Borneo D. Chellaiyah (Malaysia) and C.M. Yule (Malaysia, Australia)</p>	53	<p>Salinization of agricultural lands due to poor drainage: A viewpoint A. Singh (India)</p>	127
<p>Expanding the trait-based concept of benthic diatoms: Development of trait- and species-based indices for conductivity as the master variable of ecological status in continental saline lakes C. Stenger-Kovács, K. Körmendi, E. Lengyel, A. Abonyi, É. Hajnal, B. Szabó, K. Buczkó and J. Padisák (Hungary)</p>		<p>Ecological and economic analyses of the forest metabolism system: A case study of Guangdong Province, China X. Zhang, G. Huang (China), L. Liu (Canada), M. Zhai and J. Li (China)</p>	131
		<p>Spatial and temporal variability of grassland yield and its response to climate change and anthropogenic activities on the Tibetan Plateau from 1988 to 2013 H. Zhang, J. Fan, J. Wang, W. Cao (China) and W. Harris (New Zealand)</p>	141

Spatio-temporal investigation of the interactive relationship between urbanization and ecosystem services: Case study of the Jingjinji urban agglomeration, China D. Zhou, Y. Tian and G. Jiang (China)	152	Nematode biodiversity and benthic trophic state are simple tools for the assessment of the environmental quality in coastal marine ecosystems S. Bianchelli, E. Buschi, R. Danovaro and A. Pusceddu (Italy)	270
Comparing logging and subsistence values of plants across an indigenous peoples' influenced landscape M. Shah and A.R. Cummings (USA)	165	Towards an indicator-based assessment of cultural heritage as a cultural ecosystem service – A case study of Scottish landscapes N. Stanik (United Kingdom, Germany), I. Aalders and D. Miller (United Kingdom)	288
Physiological effects of cymothoid parasitization in the fish host <i>Pomatoschistus microps</i> (Krøyer, 1838) under increasing ocean temperatures R. Cereja, V. Mendonça, M. Dias, C. Vinagre, F. Gil and M. Diniz (Portugal)	176	Evaluating the uncertainty of Landsat-derived vegetation indices in quantifying forest fuel treatments using bi-temporal LiDAR data Q. Ma (USA), Y. Su (USA, China), L. Luo (USA), L. Li (China), M. Kelly (United States) and Q. Guo (USA, China)	298
Tropical stream diatom communities – The importance of headwater streams for regional diversity J. Jyrkänkallio-Mikkola, M. Siljander, V. Heikinheimo, P. Pellikka and J. Soininen (Finland)	183	Plant invasion risk: A quest for invasive species distribution modelling in managing protected areas M. Bazzichetto (Italy), M. Malavasi, V. Bartak (Czech Republic), A.T.R. Acosta, D. Rocchini and M.L. Carranza (Italy)	311
Adapting metabarcoding-based benthic biomonitoring into routine marine ecological status assessment networks E. Aylagas (Spain, Saudi Arabia), Á. Borja, I. Muxika and N. Rodríguez-Ezpeleta (Spain)	194	Spatial and temporal variations in surface soil moisture and vegetation cover in the Loess Plateau from 2000 to 2015 X. Wang, B. Wang, X. Xu, T. Liu, Y. Duan and Y. Zhao (China)	320
Pelagic habitats in the Mediterranean Sea: A review of Good Environmental Status (GES) determination for plankton components and identification of gaps and priority needs to improve coherence for the MSFD implementation I. Varkitzi (Greece), J. Francé (Slovenia), A. Basset, F. Cozzoli, E. Stanca (Italy), S. Zervoudaki, A. Giannakourou, G. Assimakopoulou, A. Venetsanopoulou (Greece), P. Mozetič (Slovenia), T. Tinta (Slovenia, Austria), S. Skejic, O. Vidjak (Croatia), J.-F. Cadiou (France) and K. Pagou (Greece)	203	Methodological uncertainties in estimating carbon storage in temperate forests and grasslands O. Bartholomé, K. Grigulis, M.-P. Colace, C. Arnoldi and S. Lavorel (France)	331
Developing a set of indicators to measure sustainability of tea cultivating farms in Rize Province, Turkey S. ul Haq and I. Boz (Turkey)	219	Spatial-temporal changes of urban areas and terrestrial carbon storage in the Three Gorges Reservoir in China J. Wang, Q. Zhang, T. Gou, J. Mo, Z. Wang and M. Gao (China)	343
Vegetation restoration projects and their influence on runoff and sediment in China G. Xu, J. Zhang, P. Li, Z. Li, K. Lu, X. Wang, F. Wang, Y. Cheng and B. Wang (China)	233	Assessing biological and environmental effects of a total solar eclipse with passive multimodal technologies E.M. Brinley Buckley, A.J. Caven, B.L. Gottesman, M.J. Harner, B.C. Pijanowski and M.L. Forsberg (USA)	353
Environmental drivers of lesser weever stings on the northeast Atlantic coast (A Lanzada beach, Spain) X.A. Padin, A. Alonso-Fernández, A. Lijó, V. Otero and J. Otero (Spain)	242	Anthropogenic contributions dominate trends of vegetation cover change over the farming-pastoral ecotone of northern China Z. Liu, Y. Liu and Y. Li (China)	370
Lead concentrations and stable lead isotope ratios in moss in Slovenia and Switzerland E. Schnyder (Switzerland), M. Štok (Slovenia), Z. Kosonen (Switzerland), M. Skudnik, D. Mazej, Z. Jeran (Slovenia) and L. Thöni (Switzerland)	250	Emergency-based indicators for evaluating ecosystem health: A case study of three benthic ecosystem networks influenced by coastal upwelling in northern Chile (SE Pacific coast) F. Berrios (Chile), D.E. Campbell (USA) and M. Ortiz (Chile)	379
The benefits of cyclones: A valuation approach considering ecosystem services K. Vink (Japan) and Md.N. Ahsan (Bangladesh)	260	Phytoplankton response to a weak El Niño event A. Conde, M. Hurtado and M. Prado (Ecuador)	394
		Climate change impacts on the aptitude area of forest species D.B. Pirovani, J.E.M. Pezzopane, A.C. Xavier, J.R.M. Pezzopane, W.C. de Jesus Júnior (Brazil), M.A.H. Machuca (Spain), G.M.A.D.A. dos Santos, S.F. da Silva, S.L.H. de Almeida, T.M. de Oliveira Peluzio, F.C. Eugenio, T.R. Moreira, R.S. Alexandre and A.R. dos Santos (Brazil)	405

Key criteria for developing ecosystem service indicators to inform decision making A.P.E. van Oudenhoven (The Netherlands), M. Schröter (Germany), E.G. Drakou (The Netherlands), I.R. Geijzendorffer (France), S. Jacobs (Belgium), P.M. van Bodegom (The Netherlands), L. Chazee (France), B. Czúcz (France, Hungary), K. Grunewald (Germany), A.I. Lillebø (Portugal), L. Mononen (Finland), A.J.A. Nogueira (Portugal), M. Pacheco-Romero (Spain), C. Perennou (France), R.P. Remme (The Netherlands), S. Rova (Italy), R.-U. Syrbe (Germany), J.A. Tratalos (Ireland), M. Vallejos (Argentina) and C. Albert (Germany)	417	Robustness of macroscopic-systemic network indices after disturbances on diet-community matrices M. Ortiz (Chile)	509
Twenty years of application of Polychaete/ Amphipod ratios to assess diverse human pressures in estuarine and coastal marine environments: A review J.-C. Dauvin (France)	427	Spatial and temporal shifts in functional and taxonomic diversity of dung beetles in a human-modified tropical forest landscape W. Beiroz (Brazil, UK), E. Sayer (UK, Panama), E.M. Slade (UK), L. Audino, R.F. Braga (Brazil)J. Louzada and J. Barlow (Brazil, UK)	518
Mesotrione-induced oxidative stress and DNA damage in earthworms ( <i>Eisenia fetida</i> ) X. Li, L. Zhu, Z. Du, B. Li, J. Wang, J. Wang and Y. Zhu (People's Republic of China)	436	Assessment of vegetation degradation in mountainous pastures of the Western Tien-Shan, Kyrgyzstan, using eMODIS NDVI M. Zhumanova (Germany, Kyrgyzstan), C. Mönnig (Germany), C. Hergarten (Kyrgyzstan, Switzerland)D. Darr and N. Wrage-Mönnig (Germany)	527
Changes and driving mechanism of water footprint scarcity in crop production: A study of Jiangsu Province, China X. Cao, X. Huang, H. Huang, J. Liu, X. Guo, W. Wang and D. She (China)	444	An ecosystem service-disservice ratio: Using composite indicators to assess the net benefits of urban trees A. Speak (Italy), F.J. Escobedo (Colombia), A. Russo (Russia) and S. Zerbe (Italy)	544
Exploring the driving forces of farmland loss under rapidurbanization using binary logistic regression and spatial regression: A case study of Shanghai and Hangzhou Bay R. Xiao, Y. Liu, X. Huang, R. Shi, W. Yu and T. Zhang (China)	455	Ecosystem recovery indicators as decision criteria on potential reduction of fallow periods in swidden systems of Northern Thailand K. Tongkoom, C. Marohn, H.P. Piepho and G. Cadisch (Germany)	554
<i>Alcaligenaceae</i> and <i>Chromatiaceae</i> as reliable bioindicators present in palm oil mill effluent final discharge treated by different biotreatment processes D. Mohd-Nor (Malaysia, Japan), N. Ramli, S.S. Sharuddin, M.A. Hassan (Malaysia), N.A. Mustapha (Japan), A. Amran (Malaysia)K. Sakai, Y. Shirai and T. Maeda (Japan)	468	Defining a reference system for biological indicators of agricultural soil quality in Wallonia, Belgium I. Krüger, C. Chartin, B. van Wesemael and M. Carnol (Belgium)	568
Quantifying the spatial patterns of urban carbon metabolism: A case study of Hangzhou, China C. Xia (China, Australia), Y. Li (China), T. Xu (Australia), Y. Ye, Z. Shi (China), Y. Peng (Australia) and J. Liu (China)	474	Morphology-based functional groups as the best tool to characterize shallow lake-dwelling phytoplankton on an Amazonian floodplain M.T.M.P.S. Lobo, I. de Souza Nogueira, L. Fabris Sgarbi, C. Nunes Kraus, E. de Oliveira Bomfim, J. Garnier (Brazil), D. da Motta Marques and M.-P. Bonnet (Brazil, France)	579
Complex food webs of tropical intertidal rocky shores (SE Brazil) – An isotopic perspective C. Vinagre, V. Mendonça (Portugal), A.A.V. Flores (Brazil)A. Baeta and J.C. Marques (Portugal)	485	Assessing atmospheric pollution in a petrochemical industrial district using a lichen-air quality index (LiAQI) C. Boonpeng, C. Sriviboon, W. Polyiam, D. Sangiamdee, S. Watthana and K. Boonpragob (Thailand)	589
Linking fish-based biological indicators with hydrological dynamics in a Mediterranean river: Relevance for environmental flow regimes O. Belmar, N. Vila-Martínez, C. Ibáñez and N. Caiola (Spain)	492	Integration of historical map and aerial imagery to characterize long-term land-use change and landscape dynamics: An object-based analysis via Random Forests D. Liu, E. Toman, Z. Fuller, G. Chen, A. Londo, X. Zhang and K. Zhao (USA)	595
Performance of rapid floristic quality assessment indices for increasing cost-effectiveness of wetland condition evaluation K. Gianopulos (USA)	502	Test of the efficiency of environmental surrogates for the conservation prioritization of ponds based on macrophytes M. Svitok (Slovakia, Czech Republic), M. Novikmec (Slovakia), L. Hamerlík (Slovakia, Poland)J. Kochjarová, H. Otáhelová, P. Paľove-Balang, D. Senko, Z. Matúšová, K. Bubíková and R. Hrivnák (Slovakia)	606

- Decoupling of CO<sub>2</sub> emissions and GDP: A time-varying cointegration approach  
J.I. Mikayilov (Saudi Arabia, Azerbaijan), F.J. Hasanov (Saudi Arabia, USA, Azerbaijan) and M. Galeotti (Saudi Arabia, Italy) 615
- Detection of forest canopy gaps from very high resolution aerial images  
B.B. Nyamgeroh (Kenya), T.A. Groen, M.J.C. Weir (The Netherlands), P. Dimov and T. Zlatanov (Bulgaria) 629
- Using expert elicitation to rank ecological indicators for detecting climate impacts on Australian seabirds and pinnipeds  
C. Wilcox, A.J. Hobday (Australia) and L.E. Chambers (Currently unaffiliated) 637
- Using the δ<sup>15</sup>N of submerged biomass for assessing changes in the nitrogen cycling in a river receiving wastewater treated effluent  
E. Cejudo, J.L. Hood, S.L. Schiff and R.O. Aravena (Canada) 645
- An integrated approach to project environmental sustainability under future climate variability: An application to U.S. Rio Grande Basin  
J.E. Mu and J.R. Ziolkowska (United States) 654
- Ariadna* spiders as bioindicator of heavy elements contamination in the Central Namib Desert  
E. Conti, G. Costa, G. Liberatori, M.L. Vannuccini, G. Protano, F. Nannoni and I. Corsi (Italy) 663
- Structural optimization for industrial sectors to achieve the targets of energy intensity mitigation in the urban cluster of the Pearl River Delta  
W. Yue, Y. Cai, Z. Yang, Q. Rong and Z. Dang (China) 673
- Woody species diversity as an indicator of the forest recovery after shifting cultivation disturbance in the northern Amazon  
P.M. Villa (Brazil, Venezuela), S.V. Martins, S.N.d. Oliveira Neto, A.C. Rodrigues, N.V.H. Safar (Brazil), L.D. Monsanto, N.M. Cancio (Venezuela) and A. Ali (China) 687
- Ecological and economic indicators for measuring erosion control services provided by ecosystems  
M. Alam (United States) 695
- Trend analysis and forecast of PM<sub>2.5</sub> in Fuzhou, China using the ARIMA model  
L. Zhang (China, USA), J. Lin (USA), R. Qju, X. Hu, H. Zhang, Q. Chen, H. Tan, D. Lin and J. Wang (China) 702
- Vertical sediment migrations of dominant midge species in subtropical lakes with implications for bioassessment  
W. Zou, Y. Cai (PR China), K.T. Tolonen (Finland), G. Zhu, B. Qin, K. Peng and Z. Gong (PR China) 711
- Stress response of *Chironomus riparius* to changes in water temperature and oxygen concentration in a lowland stream  
A. Manfrin (Germany), S. Larsen (Germany, Italy), M. Scalici (Italy), S. Wuertz and M.T. Monaghan (Germany) 720
- Calcification of coral assemblages in the eastern Pacific: Reshuffling calcification scenarios under climate change  
R.A. Cabral-Tena, A. López-Pérez, H. Reyes-Bonilla (Mexico), L.E. Calderon-Aguilera (Mexico, UK), C.O. Norzagaray-López, F.A. Rodríguez-Zaragoza, A. Cupul-Magaña, A.P. Rodríguez-Troncoso and A. Ayala-Bocos (Mexico) 726
- Applicability of butterfly transect counts to estimate species richness in different parts of the palaeartic region  
C. Zhang (China, Germany), A. Harpke, E. Kühn (Germany), F. Páramo (Spain), J. Settele (Germany, Philippines), C. Stefanescu (Spain), M. Wiemers (Germany), Y. Zhang (China) and O. Schweiger (Germany) 735
- Testing the performance of bats as indicators of riverine ecosystem quality  
C. De Conno, V. Nardone, L. Ancillotto, S. De Bonis, M. Guida (Italy), I. Jorge (Portugal), U. Scarpa (Italy) and D. Russo (Italy, United Kingdom) 741
- Segregated versus integrated biodiversity conservation: Value-based ecosystem service assessment under varying forest management strategies in a Swiss case study  
C. Blattert, R. Lemm, O. Thees (Switzerland), J. Hansen (Germany), M.J. Lexer (Austria) and M. Hanewinkel (Germany) 751
- Machine learning predictions of trophic status indicators and plankton dynamic in coastal lagoons  
B. Béjaoui (Tunisia), E. Ottaviani, E. Barelli (Italy), B. Ziadi, A. Dhib (Tunisia, France), M. Lavoie (Canada), C. Gianluca (Italy), S. Turki (Tunisia), C. Solidoro (Italy) and L. Aleya (France) 765
- Fecal cortisol metabolites under anonymized sampling: Robust estimates despite significant individual heterogeneity  
L. Corlatti (Germany) 775
- Functional diversity assessment in riparian forests – Multiple approaches and trends: A review  
I. Lozanovska, M.T. Ferreira and F.C. Aguiar (Portugal) 781
- Applying MERIS time series and dynamic time warping for delineating areas with similar temporal behaviour in the northern Baltic Sea  
T. Suominen (Finland) 794
- An assessment of the impacts of climate extremes on the vegetation in Mongolian Plateau: Using a scenarios-based analysis to support regional adaptation and mitigation options  
C. Li (China, Germany, UK), W.L. Filho (Germany, UK), J. Wang, J. Yin (China), M. Fedoruk (Germany, UK, Ukraine), G. Bao, Y. Bao, S. Yin, S. Yu and R. Hu (China) 805
- Brain as a target organ of climate events: Environmental induced biochemical changes in three marine fish species  
R. Vieira, S.M. Marques, J.M. Neto, P. Barría, J.C. Marques, F.J.M. Gonçalves and A.M.M. Gonçalves (Portugal) 815

Unmanned aerial vehicle methods makes species composition monitoring easier in grasslands Y. Sun, S. Yi and F. Hou (China)	825	Foliar optical traits indicate that sealed planting conditions negatively affect urban tree health K. Yu, M. Van Geel, T. Ceulemans, W. Geerts (Belgium), M.M. Ramos, N. Sousa, P.M.L. Castro (Portugal), P. Kastendeuch, G. Najjar, T. Ameglio, J. Ngao, M. Saudreau (France), O. Honnay and B. Somers (Belgium)	895
Atmospheric pollution assessed by in situ measurement of magnetic susceptibility on lichens D.C. Marié, M.A.E. Chaparro, J.M. Lavernia, A.M. Sinito, A.G. Castañeda Miranda, J.D. Gargiulo, M.A.E. Chaparro (Argentina) and H.N. Böhnel (Mexico)	831	Moving beyond description to explore the empirics of adaptation constraints D. Gawith and I. Hodge (United Kingdom)	907
Spatial correction of ecosystem service value and the evaluation of eco-efficiency: A case for China's provincial level L. Xing, M. Xue and X. Wang (China)	841	Spatiotemporal interaction between ecosystem services and urbanization: Case study of Nanjing City, China Y. Yuan, S. Wu, Y. Yu, G. Tong, L. Mo, D. Yan and F. Li (China)	917
Modelling regional environmental efficiency differentials of dairy farms on the island of Ireland A.H. Adenuga (United Kingdom, Nigeria), J. Davis, G. Hutchinson (United Kingdom), T. Donnellan (Ireland) and M. Patton (United Kingdom)	851	A multi-stage fuzzy stochastic programming method for water resources management with the consideration of ecological water demand C. Li (China), Y. Cai (China, Canada) and J. Qian (China)	930
Assessing current monitoring indicators and reporting for cumulative effects integration: A case study in Muskoka, Ontario, Canada E. Ho, S. Eger and S.C. Courtenay (Canada)	862	Sounding out ecoacoustic metrics: Avian species richness is predicted by acoustic indices in temperate but not tropical habitats A. Eldridge (UK), P. Guyot (France), P. Moscoso (UK), A. Johnston (UK, USA), Y. Eyre-Walker and M. Peck (UK)	939
A framework for measuring coral species-specific contribution to reef functioning in the Caribbean F.J. González-Barrios and L. Álvarez-Filip (Mexico)	877	Plant community regulates soil multifunctionality in a tropical dry forest A.K. Singh, A. Rai, R. Banyal, P.S. Chauhan and N. Singh (India)	953
Eco-exergy based self-organization of the macrobenthic faunal assemblage during mangrove succession in Zhanjiang, China Q. Chen, Q. Zhao, P. Chen, H. Lu and S. Jian (PR China)	887	Trunk volume prediction of individual <i>Populus euphratica</i> trees based on point clouds analysis Y. Huang, S. Hou, H. Ling and H. Xu (China)	964