

LWT—Food Science and Technology

CONTENTS

Volume 101, March 2019

Research papers

- Biogenic amines producing and degrading bacteria: A snapshot from raw ewes' cheese**
F. Tittarelli, G. Perpetuini, P. Di Gianvito and R. Tofalo 1
- Cooking quality, biochemical and technological characteristics of bran-enriched pasta obtained by a novel pasta-making process**
R. Ciccoritti, F. Nocente, D. Sgrulletta and L. Gazza 10
- Effects of small laccase from *Streptomyces coelicolor* on the solution and gel properties of whey protein isolate**
W. Quan, C. Zhang, M. Zheng, Z. Lu, H. Zhao and F. Lu 17
- The beneficial effects of grape seed, sage and oregano extracts on the quality and volatile flavor component of hairtail fish balls during cold storage at 4 °C**
W. Guan, X. Ren, Y. Li and L. Mao 25
- Effect of extrusion processing and hydrocolloids on the stability of added vitamin B₁₂ and physico-functional properties of the fortified puffed extrudates**
S.R. Bajaj and R.S. Singhal 32
- Xanthan gum biosynthesis using *Xanthomonas* isolates from waste bread: Process optimization and fermentation kinetics**
A.S. Demirci, I. Palabiyik, D. Apaydin, M. Mirik and T. Gumus 40
- Ellagitannins in wines: Future prospects in methods of analysis using FT-IR spectroscopy**
M. Basalekou, S. Kallithraka, P.A. Tarantilis, Y. Kotseridis and C. Pappas 48
- High hydrostatic pressure treatment improves physicochemical properties of calcium- and soybean protein-added peach juice**
C.A. Manassero, F. Speroni and S.R. Vaudagna 54
- In-vitro* digestion by simulated gastrointestinal juices of *Lactobacillus rhamnosus* cultured with mulberry oligosaccharides and subsequent fermentation with human fecal inocula**
E. Li, H. Yang, Y. Zou, H. Wang, T. Hu, Q. Li and S. Liao 61
- Effect of hydrocolloid addition on dimensional stability in post-processing of 3D printable cookie dough**
H.W. Kim, I.J. Lee, S.M. Park, J.H. Lee, M.-H. Nguyen and H.J. Park 69
- Evaluating endogenous protease of salting exudates during the salting process of Jinhua ham**
C.-Y. Zhou, D.-D. Pan, Y. Bai, C.-B. Li, X.-L. Xu, G.-H. Zhou and J.-X. Cao 76
- Effects of alginate-glycerol-citric acid concentrations on selected physical, mechanical, and barrier properties of papaya puree-based edible films and coatings, as evaluated by response surface methodology**
M. Rangel-Marrón, E. Mani-López, E. Palou and A. López-Malo 83
- Effects of high pressure processing (HPP) on quality attributes of tilapia (*Oreochromis niloticus*) fillets during refrigerated storage**
L. Suemitsu and M. Cristianini 92
- The antibacterial mechanism of pterostilbene derived from xinjiang wine grape: A novel apoptosis inducer in *Staphylococcus aureus* and *Escherichia coli***
X. Ren, P. An, X. Zhai, S. Wang and Q. Kong 100
- Characterization of nanoliposomes containing bioactive peptides obtained from sheep whey hydrolysates**
A.P.F. Corrêa, D. Bertolini, N.A. Lopes, F.F. Veras, G. Gregory and A. Brandelli 107
- Oxidation products from omega-3 and omega-6 fatty acids during a simulated shelf life of edible oils**
M.S. Nogueira, B. Sclaro, G.L. Milne and I.A. Castro 113
- Effect of heat treatment and packaging technology on the microbial load of lightly processed seafood**
N. Abel, B.T. Rotabakk and J. Lerfall 123
- Complex formation, physicochemical properties of different concentration of palmitic acid yam (*Dioscorea pposita* Thunb.) starch preparation mixtures**
X. Li, X. Gao, J. Lu, X. Mao, Y. Wang, D. Feng, J. Cao, L. Huang and W. Gao 130

[Contents continued on inside back cover]

Preparation, characterization, and food application of rosemary extract-loaded antimicrobial nanoparticle dispersions <i>K.H. Lee, J.-S. Lee, E.S. Kim and H.G. Lee</i>	138	Potential antimicrobial activity of honey phenolic compounds against <i>Gram positive</i> and <i>Gram negative</i> bacteria <i>F.J. Leyva-Jimenez, J. Lozano-Sanchez, I. Borrás-Linares, M.d.l.L. Cadiz-Gurrea and E. Mahmoodi-Khaledi</i>	236
Orange-fleshed sweet potato flour as a precursor of aroma and color of sourdough panettones <i>A.P. Aparecida Pereira, M.T. Pedrosa Silva Clerici, M. Schmiele, L.C. Gioia Júnior, M.A. Nojima, C.J. Steel, Y.K. Chang, G.M. Pastore and E.H. Nabeshima</i>	145	<i>Portulaca oleracea</i> seeds as a novel source of alkylresorcinols and its phenolic profiles during germination <i>A. Gunenc, O. Rowland, H. Xu, A. Marangoni and F. Hosseini</i>	246
Influence of two different cocoa-based coatings on quality characteristics of fresh-cut fruits during storage <i>V. Glicerina, U. Tylewicz, G. Canali, L. Siroli, M.D. Rosa, R. Lanciotti and S. Romani</i>	152	Dipeptidyl peptidase-IV, α-amylase, and angiotensin I converting enzyme inhibitory properties of novel camel skin gelatin hydrolysates <i>P. Mudgil, B. Jobe, H. Kamal, M. Alameri, N. Al Ahabbi and S. Maqsood</i>	251
Functional enhancement of ultrafine <i>Angelica gigas</i> powder by spray-drying microencapsulation <i>K.-O. Choi, D. Kim, J.D. Lim, S. Ko, G.-P. Hong and S. Lee</i>	161	Evaluation of the DNA damage protective activity of the germinated peanut (<i>Arachis hypogaea</i>) in relation to antioxidant and anti-inflammatory activity <i>A. Limmongkon, J. Pankam, T. Somboon, P. Wongshaya and P. Nopprang</i>	259
Valorization of coffee parchment waste (<i>Coffea arabica</i>) as a source of caffeine and phenolic compounds in antifungal gellan gum films <i>V.A. Mirón-Mérida, J. Yáñez-Fernández, B. Montañez-Barragán and B.E. Barragán Huerta</i>	167	Dynamic changes in targeted phenolic compounds and antioxidant potency of carob fruit (<i>Ceratonia siliqua</i> L.) products during <i>in vitro</i> digestion <i>V. Goulas and A. Hadjisolomou</i>	269
Gamma irradiation as pre-fermentative method for improving wine quality <i>M. Mihaljević Žulj, L.M. Bandić, I.T. Bujak, I. Puhelek, A. Jeromel and B. Mihaljević</i>	175	Moringa extract enhances the fermentative, textural, and bioactive properties of yogurt <i>T. Zhang, C.H. Jeong, W.N. Cheng, H. Bae, H.G. Seo, M.C. Petriello and S.G. Han</i>	276
Study of the potential synergistic antibacterial activity of essential oil components using the thiazolyl blue tetrazolium bromide (MTT) assay <i>R. Requena, M. Vargas and A. Chiralt</i>	183	A multi-scale approach for pasta quality features assessment <i>A. Diantom, E. Curti, E. Carini, F. Boukid, M. Mattarozzi, Y. Vodovotz, M. Careri and E. Vittadini</i>	285
Effect of roasting treatment on the chemical composition of sesame oil <i>J. Ji, Y. Liu, L. Shi, N. Wang and X. Wang</i>	191	Protective cultures against foodborne pathogens in a nitrite reduced fermented meat product <i>I. Nikodinoska, L. Baffoni, D. Di Gioia, B. Manso, L. García-Sánchez, B. Melero and J. Rovira</i>	293
Fast evaluation by quantitative PCR of microbial diversity and safety of Chinese Paocai inoculated with <i>Lactobacillus plantarum</i> NCU116 as the culture starter <i>T. Xiong, J. Chen, T. Huang, M. Xie, Y. Xiao, C. Liu and Z. Peng</i>	201	Tracing the melamine migration from three-piece tin cans into food simulants during coating process <i>M. Li, Y. Fan, Z. Liu, Y. Xie, Y. Guo, Y. Cheng, H. Qian and W. Yao</i>	300
Complexation of rice proteins and whey protein isolates by structural interactions to prepare soluble protein composites <i>R. Wang, P. Xu, Z. Chen, X. Zhou and T. Wang</i>	207	Characterization of ascorbic acid microencapsulated by the spray chilling technique using palm oil and fully hydrogenated palm oil <i>J.D.d.S. Carvalho, V.B. Oriani, G.M. de Oliveira and M.D. Hubinger</i>	306
Lipase synthesis of isoamyl acetate using different acyl donors: Comparison of novel esterification techniques <i>M. Zare, M.-T. Golmakani and M. Niakousari</i>	214	The impact of E-beam treatment on the microbial population and sensory quality of hard annatto-coloured cheese <i>R. Velasco, M.I. Cambero, J.A. Ordóñez and M.C. Cabeza</i>	315
Improvement of protein quality and degradation of allergen in soybean meal fermented by <i>Neurospora crassa</i> <i>J. Li, R.-l. Zhou, Z.-q. Ren, Y.-w. Fan, S.-b. Hu, C.-f. Zhuo and Z.-y. Deng</i>	220	The role of microbes in free fatty acids release and oxidation in fermented fish paste <i>Y. Xu, L. Li, W. Xia, J. Zang and P. Gao</i>	323
Preparation and characterization of double emulsions for saltiness enhancement by inhomogeneous spatial distribution of sodium chloride <i>H. Ilyasoglu Buyukkestelli and S.N. El</i>	229		

Effect of frying oils' fatty acid profile on quality, free radical and volatiles over deep-frying process: A comparative study using chemometrics <i>Y. Liu, J. Li, Y. Cheng and Y. Liu</i>	331	Enhancing of oxidative stability and quality attributes of olive oil using spirulina (<i>Arthrospira platensis</i>) nanoparticles <i>M.K. Morsy, O.M. Morsy, H.A. Elbarbary and M.A. Saad</i>	444
Ultrasound assisted extraction of bioactive compounds from pomegranate (<i>Punica granatum</i> L.) peel <i>P. Sharayei, E. Azarpazhooh, S. Zomorodi and H.S. Ramaswamy</i>	342	Evaluation of different tea extracts on dough, textural, and functional properties of dry Chinese white salted noodle <i>M. Xu, Y. Wu, G.G. Hou and X. Du</i>	456
Texture improvement and deformation inhibition of hot air-dried apple cubes via osmotic pretreatment coupled with instant control pressure drop (DIC) <i>X. Li, J. Bi, Q. Chen, X. Jin, X. Wu and M. Zhou</i>	351	Modification of foxtail millet (<i>Setaria italica</i>) bran dietary fiber by xylanase-catalyzed hydrolysis improves its cholesterol-binding capacity <i>Y. Zhu, C. He, H. Fan, Z. Lu, F. Lu and H. Zhao</i>	463
Storage time assessment and shelf-life prediction models for postharvest <i>Agaricus bisporus</i> <i>Y. Song, Q. Hu, Y. Wu, F. Pei, B.M. Kimatu, A. Su and W. Yang</i>	360	Physicochemical, conformational properties and ACE-inhibitory activity of peanut protein marinated by aged vinegar <i>S. Guo, M. Ai, J. Liu, Z. Luo, J. Yu, Z. Li and A. Jiang</i>	469
Evaluation of non-isothermal inactivation on survivals of pathogenic bacteria by predictive models <i>J.-H. Yoon, A. Han, J. Paek and S.-Y. Lee</i>	366	Preparation, characterization and stability of pea protein isolate and propylene glycol alginate soluble complexes <i>Q. Guo, J. Su, F. Yuan, L. Mao and Y. Gao</i>	476
Flavored oven bags for cooking meat based on proteins <i>L. Di Giorgio, P.R. Salgado and A.N. Mauri</i>	374	Understanding the caking behavior of amorphous jujube powder by powder rheometer <i>K.A. Addo, J. Bi, Q. Chen, X. Wu, M. Zhou, J. Lyu and J. Song</i>	483
A novel method for rapid quantitative evaluating formaldehyde in squid based on electronic nose <i>D.-C. Gu, W. Liu, Y. Yan, W. Wei, J.-h. Gan, Y. Lu, Z.-L. Jiang, X.-C. Wang and C.-H. Xu</i>	382	Evaluation of the antimicrobial, antioxidant and physicochemical properties of Poly(Vinyl chloride) films containing quercetin and silver nanoparticles <i>L.R. Braga, L.M. Pérez, M.d.V. Soazo and F. Machado</i>	491
Components and antibacterial activity of a novel essential oil from the nutrient broth of <i>Eremothecium ashbyii</i> H4565 <i>F. He, K. Li, X. Zhang, Y. Yang, Y. Fang and F. Xiang</i>	389	Effect of confectionery solutes on the rheological properties of fish (<i>Oncorhynchus mykiss</i>) gelatin <i>D.D. Altan Kamer, I. Palabiyik, N.O. Işık, F. Akyuz, A.S. Demirci and T. Gumus</i>	499
Impact of long bottle aging (10 years) on volatile composition of red wines micro-oxygenated with oak alternatives <i>M.d. Alamo-Sanza, I. Nevares, A. Martínez-Gil, P. Rubio-Bretón and T. Garde-Cerdán</i>	395	High pressure impregnation of oil in water emulsions into selected fruits: A novel approach to fortify plant-based biomaterials by lipophilic compounds <i>H. Vatankhah and H.S. Ramaswamy</i>	506
Effect of heat treatment on denaturation of whey protein and resultant rennetability of camel milk <i>A. Genene, E.B. Hansen, M. Eshetu, Y. Hailu and R. Ipsen</i>	404	Effects of <i>Lactobacillus plantarum</i> NJAU-01 from Jinhua ham on the quality of dry-cured fermented sausage <i>Q. Ge, H. Pei, R. Liu, L. Chen, X. Gao, Y. Gu, Q. Hou, Y. Yin, H. Yu, M. Wu, W. Zhang and G. Zhou</i>	513
Reduction of <i>Listeria innocua</i> in fresh-cut Chinese cabbage by a combined washing treatment of sweeping frequency ultrasound and sodium hypochlorite <i>E.A. Alenyorege, H. Ma, I. Ayim, J.H. Aheto, C. Hong and C. Zhou</i>	410	On the nature of the optimum cleaning concentration for dairy fouling: High NaOH concentrations inhibit the cleavage of non-covalent interactions in whey protein aggregates <i>L. Fan, X.D. Chen and R. Mercadé-Prieto</i>	519
Decrease of microbial community diversity, biogenic amines formation, and lipid oxidation by phloretin in Atlantic salmon fillets <i>J. Wang, J. Fang, L. Wei, Y. Zhang, H. Deng, Y. Guo, C. Hu and Y. Meng</i>	419	Characterization of spray drying microencapsulation of almond oil into taro starch spherical aggregates <i>J.D. Hoyos-Leyva, L.A. Bello-Perez, J.E. Agama-Acevedo, J. Alvarez-Ramirez and L.M. Jaramillo-Echeverry</i>	526
Biochemical traits of asparagus cultivars and quality changes in two differently coloured genotypes during cold storage <i>L. Sergio, M. Gonnella, M. Renna, V. Linsalata, M.A. Gatto, F. Boari and D. Di Venere</i>	427	The effect of insoluble dietary fiber on myofibrillar protein emulsion gels: Oil particle size and protein network microstructure <i>X. Zhuang, X. Jiang, H. Zhou, M. Han, Y. Liu, Y. Bai, X.-l. Xu and G.-h. Zhou</i>	534
Rutin's natural source Flos Sophorae as potential antioxidant and improver of fungal community in Chinese sausages <i>R. Tang, J. Luo, W. Wang, D. Liu, G. Wang and X. Guo</i>	435	The techno-functional properties of camel whey protein compared to bovine whey protein for fabrication a model high protein emulsion <i>S. Momen, M. Salami, F. Alavi, Z. Emam-Djomeh and A.A. Moosavi-Movahedi</i>	543

- Mitigating effect of relative humidity (RH) on 2-furoylmethyl-Amino acid formation**
F. Sarpong, H. Jiang, P. Oteng-Darko, C. Zhou, L.P. Amenorfe, A.T. Mustapha and M.T. Rashid 551
- Dielectric loss mediated promotion of microwave heating in the Maillard reaction**
N. Zhang, D. Fan, Y. Zhao, Y. Wu, B. Yan, J. Zhao, M. Wang and H. Zhang 559
- Novel edible composite films fabricated with whey protein isolate and zein: Preparation and physicochemical property evaluation**
M.-J. Tsai and Y.-M. Weng 567
- Rheological and textural properties of gluten-free doughs and breads based on fermented cassava, sweet potato and sorghum mixed flours**
O.C. Monthe, L. Grosmaire, R.M. Nguimbou, L. Dahdouh, J. Ricci, T. Tran and R. Ndjouenkeu 575
- Effect of different mixing and kneading process on the quality characteristics of frozen cooked noodle**
L.-F. Shao, X.-N. Guo, M. Li and K.-X. Zhu 583
- Physicochemical properties of high-pressure treated lentil protein-based nanoemulsions**
G. Tabilo-Munizaga, R. Villalobos-Carvajal, C. Herrera-Lavados, L. Moreno-Osorio, M. Jarpa-Parra and M. Pérez-Won 590
- Optimal pH of zinc protoporphyrin IX formation in porcine muscles: Effects of muscle fiber type and myoglobin content**
J.-i. Wakamatsu, M. Akter, F. Honma, T. Hayakawa, H. Kumura and T. Nishimura 599
- Partial substitution of fat with rye bran fibre in Frankfurter sausages – Bridging technological and sensory attributes through inclusion of collagenous protein**
L. Hjelm, L.A. Mielby, S. Gregersen, N. Eggertsen and H.C. Bertram 607
- Nutritional changes during storage in fresh-cut long storage tomato as affected by biocompostable polylactide and cellulose based packaging**
C. Patanè, A. Malvuccio, A. Saita, P. Rizzarelli, L. Siracusa, V. Rizzo and G. Muratore 618
- Effects of drying methods on drying characteristics, physicochemical properties and antioxidant capacity of okra**
H. Li, L. Xie, Y. Ma, M. Zhang, Y. Zhao and X. Zhao 630
- Antibacterial and anti-biofilm activities of peppermint essential oil against *Staphylococcus aureus***
J. Kang, W. Jin, J. Wang, Y. Sun, X. Wu and L. Liu 639
- Microencapsulated duck oil diacylglycerol: Preparation and application as anti-obesity agent**
B. Wang, M. Zhang, W. Ge, K. He and F. Cheng 646
- Thermal inactivation kinetics of microencapsulated microbial transglutaminase by ultrasonic spray-freeze drying**
H. Isleroglu and I. Turker 653
- Microwave-assisted synthesis and antioxidant activity of palmitoyl-epigallocatechin gallate**
R. Liu, T. Zhang, T. Wang, M. Chang, Q. Jin and X. Wang 663
- Preparation, primary structure and antifreeze activity of antifreeze peptides from *Scomberomorus niphonius* skin**
W. Fu, P. Wang, Y. Chen, J. Lin, B. Zheng, H. Zeng and Y. Zhang 670
- Physicochemical and gel-forming properties of protein isolated from salmon, cod and herring by-products using the pH-shift method**
M. Abdollahi and I. Undeland 678
- Survival and development of *Staphylococcus* in egg products**
M. Sánchez, C. Neira, A. Laca, A. Laca and M. Díaz 685
- Antimicrobial, antioxidant and sensory properties of Maillard reaction products (MRPs) derived from sunflower, soybean and corn meal hydrolysates**
I. Habinshuti, X. Chen, J. Yu, O. Mukeshimana, E. Duhoranimana, E. Karangwa, B. Muhoza, M. Zhang, S. Xia and X. Zhang 694
- Prebiotic potential of water extractable polysaccharide from red kidney bean (*Phaseolus vulgaris* L.)**
J. Jayamanohar, P.B. Devi, D. Kavitate, V.B. Priyadarisini and P.H. Shetty 703
- Safety and quality assessment of roasted pork loin obtained BY COOK-CHILL system and packed in modified atmosphere**
M.J. Moreira, I. Oliveira, J.A. Silva and C. Saraiva 711
- Optimization of the production of structured lipid by enzymatic interesterification from coconut (*Cocos nucifera*) oil and sesame (*Sesamum indicum*) oil using Response Surface Methodology**
S. Sivakanthan, A.P. Jayasooriya and T. Madhujith 723
- Microgreens of Brassicaceae: Genetic diversity of phytochemical concentrations and antioxidant capacity**
Z. Xiao, S.R. Rausch, Y. Luo, J. Sun, L. Yu, Q. Wang, P. Chen, L. Yu and J.R. Stommel 731
- Influence of inulin rich carbohydrates from Jerusalem artichoke (*Helianthus tuberosus* L.) tubers on probiotic properties of *Lactobacillus* strains**
C. Iraporda, I.A. Rubel, G.D. Manrique and A.G. Abraham 738
- Irvingia gabonensis* seed fat as hard stock to formulate blends for trans free margarines**
J. Yamoneka, P. Malumba, G. Lognay, C. Blecker and S. Danthine 747
- Combined effects of aqueous chlorine dioxide and ultrasonic treatments on shelf-life and nutritional quality of bok choy (*Brassica chinensis*)**
W. Wu, H. Gao, H. Chen, X. Fang, Q. Han and Q. Zhong 757
- Microbial diversity in traditional type I sourdough and jiaozi and its influence on volatiles in Chinese steamed bread**
B. Yan, F.A. Sadiq, Y. Cai, D. Fan, W. Chen, H. Zhang and J. Zhao 764
- Innovative technologies for the extraction of saccharidic and phenolic fractions from *Pleurotus eryngii***
P. Rodríguez-Seoane, B. Díaz-Reinoso, M.J. González-Muñoz, C. Fernández de Ana Portela and H. Domínguez 774
- Safety risks associated with dispersal of *E. coli* O157:H7 in home sprouting modules**
E. Mulaosmanovic, S. Farkas, I. Vågsholm, J. Darlison, M. Sousa, L. Mogren, S. Gharaie and B.W. Alsanius 783

- Preservation of diversity and oenological properties of wine yeasts during long-term laboratory maintenance: A study of strains of a century-old Tokaj wine yeast collection**
Z. Kállai, W.P. Pfliegler, J. Mitercsák, G. Szendei and M. Sipiczki
- The effects of chitosan- and polycaprolactone-based bilayer films incorporated with grape seed extract and nanocellulose on the quality of chicken breast fillets**
E. Sogut and A.C. Seydim
- Anti-quorum sensing of *Galla chinensis* and *Coptis chinensis* on bacteria**
Y. Zhang, O. Djakpo, Y. Xie, Y. Guo, H. Yu, Y. Cheng, H. Qian, R. Shi and W. Yao
- Characterization of corn (*Zea mays* L.) bran as a new food ingredient for snack bars**
M.F.d. Sousa, R.M. Guimarães, M.d.O. Araújo, K.R. Barcelos, N.S. Carneiro, D.S. Lima, D.C.D. Santos, K.d.A. Batista, K.F. Fernandes, M.C.P.M. Lima and M.B. Egea
- Inclusion complex of grape seeds extracts with sulfobutyl ether β -cyclodextrin: Preparation, characterization, stability and evaluation of α -glucosidase and α -amylase inhibitory effects *in vitro***
F. Kong, Z. Su, L. Zhang, Y. Qin and K. Zhang
- Physiological response of *Saccharomyces cerevisiae* to citral combined with thermal treatment**
G. Tabanelli, C. Montanari, S. Arioli, M. Magnani, F. Patrignani, R. Lanciotti, D. Mora and F. Gardini
- Influence of fermented and unfermented *Agaricus bisporus* polysaccharide flours on the antioxidant and structural properties of composite gluten-free cookies**
A.A. Sulieman, K.-X. Zhu, W. Peng, H.A. Hassan, A.A. Mahdi and H.-M. Zhou
- Physicochemical and sensory properties of fresh noodles fortified with ground linseed (*Linum usitatissimum*)**
F. Zhu and J. Li
- Short communication**
- Kinetics of inactivation of peroxidase and polyphenol oxidase in tender coconut water by dielectric barrier discharge plasma**
H. Chutia, D. Kalita, C.L. Mahanta, N. Ojah and A.J. Choudhury