

LWT—Food Science and Technology

CONTENTS

Volume 111, August 2019

Review articles

Letter to editor

N. Hajipour and A.H. Rad

Research papers

Alteration of microbial community for improving flavor character of *Daqu* by inoculation with *Bacillus velezensis* and *Bacillus subtilis*

G. He, Y. Dong, J. Huang, X. Wang, S. Zhang, C. Wu, Y. Jin and R. Zhou

Production and assessment of novel probiotic fermented oat flour enriched with isoflavones

K.C. Duru, ElenaG. Kovaleva, IrinaG. Danilova and AnnaV. Belousova

***Salmonella enterica* adhesion: Effect of *Cinnamomum zeylanicum* essential oil on lettuce**

C. Rossi, C. Chaves-López, S.S. Možina, C. Di Mattia, S. Scuota, I. Luzzi, T. Jeni, A. Paparella and A. Serio

Influences of electrohydrodynamic time and voltage on extraction of phenolic compounds from orange pomace

H. Shahram and S. Taghian Dinani

Evaluation of physical stability of high pressure homogenization treatment cloudy ginkgo beverages

Y. Ni, Z. Zhang, L. Fan and J. Li

Composition and thermal characteristics of seed oil obtained from Chinese amaranth

Z.-s. Zhang, Y.-j. Kang and L. Che

Performance of non-*Saccharomyces* yeasts isolated from Jiaozi in dough fermentation and steamed bread making

Z. Li, H. Li, K. Song and M. Cui

Sunflower oil flavored by essential oil from *Punica granatum* cv. *Heyinshiliu* peels improved its oxidative stability and sensory properties

D. Wang, Y. Meng, X. Zhao, W. Fan, T. Yi and X. Wang

Inactivation mechanism of ferrous and alkaline activated persulfate on *Escherichia coli* O157:H7 and *Listeria monocytogenes*

H. Qi and Y.-C. Hung

Migration of lipid and other components and formation of micro/nano-sized colloidal structure in Tuna (*Thunnus obesus*) head soup

X. Qian, X. Fan, H. Su, J. Zhang, N. Tao, J. Zhong, X. Wang and B. Han

Valorization of spent brewer's yeast: Optimization of hydrolysis process towards the generation of stable ACE-inhibitory peptides

M. Amorim, H. Pinheiro and M. Pintado

Aging discrimination of French cheese types based on the optimization of an electronic nose using multivariate computational approaches combined with response surface method (RSM)

M. Ghasemi-Varnamkhasti, A. Mohammad-Razdari, S.H. Yoosefian, Z. Izadi and M. Siadat

Combination of vintage and new-fashioned analytical approaches for varietal and geographical traceability of olive oils

A. Sayago, R. González-Domínguez, J. Urbano and Á. Fernández-Recamales

Incorporation and stability of carotenoids in a functional fermented maize yogurt-like product containing phytosterols

M. Gies, A.M. Descalzo, A. Servent and C. Dhuique-Mayer

Effects of nanosized okara dietary fiber on gelation properties of silver carp surimi

T. Yin, R. Yao, I. Ullah, S. Xiong, Q. Huang, J. You, Y. Hu and L. Shi

Maintaining postharvest quality of medlar (*Mespilus germanica*) fruit using modified atmosphere packaging and methyl jasmonate

A. Ozturk, K. Yildiz, B. Ozturk, O. Karakaya, S. Gun, S. Uzun and M. Gundogdu

Application of a pressure-transform tumbling assisted curing technique for improving the tenderness of restructured pork chops

C. Zhu, F. Yin, W. Tian, Y. Zhu, L. Zhao and G. Zhao

759

1

9

16

23

31

39

46

55

62

69

77

85

99

105

111

117

125

| | | | |
|--|-----|---|-----|
| Efficacy of lemon juice <i>ogi</i>-steep liquor in the reduction of aflatoxigenic fungi growth during processing of dried sliced yam. <i>T.A. Ajayeoba, T.S. Bamidele, O.M. Oyawoye and O.A. Ijabadeniyi</i> | 133 | The antioxidant property and α-amylase inhibition activity of young apple polyphenols are related with apple varieties <i>T. Zhao, L. Sun, Z. Wang, T. Nisar, T. Gong, D. Li, P. Niu and Y. Guo</i> | 252 |
| Innovative process of polyphenol recovery from pomegranate peels by combining green deep eutectic solvents and a new infrared technology <i>H.N. Rajha, T. Mhanna, S. El Kantar, A. El Houry, N. Louka and R.G. Maroun</i> | 138 | Phenolic profile and colour acquired by the wine spirit in the beginning of ageing: Alternative technology using micro-oxygenation vs traditional technology <i>S. Canas, I. Caldeira, O. Anjos and A.P. Belchior</i> | 260 |
| Understanding cold maceration in red winemaking: A batch processing and multi-block data analysis approach <i>J.L. Aleixandre-Tudo and W. du Toit</i> | 147 | Model prediction of color reversion of soybean oil and its quantitative relationship with oxidation under accelerated conditions <i>X. Li, G. Wu, L. Zheng, J. Huang, H. Zhang, Q. Jin and X. Wang</i> | 270 |
| Effect of wheat bran sourdough with exopolysaccharide producing <i>Lactobacillus plantarum</i> (NR_104573.1) on quality of pan bread during shelf life <i>A. Abedfar, M. Hosseini-zhad and A. Corsetti</i> | 158 | Extra virgin olive oil jam enriched with cocoa bean husk extract rich in theobromine and phenols. <i>C. Hernández-Hernández, A. Morales-Sillero, M.Á. Fernández-Prior, J. Fernández-Bolaños, M. de la Paz Aguilera-Herrera and G. Rodríguez-Gutiérrez</i> | 278 |
| Effect of microalgae incorporation on the physicochemical, nutritional, and sensorial properties of an innovative broccoli soup <i>T. Lafarga, F.G. Ación-Fernández, M. Castellari, S. Villaró, G. Bobo and I. Aguiló-Aguayo</i> | 167 | Evaluation of effective storage conditions and <i>in-vitro</i> bioaccessibility of vitamin A from native and modified sodium caseinate -vitamin A complexes <i>C. Gupta, S. Arora, A. Sharma and V. Sharma</i> | 284 |
| Thiol concentration, structural characteristics and gelling properties of bovine heart protein concentrates <i>M.S. Rahman, G.-w. Go, J.-K. Seo, K. Gul, S.-G. Choi and H.-S. Yang</i> | 175 | Developing curcumin nanoemulsions by high-intensity methods: Impact of ultrasonication and microfluidization parameters <i>G. Páez-Hernández, P. Mondragón-Cortez and H. Espinosa-Andrews</i> | 291 |
| Influence of drying methods on some physicochemical, functional and pasting properties of Chinese yam flour <i>L. Li, M. Zhang and B. Bhandari</i> | 182 | The effects of ultrasonic treatment on the freezing rate, physicochemical quality, and microstructure of the back muscle of grass carp (<i>Ctenopharyngodon idella</i>) <i>Z. Shi, S. Zhong, W. Yan, M. Liu, Z. Yang and X. Qiao</i> | 301 |
| Do production and storage affect the quality of green banana biomass? <i>R.F.R. Riquette, V.C. Ginani, E. dos Santos Leandro, E.R. de Alencar, I.R. Maldonado, L.A. de Aguiar, G.M. de Souza Acácio, D.R.H. Mariano and R.P. Zandonadi</i> | 190 | Effect of sourdough lactic acid bacteria fermentation on phenolic acid release and antifungal activity in pitaya fruit substrate <i>J.O. Omedi, W. Huang and J. Zheng</i> | 309 |
| Nutrient stress as a means to enhance the storage stability of spray dried microencapsulated <i>Lactobacillus plantarum</i> B21 <i>E. Parlindungan, C. Dekiwadia, B.K. May and O.A.H. Jones</i> | 204 | Assessing the inactivation efficiency of Ar/O₂ plasma treatment against <i>Listeria monocytogenes</i> cells: Sublethal injury and inactivation kinetics <i>Y. Pan, J.-H. Cheng, X. Lv and D.-W. Sun</i> | 318 |
| Optimization of lactic acid fermentation conditions for fermented tofu whey beverage with high-isoflavone aglycones <i>Y. Zhu, Z. Wang and L. Zhang</i> | 211 | Evaluation of bioactive compounds and biological activities of Tunisian propolis <i>W. Gargouri, S.M. Osés, M.A. Fernández-Muiño, M.T. Sancho and N. Kechaou</i> | 328 |
| Development of a carboxymethyl xylan film containing licorice essential oil with antioxidant properties to inhibit the growth of foodborne pathogens <i>Á. Luís, L. Pereira, F. Domingues and A. Ramos</i> | 218 | Phenolic compound profile and biological activities of Southern African <i>Opuntia ficus-indica</i> fruit pulp and peels <i>C.E. Aruwa, S. Amoo and T. Kudanga</i> | 337 |
| Phenolic profile and antioxidant activity of Chinese rice wine fermented with different rice materials and starters <i>H. Cai, Q. Zhang, L. Shen, J. Luo, R. Zhu, J. Mao, M. Zhao and C. Cai</i> | 226 | Emulsifying and physicochemical properties of lotus root amylopectin-whey protein isolate conjugates <i>L.-T. Bai, Y. Song, Q.-M. Li, L.-H. Pan, X.-Q. Zha and J.-P. Luo</i> | 345 |
| Development and characterization of soybean oil microcapsules employing kafirin and sodium caseinate as wall materials <i>X. Bai, C. Li, L. Yu, Y. Jiang, M. Wang, S. Lang and D. Liu</i> | 235 | Co-assembly of nisin and zein in microfluidics for enhanced antilisterial activity in Queso Fresco <i>Y. Feng, L.A. Ibarra-Sánchez, L. Luu, M.J. Miller and Y. Lee</i> | 355 |
| Emulsifying and structural properties of polysaccharides extracted from Chinese yam by an enzyme-assisted method <i>X.-X. Liu, Y.-Y. Yan, H.-M. Liu, X.-D. Wang and G.-Y. Qin</i> | 242 | Changes in the chemical composition and bioactive compounds of chickpea (<i>Cicer arietinum</i> L.) fortified by germination <i>C.D. Ferreira, V.K. Bubolz, J. da Silva, C.L. Dittgen, V. Ziegler, C. de Oliveira Raphaelli and M. de Oliveira</i> | 363 |

| | | | |
|---|-----|--|-----|
| Enhancement of phenolic antioxidants production in submerged cultures of endophytic microorganisms isolated from achachairu (<i>Garcinia humilis</i>), araçá-boi (<i>Eugenia stipitata</i>) and bacaba (<i>Oenocarpus bacaba</i>) fruits R.G. Chagas Barros, C. Santos de Oliveira, L.T. Santos Oliveira, U.C. Pereira, T.O. Matos Silva, M. Denadai and N. Narain | | Identification and quantification of beta-casomorphin peptides naturally yielded in raw milk by liquid chromatography-tandem mass spectrometry D.D. Nguyen, V.A. Solah, S.K. Johnson, H.A. Nguyen, T.L.D. Nguyen, T.L.H. Tran, T.K. Mai and F. Busetti | 465 |
| Autochthonous microbes and their key properties in browning reduction during soy sauce fermentation R. Det-udom, C. Prakitchaiwattana and T. Mahawanich | 370 | Bioaccessibility of folic acid in egg white nanocarriers and protein digestion profile in solution and in emulsion C. Arzeni and A.M.R. Pilosof | 470 |
| Extrusion effect on proximate composition, starch and dietary fibre of ready-to-eat products based on rice fortified with carob fruit and bean C. Arribas, B. Cabellos, C. Cuadrado, E. Guillamón and M.M. Pedrosa | 378 | Evaluation of oxidative stability in hazelnut oil treated with several antioxidants: Kinetics and thermodynamics studies Ö. Gülmez and S. Şahin | 478 |
| Inactivation kinetics of <i>Bacillus cereus</i> and <i>Geobacillus stearothermophilus</i> spores through roasting of cocoa beans and nibs A.P.M. Pereira, H.A. Stelari, F. Carlin and A.S. Sant'Ana | 387 | Green methodology for quality control of elemental content of infant milk powder L. Herreros-Chavez, A. Morales-Rubio and M.L. Cervera | 484 |
| Comparative study of pomegranate and jacaranda seeds as functional components for the conjugated linolenic acid enrichment of yogurt C.P. Van Nieuwenhove, A. Moyano, P. Castro-Gómez, J. Fontecha, G. Sáez, G. Zárate and P.L. Pizarro | 394 | Low vs high field ¹ H Nmr spectroscopy for the detection of adulteration of cold pressed rapeseed oil with refined oils D. McDowell, M. Defernez, E.K. Kemsley, C.T. Elliott and A. Koidis | 490 |
| Bioactivity and bioaccessibility of protein hydrolyzates from industrial byproducts of Stripped weakfish (<i>Cynoscion guatucupa</i>) K.O. Lima, C. da Costa de Quadros, M. da Rocha, J.T. Jocelino Gomes de Lacerda, M.A. Juliano, M. Dias, M.A. Mendes and C. Prentice | 401 | The factors influencing rennet-induced coagulation properties of yak milk: The importance of micellar calcium during gelation Y. Zhang, Y. Li, P. Wang, Q. Liang, Y. Zhang and F. Ren | 500 |
| pH effect on the physico-chemical, microstructural and sensorial properties of processed cheese manufactured with various starches G. Talbot-Walsh, D. Kannar and C. Selomulya | 408 | Prediction of indigenous <i>Pseudomonas</i> spp. growth on oyster mushrooms (<i>Pleurotus ostreatus</i>) as a function of storage temperature E. Manthou, F. Tarlak, A. Lianou, M. Ozdemir, G.I. Zervakis, E.Z. Panagou and G.-J.E. Nychas | 506 |
| Fruit jellies enriched with dietary fibre: Development and characterization of a novel functional food product L.E. Figueroa and D.B. Genovese | 414 | Effect of replacement of cassava starch with sweet potato starch on the functional, pasting and sensory properties of tapioca grits O.A. Akintayo, J.M. Obadu, O.R. Karim, M.A. Balogun, F.L. Kolawole and S.A. Oyeyinka | 513 |
| Effect of processing aid on the chemical composition and metagenomics of fermented African oil bean seed (<i>Pentaclethra macrophylla</i> , Benth) F. Azi, H.A. Njoku, E.I. David, M.O. Odo, V.N. Nwobasi, C. Tu and M. Dong | 423 | Functional and structural effects of hydrocolloids on Ca(II)-alginate beads containing bioactive compounds extracted from beetroot T.R. Aguirre Calvo, P.R. Santagapita and M. Perullini | 520 |
| Effect of storage in pallet-unit controlled atmosphere on the quality of Chinese cabbage (<i>Brassica rapa</i> L. spp. <i>pekinensis</i>) used in kimchi manufacturing J.-H. Kang, H.-J. Woo, J.-B. Park, H.H. Chun, C.W. Park and K.B. Song | 429 | Effect of wheat flour substitution with potato pulp on dough rheology, the quality of steamed bread and <i>in vitro</i> starch digestibility Y. Cao, F. Zhang, P. Guo, S. Dong and H. Li | 527 |
| Functionality and cooking characteristics of pasta supplemented with protein isolate from pangas processing waste V.K. Reddy Surasani, A. Singh, A. Gupta and S. Sharma | 436 | Antioxidant activity of free and hydrolyzed phenolic compounds in soluble and insoluble dietary fibres derived from hullless barley Q. Li, S. Yang, Y. Li, Y. Huang and J. Zhang | 534 |
| Highly proteolytic bacteria from semi-ripened Chiapas cheese elicit angiotensin-I converting enzyme inhibition and antioxidant activity C.R. Gonzalez-Gonzalez, J. Machado, S. Correia, A.L. McCartney, J. Stephen Elmore and P. Jauregi | 443 | Changes in chemical composition and oxidative stability of cold-pressed oils obtained from by-product roasted berry seeds S. Mildner-Szkudlarz, M. Rózańska, A. Siger, P.Ł. Kowalczewski and M. Rudzińska | 541 |
| Characterization and application of postbiotics of <i>Lactobacillus</i> spp. on <i>Listeria monocytogenes</i> <i>in vitro</i> and in food models M. Moradi, K. Mardani and H. Tajik | 449 | Comparative study on the extraction of <i>Xanthoceras sorbifolia</i> Bunge (yellow horn) seed oil using subcritical <i>n</i> -butane, supercritical CO ₂ , and the Soxhlet method L.-B. Gu, G.-J. Zhang, L. Du, J. Du, K. Qi, X.-L. Zhu, X.-Y. Zhang and Z.-H. Jiang | 548 |
| | 457 | Antioxidant activities of Se-MPS: A selenopeptide identified from selenized brown rice protein hydrolysates K. Liu, R. Du and F. Chen | 555 |

| | | | |
|--|-----|---|-----|
| Spanish avocado (<i>Persea americana</i> Mill.) honey: Authentication based on its composition criteria, mineral content and sensory attributes <i>I. Rodríguez, F. Cámara-Martos, J.M. Flores and S. Serrano</i> | 561 | Functional and compositional changes of orange peel fiber thermally-treated in a twin extruder <i>L.E. Garcia-Amezquita, V. Tejada-Ortigoza, E. Pérez-Carrillo, S.O. Serna-Saldívar, O.H. Campanella and J. Welti-Chanes</i> | 673 |
| Addition of anionic polysaccharides to improve the stability of rice bran protein hydrolysate-stabilized emulsions <i>X. Zang, J. Wang, G. Yu and J. Cheng</i> | 573 | Antimicrobial activity of cinnamon oil nanoemulsion against <i>Listeria monocytogenes</i> and <i>Salmonella</i> spp. on melons <i>S.K. Paudel, K. Bhargava and H. Kotturi</i> | 682 |
| Impacts of epicatechin on the formation of advanced lipid oxidation end products (ALEs) in a fish oil oxidation model <i>Y. Yuan, B. Pan, X. Niu, X. Yao, M. Sun, M. Xu and Q. Zhu</i> | 582 | Influence of protein and vitamin B2 as nutrients of chicken meat on staphylococcal enterotoxin genes expression via virulence regulators <i>H. Wang, L. Cai, H. Wang, X. Xu and G. Zhou</i> | 688 |
| Carbon dots from roasted mackerel (<i>scomberomorus niphonius</i>) for free radical scavenging <i>J. Li, L. Cao, D. Li, C. Yu and M. Tan</i> | 588 | Impact of tempeh flour on the rheology of wheat flour dough and bread staling <i>L. Huang, Z. Huang, Y. Zhang, S. Zhou, W. Hu and M. Dong</i> | 694 |
| Effect of volatile compounds on the quality of Japanese fermented soy sauce <i>S. Wang, T. Tamura, N. Kyouno, X. Liu, H. Zhang, Y. Akiyama and J.Y. Chen</i> | 594 | Xylooligosaccharides as prebiotics from biomass autohydrolyzate <i>C. Hong, D. Corbett, R. Venditti, H. Jameel and S. Park</i> | 703 |
| The effects of novel bioactive carboxymethyl cellulose coatings on food-borne pathogenic bacteria and shelf life extension of fresh and sauced chicken breast fillets <i>M.A. Nouri Ala and Y. Shahbazi</i> | 602 | Characterization of Job's tears (<i>Coix lachryma-jobi</i> L.) starch films incorporated with clove bud essential oil and their antioxidant effects on pork belly during storage <i>J.-H. Kang and K.B. Song</i> | 711 |
| Modeling inactivation of <i>Listeria monocytogenes</i> , <i>Shigella sonnei</i> , <i>Byssoschlamys fulva</i> and <i>Saccharomyces cerevisiae</i> and ascorbic acid and β -carotene degradation kinetics in tangerine juice by pulsed-thermosonication <i>S.M.B. Hashemi, R. Roohi, M.R. Mahmoudi and D. Granato</i> | 612 | Mineral content of propolis tinctures in relation to the extraction time and the ethanol content of the extraction solvent <i>Á. Soós, É. Bódi, S. Várallyay, S. Molnár and B. Kovács</i> | 719 |
| Response surface methodology for evaluation of the effects of screw speed, feed moisture and xanthan gum level on functional and physical properties of corn half products <i>Ö.A. Gümüşay, M. Şeker and H. Sadıkoğlu</i> | 622 | Comparison of the effect of four drying methods on polyphenols in saskatoon berry <i>S. Lachowicz, A. Michalska, K. Lech, J. Majerska, J. Oszmiański and A. Figiel</i> | 727 |
| Effects of soluble dietary fiber on the crystallinity, pasting, rheological, and morphological properties of corn resistant starch <i>X. Liu, S. Liu, H. Xi, J. Xu, D. Deng and G. Huang</i> | 632 | Different baking conditions may produce breads with similar physical qualities but unique starch gelatinization behaviour <i>P. Bredariol, M. Spatti and F.M. Vanin</i> | 737 |
| Gelling pectins from carrot leftovers extracted by industrial-enzymes with ultrasound pretreatment <i>A.M. Idrovo Encalada, C.D. Pérez, L.N. Gerschenson, A.M. Rojas and E.N. Fissore</i> | 640 | The effect of composition on the rheological behavior of commercial chocolates <i>C. Vásquez, G. Henríquez, J.V. López, E.K. Penott-Chang, A.J. Sandoval and A.J. Müller</i> | 744 |
| Effects of high pressure processing (HPP) and acid pre-treatment on quality attributes of hilsa (<i>Tenualosa ilisha</i>) fillets <i>V. Kumar, P.S. Rao, S.R. Purohit and Y. Kumar</i> | 647 | Physicochemical and sensory characteristics of pasta enriched with fish (<i>Oreochromis niloticus</i>) waste flour <i>M.L.G. Monteiro, E.T. Mársico, R. Deliza, V.S. Castro, Y.S. Mutz, M.S. Soares Junior, M. Caliari, E.A. dos Santos and C.A. Conte-Junior</i> | 751 |
| Development and optimization of a thiol imidazolium-based ionic liquid for ultrasonic assisted liquid-liquid microextraction combined with HPLC-FLD for determination of bisphenols in milk and juice samples <i>J. Qu, Y. Li, M. Gao, C. Tan, J. Li, X. Wang and H. Wang</i> | 653 | Physical stability of nanoemulsions with emulsifier mixtures: Replacement of tween 80 with quillaia saponin <i>N. Riquelme, R.N. Zúñiga and C. Arancibia</i> | 760 |
| Characterization of <i>Weissella confusa</i> DD_A7 isolated from kimchi <i>D.K. Dey, B.G. Koo, C. Sharma and S.C. Kang</i> | 663 | Enriched Z-isomers of lycopene-loaded nanostructured lipid carriers: Physicochemical characterization and <i>in vitro</i> bioaccessibility assessment using a diffusion model <i>C. Yang, H. Liu, Q. Sun, W. Xiong, J. Yu and L. Zhang</i> | 767 |
| | | Effects of <i>in vitro</i> simulated gastrointestinal digestion on the antioxidant, α -glucosidase and α -amylase inhibitory activities of water-soluble polysaccharides from <i>Opilia amentacea</i> roxb fruit <i>M. Kasipandi, A. Manikandan, P.S. Sreeja, T. Suman, S. Saikumar, S. Dhivya and T. Parimelazhagan</i> | 774 |

| | | | |
|--|-----|---|-----|
| Inactivation of <i>Salmonella</i> Enteritidis and <i>Enterococcus faecium</i> NRRL B-2354 in corn flour by radio frequency heating with subsequent freezing <i>S. Ozturk, S. Liu, J. Xu, J. Tang, J. Chen, R.K. Singh and F. Kong</i> | 782 | Electron beam irradiation-induced structural changes increase the antioxidant activities of egg white protein <i>X. Liu, J. Liu, W. Zhang, S. Han, T. Zhang and B. Liu</i> | 846 |
| Influence of infrared drying on the drying kinetics, bioactive compounds and flavor of <i>Cordyceps militaris</i> <i>X.-f. Wu, M. Zhang and Z. Li</i> | 790 | Comparative evaluation of flavour and nutritional quality after conventional and microwave-assisted pasteurization of cloudy apple juice <i>É.S. Siguemoto, E. Purgatto, N.M.A. Hassimotto and J.A.W. Gut</i> | 853 |
| Effect of pomegranate juice and fir honey addition on the rheological and sensory properties of kefir-type products differing in their fat content <i>G. Dimitreli, D. Petridis, N. Kapageridis and M. Mixiou</i> | 799 | Evaluation of storage time and grape seed extract addition on biogenic amines content of tarhana: A cereal-based fermented food <i>S. Akan and Ö. Özdestan Ocak</i> | 861 |
| Comparing the kinetics of the hydrolysis of by-product from channel catfish (<i>Ictalurus punctatus</i>) fillet processing by eight proteases <i>Y. Tan, S.K.C. Chang and S. Meng</i> | 809 | Bee pollen as a natural antioxidant source to prevent lipid oxidation in black pudding <i>O. Anjos, R. Fernandes, S.M. Cardoso, T. Delgado, N. Farinha, V. Paula, L.M. Estevinho and S.T. Carpes</i> | 869 |
| Statistical modeling of the inactivation of spoilage microorganisms during ohmic heating of sour orange juice <i>S.M.B. Hashemi, M.R. Mahmoudi, R. Roohi, I. Torres and J.A. Saraiva</i> | 821 | Hypocholesterolaemic activity of a novel autochthonous potential probiotic <i>Lactobacillus plantarum</i> YS5 isolated from yogurt <i>Y. Nami, R. Vaseghi Bakhshayesh, M. Manafi and M.A. Hejazi</i> | 876 |
| Effect of different fermenting containers on the deterioration of Sichuan pickle <i>L. Liu, X. She, Y. Qian, Y. Li, Y. Tao, Z. Che, G. Liu and Y. Rao</i> | 829 | Probiotic survival and in vitro digestion of <i>L. salivarius</i> spp. <i>salivarius</i> encapsulated by high homogenization pressures and incorporated into a fruit matrix <i>B. Ester, B. Noelia, C.-J. Laura, P. Francesca, B. Cristina, L. Rosalba and D.R. Marco</i> | 883 |
| Antimicrobial activity and thermal stability of rosemary essential oil:β-cyclodextrin capsules applied in tomato juice <i>D. Garcia-Sotelo, B. Silva-Espinoza, M. Perez-Tello, I. Olivas, E. Alvarez-Parrilla, G.A. González-Aguilar and J.F. Ayala-Zavala</i> | 837 | Calcium absorption in asparagus during thermal processing: Different forms of calcium ion and cell integrity in relation to texture <i>J. Peng, Y. Song, X. Zhang, L. Pan and K. Tu</i> | 889 |