

## CONTENTS

### ORIGINAL ARTICLES

---

- 465 Genetic parameters and selection of maize cultivars using Bayesian inference in a multi-trait linear model  
*Jan Bocianowski, Kamila Nowosad, Piotr Szulc, Anna Tratwa, Ewa Bakinowska and Dariusz Piesik*
- 479 Evaluation of phytotoxic potential and identification of phytotoxic substances in *Cassia alata* Linn. leaves  
*Krishna Rany Das, Arihiro Iwasaki, Kiyotake Suenaga and Hisashi Kato-Noguchi*
- 489 Nitrates content in table potato tubers under the influence of herbicides and biostimulants  
*Krystyna Zarzecka, Marek Gugala and Anna Sikorska*
- 494 Soil affected the variations in grape and wine properties along the eastern foot of Helan Mountain, China  
*Yanbing Qi, Rui Wang, Qianru Qin and Quan Sun*
- 503 Impact of nitrogen supply on glucosinolate content and phenolic acids in cauliflower varieties  
*Madonna N. Mashabela, Martin Maboko, Puffy Soundy and Dharini Sivakumar*
- 511 Effects of foliar spraying with new zinc sources on rice seed enrichment, nutrition, and productivity  
*R. C. F. Alvarez, R. M. Prado, J. P. Souza Júnior, R. L. L. Oliveira, G. Felisberto, A. C. F. Deus and F. J. R. Cruz*
- 516 Strip-till as a means of decreasing spatial variability of winter barley within a field scale  
*Iwona Jaskulska, Anna Gałazka and Dariusz Jaskulski*
- 528 Groundnut (*Arachis hypogaea* L.) improvement in sub-Saharan Africa: a review  
*Seltene Abady, Hussein Shimelis, Pasupuleti Janila and Jacob Mashilo*
- 546 Clinical aspects and health benefits of ginger (*Zingiber officinale*) in both traditional Chinese medicine and modern industry  
*Mohamad Hesam Shahrajabian, Wenli Sun and Qi Cheng*