

Table of Contents

T. HAUCKE, K. HERZOG, P. BARRÉ, R. HÖFLE, R. TÖPFER and V. STEINHAGE: Improved optical phenotyping of the grape berry surface using light-separation and automated RGB image analysis. 1

M. M. AL-AZZAZY: Biological performance of the predatory mite *Neoseiulus barkeri* Hughes (Phytoseiidae): a candidate for controlling of three mite species infesting grape trees 11

R. SCHMITZ, B. S. ATKINSON, C. J. STURROCK, L. HAUSMANN, R. TÖPFER and K. HERZOG: High-resolution 3D phenotyping of the grapevine root system using X-ray Computed Tomography 21

S. K. FIELD, J. P. SMITH, D. H. GREER, R. J. NEIL EMERY, S. FARROW and B. P. HOLZAPFEL: Secondary and tertiary budbreak release is enhanced by extended dormancy chilling in 'Shiraz' grapevines. 29

S. SERRA, V. LIGIOS, N. SCHIANCHI, V. A. PROTA, A. DEIDDA and B. SCANU: Incidence of grapevine trunk diseases on four cultivars in Sardinia, Southern Italy 35

P. KEHRLI, J. RÖSTI, F. LORENZINI, P. DENEULIN and C. LINDER: Influence of processed *Halyomorpha halys* bugs on the aroma and taste of 'Chardonnay' and 'Merlot' musts and wines 43

Erratum

P. ABBAL, A. VERNHET, E. ABI-HABIB, S. CARRILLO, M. A. DUCASSE and C. PONCET-LEGRAND: Mechanical tests and definition of new indexes of grape berry firmness. Evolution of berry skin hardness during alcoholic fermentation 51