

CONTENTS

Articles

- LU, W., ZHAO, X.-J. & TAN, J.-J.— Endogenous bacterial community structure of *Pinus massoniana* with differing resistance to pine wilt disease 853-869
- CLAVERO-CAMACHO, I., LIÉBANAS, G., ESCUER, M., CANTALAPIEDRA-NAVARRETE, C., ARCHIDONA-YUSTE, A., CASTILLO, P. & PALOMARES-RIUS, J.E.— Studies on *Longidorus iberis* (Escuer & Arias, 1997) n. comb. (Nematoda: Longidoridae) from Spain 871-885
- YADAV, S., KANWAR, R.S. & PATIL, J.A.— Organic amendments with and without a synthetic nematicide for the management of *Heterodera avenae* in wheat 887-895
- KANZAKI, N.— Nematode isolation from nitidulid beetles with proposal of *Sheraphelenchus heterophallus* n. comb. 897-908
- MAMIYA, Y., AKIBA, M., EKINO, T. & KANZAKI, N.— Morphology, molecular profiles and distribution of Japanese populations of *Steinernema tielingense* Ma, Chen, Li, Han, Khatri-Chhetri, De Clercq & Moens, 2012 (Rhabditida: Steinernematidae) 909-928
- KHANAL, C., GALBIERI, R. & TIMPER, P.— Rotations with *Crotalaria* spp. do not suppress populations of *Meloidogyne incognita* in cotton 929-937
- GIRGAN, C., SHOKOOHI, E., MARAIS, M., FOURIE, H., TIEDT, L. & SWART, A.— Description of *Ironus telperionensis* n. sp. (Nematoda: Ironidae) and two known species of *Chronogaster* (Nematoda: Chronogastridae) and *Paraphanolaimus* (Nematoda: Aphanolaimidae) from the Telperion Nature Reserve (Mpumalanga, South Africa) 939-961

Short communication

- LIN, Y. & YOSHIGA, T.— Propagation of *Ditylenchus destructor* from garlic on sweet potato 963-965

Book review

- VINCIGUERRA, M.T.— Morphology and bionomics of dorylaims (Nematoda: Dorylaimida). Nematology Monographs and Perspectives 13 (Reyes Peña-Santiago) 967-968