

CONTENTS

Articles

KANZAKI, N., MASUYA, H. & HAMAGUCHI, K.— <i>Neomisticus platypi</i> n. sp. and <i>N. variabilis</i> n. sp. (Tylenchomorpha: Anguinidae) from dead oak trees in Japan	361-381
HORAK, I., JANSEN VAN RENSBURG, P.J. & CLAASSENS, S.—Effect of cultivation media and temperature on metabolite profiles of three nematicidal <i>Bacillus</i> species	383-399
KOEHLER, A.-K., BELL, C.A., BACK, M.A., URWIN, P.E. & ATKINSON, H.J.—Improving a pest management tool for scenario analysis of economic populations of <i>Globodera pallida</i>	401-411
HOSHINO, S. & TOGASHI, K.—Long-term population dynamics of <i>Aphelenchoides besseyi</i> on <i>Oryza sativa</i> in a paddy field, and changes in the pathological and ecological traits of the two populations	413-429
LÓPEZ-PÉREZ, J.A. & SÁNCHEZ-MORENO, S.—Soil response to root-knot nematode management with wine vinasse in a solarised horticultural soil under glasshouse conditions	431-451
LI, H., GU, J., FANG, Y., MA, X. & MUNAWAR, M.—Redescription of <i>Ektaphelenchoides compsi</i> Baujard, 1984 (Tylenchina: Aphelenchoididae) isolated from <i>Pinus massoniana</i> in Fujian Province, China	453-463
GU, J., FANG, Y. & MA, X.—Description of <i>Cryptaphelenchus recticaudatus</i> n. sp. (Aphelenchoidea: Ektaphelenchinae) in <i>Pinus elliottii</i> from the USA	465-473
KEYTE, M., GRANNELL, A., SHEEHY, L., SHEPHERD, J. & RAE, R.— <i>Phasmarhabditis californica</i> in Germany	475-480

Short communication