

Articles

- 785 Multidimensional aquaculture investor index: Black Sea riparian countries
Yuliia Buhlak, Patrice Guillotreau, Thomas Vallee, Veronique le Bihan, and J. A. Theodorou
- 829 Partial and full substitution of fish meal and soybean meal by canola meal in diets for genetically improved farmed tilapia (*O. niloticus*): Growth performance, carcass composition, serum biochemistry, immune response, and intestine histology
Maryam Iqbal, Atif Yaqub, and Muhammad Ayub
- 855 Use of toasted sesame seedmeal as a replacer of soybean meal in african catfish diets: Effect on growth, nutrient utilization, body composition, haematology and histopathology of the liver
Wasiu Adeyemi Jimoh
- 877 Effects of dietary oak (*Quercus aegilops* L.) acorn on growth performance, somatic indices, and hemato-biochemical responses of common carp, *Cyprinus carpio* L., at different stocking densities
Mohsen Abdel-Tawwab, Nasreen M. Abdulrahman, Vian M. Ahmad, Derin O. M. Ramzi, and Bakhan R. Hassan
- 894 Effect of short-term fasting and re-feeding on growth performance of larvae and juveniles *Pyrrhulina brevis*, an amazon ornamental fish
Higo Andrade Abe, Ryuller Gama Abreu Reis, Peterson Emmanuel Guimarães Paixão, and Rodrigo Yudi Fujimoto
- 907 Influence of salinity on nursery-phase whiteleg shrimp (*Litopenaeus vannamei*) reared in a biofloc system
Nguyen Van Hoa, Chau Tai Tào, Takeshi Terahara, and Tran Ngoc Hai
- 922 Replacing fishmeal with pretreated Lima bean improves growth, feed utilization, whole-body composition and nutrient retention in Nile-tilapia fingerlings
Paulin Nyadjeu, Justin Djimbie Djopnang, Noël Arlette Tamko Ndjuiissi, Achare Elvis Ayamba, Hapsatou Alim, and Minette Eyango Tabi-Tomedi
- 938 Survival of nursery-reared juvenile milkfish, *Chanos chanos*, at different transport density and temperature
Alan N. Failaman, Rex Ferdinand M. Traifalgar, and Valeriano L. Corre Jr
- 953 On-board zero-discharge water treatment unit for well-boats: Arctic char as a case study
Raz Ben-Asher, Guðmundur Stefánsson, Aðalheiður Ólafsdóttir, Hagai Mayer, Ran Nahir, Youri Gendel, and Ori Lahav
- 969 Growth and feed utilization of juvenile tench (*Tinca tinca* L.) given diets in which soy protein concentrate replaces fishmeal and methionine and arginine are used as amino acid supplements
José M. Carral, Teresa García, María Sáez-Royuela, Jesús D. Celada, and Lidia Marañá

- 989 Triploidy induction in tambaqui (*Colossoma macropomum*) using thermal shock: fertilization, survival and growth performance from early larval to the juvenile stage
Gabriela Silva Júnior, Carlos E. Copatti, Lucas Costa, Gustavo Souza, Hugo C. Bonfá, and José F. B. Melo
- 1005 Effect of feeding rate and hormonal treatments on the condition factor and the reproductive performance of the catfish, *Pangasianodon hypophthalmus*
José Antonio Estrada-Godinez, Gustavo Alejandro Rodríguez-Montes De Oca, María Isaura Bañuelos-Vargas, Emmanuel Martínez-Montaño, María del Rosario Pacheco-Marges, and José Cristóbal Román-Reyes
- 1021 A comparison of triploid and diploid Atlantic salmon (*Salmo salar*) performance and welfare under commercial farming conditions in Norway
Angelico Madaro, Sissel Kjølglum, Tom Hansen, Per Gunnar Fjelldal, and Lars H. Stien
- 1036 Nutritional and microbial quality of extruded fish feeds containing black soldier fly (*Hermetia illucens* L) larvae meal as a replacement for fish meal for Nile Tilapia (*Oreochromis niloticus*) and African sharptooth catfish (*Clarius gariepinus*)
G. J. Were, F. G. Irungu, P. N. Ngoda, H. Affognon, S. Ekesi, D Nakimbugwe, K. K. M. Fiaboe, and C. M. Mutungi