

Contents (continued)

X.	<p>ROLE OF INTESTINAL MICROFLORA AND THE IMMUNE SYSTEM OF MOTHER MICE IN THE DEVELOPMENT OF A "WASTING SYNDROME" IN THEIR CONGENITALLY THYMUSLESS OFFSPRING (<i>Dirk van der Waaij</i>)</p>	127
	The importance of the colonisation resistance and the immune system for the development of normal defence	127
	The intestinal tract environment showing difference between new-born and adult germfree mice	128
	Experimental study of colonisation resistance for an <i>Escherichia coli</i> strain in baby mice	129
	The development of an intestinal microflora in congenitally athymic mice	130
	Evidence showing that the <i>severity</i> of an 'early form' of wasting disease is determined by the immune system of the lactating dam	131
	Breeding with euthymic ex-germfree mice associated with a cow-IMF causing a low CR	132
	The apparent role of the polyspecific IgM B1-cell system and the thymus dependent B2-cell system in determining the composition of the IMF	134
	Proposed working hypothesis	136
	Literature	138
XI.	<p>OLD HERBORN UNIVERSITY SEMINAR ON POLYSPECIFIC IMMUNOGLOBULINS, THEIR POSSIBLE ROLE IN THE NORMAL (PHYSIOLOGICAL) CLEARANCE OF MICROORGANISMS AND TISSUE FRAGMENTS: MINUTES AND REVIEW OF THE DISCUSSION (<i>Frits Schut</i>)</p>	141
	Natural IgA: Effect on translocation	141
	Nutrition and GALT evolution	142
	Oral tolerance in relation to autoimmune disease	143
	Idiotypic networks: The instruction of the immune system during the perinatal period	144
	Common therapeutic approaches: Inflammation and cancer	144

Ingegerd Adl
University, Gu

Pnina Fishma
Felsenstein Me
Medicine, Tel-2

Neil S. Green
Western Reser
USA.

Peter J. Heid
Primate Resear

Hilmar Lemk
Kiel, Otto Mey

Jörg Reimann
Helmholtzstr. 8

Frits Schut, P
The Netherland

Yehuda Shoer
Tel-Aviv Univ

Petr Šíma, P
Department of
Czech Republic

Dirk van de
Netherlands.

Dick Veener
"Kennemerlan